

PRICE LIST  
OF  
**HARVESTER EXTRAS**

---

For Holt Improved Link Belt  
Combined Harvesters  
1916

=====

THE HOLT  
MANUFACTURING COMPANY  
INCORPORATED

STOCKTON, CALIFORNIA, U. S. A.

=====

SAN FRANCISCO  
LOS ANGELES  
PORTLAND  
SPOKANE

NEW YORK  
PEORIA  
WICHITA  
CALGARY

## CONTENTS

	Page
INSTRUCTIONS FOR ORDERING EXTRAS.....	3
INSTRUCTIONS FOR RETURNING GOODS.....	4
CASTING LIST	
This list contains all castings used on all models of Harvesters up to and including the year 1913. The items are alphabetically arranged according to prefix symbols .....	5 to 122
SHAFTING	
This list contains the shafting used on each model of Harvester for each year .....	122 to 170
MISCELLANEOUS	
This list contains all the important Harvester Ex- tras not listed above and is alphabetically arranged according to names of parts .....	170 to 196



## INSTRUCTIONS FOR ORDERING EXTRAS.

1. Order all parts from the nearest Branch or Authorized Agent in your territory.
2. Observe carefully the Part Number and the letter on the part for which you want a duplicate. Be sure to state that Part Number and letter in your order, with the description following it, in the list of repairs.  
In reading numbers, be sure that you are reading them right side up. Many numbers are capable of being read upside down, as 1166, 809 and 981.
3. State plainly your post office address (also freight station), county and state to which the goods are to be sent. State whether by parcel post or express (if express, by what company), or freight and by what route.
4. Always make out your order for Extras on a Separate Sheet, and not in the body of your letter, and on this sheet give the way you want the material sent, by mail, what express company, freight by what railroad, and to what town.
5. There are several sizes of many parts, including **Drapers, Straw Carriers, Grain Carriers, Jackson Feeders and Sticks for Same, Separator Shoes and Screens, Cleaner Screens, Shafting.** It is very necessary to show on your order the dimensions and to give a full description; also Number of Machine.
6. The Grain Side of a Machine is referred to as the **RIGHT** Side and the Main Side of a Machine as the **LEFT** Side.
7. Prepay freight and express charges on sample castings or extras sent us and put your name on the back of the shipping tag.
8. No goods are shipped by us without the approval of our Credit Department. A customer whose financial standing is unknown to us and who desires to open up an account with us on a credit basis should with his first order furnish us with satisfactory references.

**ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**

## INSTRUCTIONS FOR RETURNING GOODS

It sometimes becomes necessary for our customers to return sundry parts. In order to insure our giving proper credit for any such returns, it is essential that the following instructions be carefully observed:

1. Advise us in separate letter that you are returning goods to us, and why.
2. Give us the date of our invoice wherein we charged you with the goods.
3. Give us our order number covering the shipment to you.
4. Advise us the name of the carrier over which you are returning the goods to us.
5. Always prepay shipments.
6. Send shipping receipt, covering the return, with your letter.
7. Address each article plainly and put your name on the back of the shipping tag.

Note: In writing letters to us, endeavor to group your letter according to subjects. If you are sending us an order, have your letter refer only to the order. Do not advise us in letter appertaining to order that you are returning goods to us. Our business is grouped by Departments. The Order Department receives the orders, the Receiving Department receives notices of incoming shipments, the Accounting Department receives letters appertaining to collections and complaints. You can thus see the necessity of grouping your letter according to subjects.



# Price List of Extras

In Ordering be Careful to Give Number on Casting to be Duplicated, and the Year in Which You Purchased Machine.

No.	Price Each	
A	4.00	Bracket for Cylinder Counter Shaft.
A1	4.75	Bracket for Cylinder Counter Shaft, 1890.
A2	4.75	Bracket for Cylinder Counter Shaft, Standard 1891, 1892, 1893 to 1909.
A3	4.00	Bracket for Cylinder Counter Shaft, Old Style Machine.
B	3.50	Box Cap of Main Wheel Box, 2 $\frac{7}{8}$ for No. C.
C	3.75	Box Bottom of Main Wheel Box, 2 $\frac{7}{8}$ Standard to 1909.
D	1.25	Bottom Plate for Nos. B and C.
E	3.00	Bottom of Grain and Main Wheel Box, 2 $\frac{7}{8}$ Shaft, Standard 1909.
E1168	3.55	Pulley, $\frac{1}{8}$ " bore, for Radiator Fan Shaft.
E1365	1.75	Funnel on Gas and Water Tanks.
E1366	.60	Cover for Funnel E1365.
E1368	3.45	Radiator Manifold, Lower, Giant Harvester.
E1508	.70	Pipe Flange on Gas Tank.
E1541	3.30	Radiator Manifold, Lower, California Special and Large Standard.
E1588	5.50	Radiator Manifold, Upper, Giant Harvester.
E1726	1.85	Pipe Flange, 1 $\frac{1}{4}$ " Tap, for Water Tank.
E1836	2.85	Radiator Manifold, Upper, California Special and Large Standard.
E2064	1.35	Pipe Flange on Gas Tank.
E2189	.70	Pipe Flange, 1" Tap, for Water Tank.
F	2.75	Box Cap of Main Wheel Box, No. E, 2 $\frac{7}{8}$ .
G	....	Obsolete.
G1	....	Obsolete.
G2	....	Obsolete.
G128	11.50	Axle Collar, Right Hand, 2 $\frac{1}{8}$ " bore, 6 $\frac{1}{4}$ " O. D., 3" thick.
G129	11.50	Axle Collar, Left Hand, 2 $\frac{1}{8}$ " bore, 6 $\frac{1}{4}$ " O. D., 3" thick.
G131	3.15	Dust Cap, 6 $\frac{7}{8}$ " O. D., 3" thick, $\frac{3}{16}$ " hole in side, 5 $\frac{3}{8}$ " at top, $\frac{7}{8}$ " at bottom.
G137	31.00	Wheel Hub, 18 spoke, 2 $\frac{1}{8}$ " bore, 12" deep.
G156	10.00	Axle Clamp, for 2 $\frac{1}{8}$ " shaft, 8" long with 4 holes for $\frac{5}{8}$ " bolts, bottom clamp bolts to G232.

G161	1.35	Thrust Post Cap, $2\frac{3}{4}$ "x $7\frac{7}{8}$ ", $1\frac{5}{8}$ " bore.
H	3.50	Sliding Box on Box Plate No. G1, Standard to 1909.
I	1.75	Separator Fan Hub, $1\frac{1}{8}$ ", and Cleaner Fan, Senior 1903 to 1907; Holt Holley and Junior 1907 only; Senior 1901 to 1907; Standard to 1909.
J	....	Obsolete.
JJ	....	Obsolete.
K	2.50	Concave Hanger, Right Hand, Holt Holley, 1906 and 1907; Junior, 1901 to 1906; Senior, 1901 to 1906; Standard to 1909.
L	2.50	Concave Hanger, Left Hand, Holt Holley, 1906 and 1907; Junior, 1901 to 1906; Senior, 1901 to 1906; Standard to 1909.
M	1.00	Star Box, $\frac{1}{16}$ ", Straw Carrier Beater Shaft, Junior, 1901 and 1902 and 1907 and 1908. Agitator Shaft, Holt Holley, 1906 to 1908; Junior and Senior, 1901 to 1908; all Standard Models to 1913. Straw Dump Elevator Shaft, Top, Holt Holley, 1906; Junior and Senior to 1906; Standard to 1906. Straw Dump Elevator Shaft Bottom and Picker Shaft, both sides, Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1901 to 1913; all Standard Models to 1913. Divided Straw Carrier Beater Shaft, both sides, Baby Holt Special, 1909 to 1913; Holt Holley, 1909 to 1913, and Junior and Senior, 1909 to 1913. Standard to 1906. Picker Shaft, Large and Small Gear Standard, 1910 to 1913.
N	....	Obsolete.
NN	10.00	Front Wheel Hub, $1\frac{1}{8}$ ", with Set Screw, to 1899; after 1899 grooved to fit No. 671; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior up to and including 1913; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.
N53	.75	Best Box, $1\frac{1}{8}$ " bore, flange $3\frac{3}{4}$ " O. D., $2\frac{1}{2}$ " deep.
N54	.75	Star Box, Main Side, flange $1\frac{1}{8}$ " bore, $3\frac{1}{8}$ " deep, $3\frac{3}{4}$ " O. D.
N333	2.00	Box, Crankshaft on Header, $1\frac{1}{8}$ " bore, $4\frac{1}{2}$ " wide, 11" long, bored for two $\frac{1}{2}$ " bolts.
N334	1.00	Cap for N333 Crankshaft on Header, $1\frac{5}{8}$ " bore.
N415	2.50	Sprocket, 15 Teeth, $1\frac{3}{8}$ " bore, 62 Chain.



N679	2.25	Sprocket, 14 Teeth, $\frac{1}{8}$ " bore, 62 Chain.
N1182	.50	Draper Roller Bearing, 1910 Harvester.
O	....	Obsolete.
OO	....	Obsolete.
OOO	10.00	Header Wheel Hub, $1\frac{1}{8}$ , 1890 and after and Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1901 to 1913; Standard to 1909.
O1	1.75	Cleaner Fan Hub, 1" bore; Standard to 1909.
O2	4.00	Beater Pulley, $3 \times 12$ , $1\frac{3}{8}$ , 1888.
O3	2.75	Separator Fan Pulley, $3 \times 7$ , $1\frac{1}{8}$ .
O4	3.25	Grain Carrier Pulley, $3 \times 10$ , $1\frac{1}{8}$ , 1888.
O5	3.00	Tailings Auger Pulley, $3 \times 8$ , $1\frac{1}{2}$ .
O6	3.00	Grain Carrier Pulley, drives Grain Elevator Cups, $3 \times 8$ , $1\frac{3}{8}$ , 1888.
O7	3.25	Grain Elevator Pulley, $3 \times 9$ , $1\frac{1}{2}$ , 1888.
O8	4.00	Reel Counter Pulley, $3 \times 12$ , $1\frac{1}{8}$ , and Two Wheel Side Hill Feeder Counter Shaft, to 1897, inclusive.
O10	2.00	Cleaner Auger Driving Pulley, $2 \times 4$ , $1\frac{1}{8}$ .
O11	....	Obsolete.
O12	2.50	Cleaner Fan Pulley, $3 \times 6$ , $1\frac{1}{8}$ , 1888.
O13	2.50	Auger Pulley, $2 \times 8$ , $1\frac{1}{2}$ .
O14	5.00	Grain Carrier Pulley, $3 \times 13$ , $1\frac{3}{8}$ .
O15	3.25	Cleaner Fan Driving Pulley, $3 \times 8\frac{1}{2}$ , $1\frac{1}{8}$ , 1890.
O16	4.00	Beater Pulley, $3 \times 12$ , $1\frac{3}{8}$ ; Standard to 1909.
O17	2.50	Sickle Counter Pulley, $3 \times 5$ , $1\frac{1}{8}$ .
O18	2.50	Straw Dump Pulley, $2 \times 8$ , $\frac{1}{2}$ , 1888.
O19	3.25	Feeder Counter Pulley, $2\frac{1}{2} \times 8\frac{1}{2}$ , $\frac{1}{2}$ .
O20	3.25	Feeder Pulley, $2\frac{1}{2} \times 9$ , $\frac{1}{2}$ .
O21	1.25	Idler Pulley, for Grain Carrier, $1\frac{3}{4} \times 4$ , $\frac{1}{8}$ ; Holt Holley, Baby Holt Special, 1909 to 1913; Junior and Senior, 1901 to 1913; Large and Small Gear Standard, 1910 to 1913.
O22	3.00	Cleaner Fan Pulley, $3 \times 8$ , $\frac{1}{2}$ .
O23	2.00	Reversible Flange Pulley. Divided Straw Carrier, Front and Back Bottom Shaft, Both Sides. Baby Holt Special, Holt Holley, 1909 to 1913; Junior and Senior, 1907 and 1909 to 1913; Straw Dump Elevator Top Shaft. Baby Holt Special, 1909 to 1913; Holt Holley, Junior and Senior, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913. Bottom Straw Carrier Shaft, Front, Holt Holley, 1906 to 1908; Junior, 1901 to 1908; Senior, 1901 to 1910; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.

O24	2.50	Vertical Eccentric Driving Pulley, 2x8, $1\frac{1}{8}$ , 1890.
O24	2.50	Vertical Eccentric Driving Pulley, $2\frac{1}{2}$ x8, $1\frac{1}{8}$ , 1890.
O25	7.00	Cylinder Pulley, 6x10, $1\frac{1}{8}$ .
O26	5.00	Cylinder Tightener Pulley, $5\frac{1}{2}$ x8, $1\frac{1}{8}$ ; Senior and Junior, 1901 to 1904.
O27	25.00	Cylinder Driving Pulley, $5\frac{1}{2}$ x44 $\frac{5}{8}$ , $1\frac{1}{8}$ , 1890.
O27	25.00	Cylinder Driving Pulley, 6x44 $\frac{5}{8}$ , $1\frac{1}{8}$ , 1890; Standard to 1909.
O28	1.25	Jackson Feeder Pulley, 2x3, $1\frac{1}{8}$ .
O29	7.00	Cylinder Pulley, 6x8, $1\frac{1}{8}$ .
O30	7.00	Cylinder, 6x9, $1\frac{1}{8}$ .
O31	3.00	Flange Pulley, Top Grain Carrier, $2\frac{1}{2}$ x6, $1\frac{1}{4}$ , formerly P14, Standard; Senior to 1913; all machines.
O32	2.50	Flange Pulley, Bottom Grain Carrier, $2\frac{1}{2}$ x6 $\frac{3}{4}$ , formerly P14.
O33	1.75	Flange Pulley, $2x4\frac{1}{2}x\frac{3}{4}$ Bore, Straw Carrier, Front and Back Top Shaft; Holt Holley, 1906; Junior, 1901 to 1906; Baby Holt Special, 1909 to 1913. Straw Dump Elevator Bottom Shaft, Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1907 to 1913; Large and Small Gear Standard, 1910 to 1913. Top Draper Shaft, 1901.
O34	1.75	Flange Pulley, Straw Dump Elevator, $2x4\frac{1}{2}$ , $\frac{3}{4}$ , formerly P45.
O35	3.25	Feeder Counter Pulley, $2\frac{1}{2}$ x8 $\frac{1}{2}$ , $1\frac{1}{8}$ , for changing over Old Style Feeders.
O36	1.00	Chaff Carrier Pulley, $1\frac{1}{2}$ x3, $\frac{3}{4}$ .
O37	1.75	Flange Pulley, Top Chaff Carrier, $2x3\frac{5}{8}$ , $1\frac{1}{8}$ , Cold Rolled Shafting.
O38	20.00	Cylinder Driving Pulley, 6x36, $1\frac{1}{8}$ , Side Hill Machine.
O39	1.75	Flange Pulley, Top Straw Dump Elevator, $2x4\frac{1}{2}$ , $\frac{7}{8}$ , Holt Holley, 1906; Junior and Senior, 1901 to 1906; Standard to 1909.
O40	2.50	Feeder Pulley, 3x5, $1\frac{1}{8}$ , Side Hill Machine.
O41	1.75	Flange Pulley, Top Chaff Carrier, $2x3\frac{5}{8}$ , $\frac{3}{4}$ Rough Iron Shafting.
O42	....	Obsolete.
O43	3.25	Cleaner Fan Driving Pulley, 3x10, $1\frac{1}{8}$ , 1892, and Junior and Senior, 1903 to 1906. Separator Fan Shaft, Baby Holt Special, Holt Holley, Junior and Senior, 1911 to 1913.
O44	2.75	Separator Fan Pulley, 3x6, $1\frac{1}{8}$ , 1892 only.
O45	11.50	Cylinder Pulley, 6x11 $\frac{1}{4}$ , $1\frac{1}{8}$ , 1893.



O47	12.50	Cylinder Pulley, 7x11½, 1½, 1893, Steam Separator.
O48	2.00	Cleaner Shake Pulley, 2½x3½, 1½, drives Cleaner Shake, 1896; Standard to 1909.
O49	2.50	Cleaner Shake Pulley, 3x4½, 1½, Junior and Senior, 1903 to 1906, and Senior, 1907; Standard to 1909.
O50	3.00	Feeder Pulley, 2¾x10, 1½, 1897.
O51	23.00	Cylinder Driving Pulley, 6x41, 1½, Senior, 1898 to 1904, inclusive.
O52	2.75	Feeder Pulley, 3x6½, 1½, drives Feeder Counter Shaft, Senior, 1898; Junior, 1901 to 1905, inclusive.
O53	6.50	Feeder Counter Pulley, 3x14½, 1½, Senior and Junior, 1901 to 1906, inclusive.
O54	2.50	Cleaner Shake Pulley, 2½x4, 1½, drives Cleaner Shake, 1898.
O55	2.00	Flange Pulley, Top Straw Carrier, 2x4½, 1½, Standard to 1909; Senior, 1899; Sack Dump Shaft, Junior, 1901; Straw Carrier Shaft Back, Senior, 1901 to 1906.
O56	7.00	Cylinder Pulley, 6x9, 1½, Senior, 1899; Junior, 1901 to 1904.
O57	1.00	Cylinder Pulley, 8x14¼, 1½, Steam Separator, 1899.
O58	12.00	Cylinder Tightener Pulley, 8x14½, 1½, Shaft, Steam Harvester, 1899.
O59	3.00	Flange Pulley, Top Grain Carrier, 2¼x6, 1½, Shaft, Steam Separator, 1899.
O60	3.00	Feeder Pulley, 3x6½, 1½, drives Feeder Counter Shaft, Senior, 1901 to 1906, inclusive; Junior, 1906; drives Separator Fan from Cylinder Shaft, Baby Holt Special, Holt Holley, Junior and Senior, 1911 to 1913.
O61	10.00	Cylinder Tightener Pulley, 6x11, 1½, Standard, to 1909; One and Two Wheel Side Hill Machines.
O62	12.00	Cylinder Pulley, 6x11½, 1½, Standard, 1900 to 1909.
O63	7.00	Cylinder Pulley, 6x9, 1½, Senior, 1901 to 1904, inclusive.
O64	7.00	Cylinder Pulley, 6x8, 1½, One Wheel Separator, 1900.
O65	3.25	Idler Pulley, 2½x9, 1½ Bore, Straw Carrier, Steam Separator, 1900.
O66	4.00	Feeder Pulley, 3x12, 1½, Steam Separator, 1900.
O67	12.00	Cylinder Tightener Pulley, 8x14½.

O68	2.50	Flange Pulley, $2\frac{1}{2} \times 6\frac{1}{8}$ , Grain Carrier Shaft, Holt Holley, 1906 to 1913; Junior, 1901 to 1913; Baby Holt Special, 1909 to 1913.
O69	1.25	Flange Pulley, $3 \times 3\frac{1}{4}$ , Feeder Tightener, Holt Holley, 1906; Senior and Junior, 1901 to 1906; Standard to 1909.
O70	2.50	Flange Pulley, $2\frac{1}{2} \times 6$ , $1\frac{1}{4}$ , Grain Carrier Tightener Shaft, Baby Holt Special, 1909 to 1913, Holt Holley, 1906 to 1913, Junior and Senior, 1901 to 1913; Large and Small Gear Standard, 1910 to 1913. Divided Straw Carrier, Front and Back Top Shaft, Holt Holley, 1909 and 1910, Straw Carrier Shaft, Back, Large and Small Gear Standard, 1910 and 1911; Straw Dump Elevator Bottom Shaft, Large and Small Gear Standard, 1910.
O71	....	Obsolete.
O72	1.75	Pulley, $1\frac{1}{2} \times 8$ , $1\frac{1}{8}$ ; Sack Dump Friction, Junior Side Hill, 1901.
O73	12.00	Cylinder Pulley, $8 \times 12$ , $1\frac{1}{8}$ , used as an Extra, Steam Harvester.
O74	7.00	Cylinder Pulley, $6 \times 9$ , $1\frac{3}{8}$ , used as an Extra to change speed of Cylinder, Junior Side Hill, 1902.
O75	14.00	Cylinder Pulley, $8 \times 14\frac{1}{2}$ , $2\frac{7}{8}$ , Steam Harvester.
O76	14.00	Cylinder Pulley, $8 \times 14\frac{1}{2}$ , $2\frac{3}{8}$ , Steam Harvester, 1903.
O77	6.00	Feeder Counter Driving Pulley, $3 \times 14\frac{1}{2}$ , $2\frac{1}{8}$ , goes on Crankshaft, Steam Harvester.
O78	11.00	Cylinder Pulley, $8 \times 9$ , $1\frac{1}{4}$ , Steam Harvester.
O79	4.50	Pulley, $3 \times 7$ , $2\frac{3}{8}$ , sometimes used to drive Beater, Steam Harvester.
O80	....	Obsolete.
O81	11.00	Feeder Counter Driving Pulley, $3 \times 20$ , $2\frac{1}{8}$ , used in place of No. 077, if desired, Steam Harvester.
O82	12.00	Cylinder Pulley, $8 \times 12$ , $2\frac{3}{8}$ , Steam Harvester, 1905 and 1906.
O83	7.00	Cylinder Pulley, $6 \times 9$ , $1\frac{1}{4}$ , Junior and Senior Side Hill Harvesters, 1906.
O84	11.00	Cylinder Pulley, $6\frac{1}{2} \times 16\frac{1}{2}$ , $1\frac{1}{4}$ , Gasoline Harvester, 1906.
O85	16.00	Pulley, $1\frac{1}{4}$ Bore, 17-inch Diameter, 8-inch Face, Gasoline Harvester, 1906.
O86	7.00	Cylinder Pulley, $1\frac{1}{4}$ Bore, 7-inch Diameter, 9-inch Face, Gasoline Harvester, 1906.



O87	7.00	Pulley, $2\frac{1}{8}$ Bore, 16-inch Diameter, 3-inch Face, Crankshaft, Steam Harvester, 1906.
O88	3.25	Pulley, $1\frac{1}{8}$ Bore, $6\frac{1}{2}$ -inch Diameter, 3-inch.
O89	1.25	Flange Pulley, $\frac{1}{8}$ Bore, $3\frac{1}{2}$ -inch Diameter, 2-inch Face, Jackson Feeder Tightener Shaft, Holt Holley, Junior and Senior, 1907 to 1913; Baby Holt Special, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
O91	2.50	Flange Pulley, $\frac{1}{8}$ Bore, 6-inch Diameter, $2\frac{1}{2}$ -inch Face, Straw Carrier Shaft, Holt Holley, Junior and Senior, 1907 and 1908; Large and Small Gear Standard, 1910 to 1913; Divided Straw Carrier, Front and Back Top Shaft, Holt Holley, 1911 to 1913, Junior, 1907 to 1913, and Senior, 1909 to 1913.
O92	2.50	Flange Pulley, $\frac{1}{8}$ Bore, 6-inch Diameter, $2\frac{1}{2}$ -inch Face, Straw Carrier Shaft, Back, and Divided Straw Carrier, Front and Back Top Shafts, Senior Side Hill, 1907.
O93	20.00	Pulley, $2\frac{3}{8}$ Bore, $16\frac{1}{2}$ -inch Diameter, 6-inch Face, Gasoline Harvester, 1909.
O94	4.00	Pulley, $2\frac{3}{8}$ Bore, $6\frac{1}{2}$ -inch Diameter, 3-inch Face, Gasoline Harvester, 1909.
O95	7.00	Pulley, $2\frac{7}{8}$ Bore, 14-inch Diameter, 3-inch Face, Gasoline Harvester, 1909.
O96	3.00	Pulley, $1\frac{3}{8}$ Bore, 7-inch Diameter, 3-inch Face, Sickle Counter, Steel Harvester, 1909.
O97	16.00	Pulley, 17-inch Diameter, 7-inch Face, $2\frac{3}{8}$ Bore, Self-Propelled Harvester.
O98	2.75	Pulley, $6\frac{1}{2} \times 3$ , $1\frac{1}{8}$ Bore, Self-Propelled.
O99	1.25	Pulley, 2 Diameter, $\frac{7}{8}$ Bore, Feeder Chain Tightener, Senior and Junior Gasoline.
O100	12.00	Pulley, $8 \times 12$ , $1\frac{1}{8}$ Bore, Self-Propelled.
O101	2.50	Pulley, $2 \times 4\frac{1}{2}$ , $1\frac{1}{8}$ Bore, and Divided Straw Carrier, Front Top Shaft, Self-Propelled.
O102	14.00	Pulley, $8 \times 14\frac{1}{2}$ , $1\frac{1}{8}$ Bore, Self-Propelled.
O103	11.00	Pulley, $8 \times 10$ , $1\frac{1}{8}$ Bore, Self-Propelled.
O104	27.50	Pulley, $35 \times 8\frac{1}{2}$ , $1\frac{1}{8}$ Bore, Self-Propelled.
O105	25.00	Pulley, $30 \times 7\frac{1}{2}$ , $1\frac{1}{8}$ Bore, on Pulley Counter Shaft; Special Stationary, Baby Holt Special and Holt Holley, 1912 and 1913.
O106	25.00	Pulley, $20 \times 10$ , $2\frac{7}{8}$ Bore, Self-Propelled.
O107	25.00	Pulley, 23 Diameter, $2\frac{7}{8}$ Bore, Self-Propelled.
O108	3.00	$3 \times 6\frac{1}{2}$ " Pulley, $1\frac{1}{8}$ " Bore.
O109C	14.00	Pulley, 10" Face x 14", $2\frac{7}{8}$ " Bore Cylinder.

O110C	14.00	Pulley, 10" Face x 14", $1\frac{3}{8}$ " Bore Belt Tightener.
O111C	1.25	Jackson Feeder Pulley, 2" Face x 3", $\frac{3}{16}$ " Bore.
P	....	Obsolete.
Q	....	Obsolete.
R	2.50	Box, $1\frac{1}{8}$ , for Brackets, A, A1, A2 and A3, Cylinder Counter Shaft; Standard to 1909.
R1	2.50	Outside Box, $1\frac{1}{8}$ , Header Counter Shaft and Cylinder Counter, Standard, all Machines; Header Counter, Both Sides, Junior, 1901 to 1904.
S	1.50	Grain Carrier Shaft Box, $1\frac{3}{8}$ , Right Hand.
T	5.00	Bracket for Sprockets Nos. 15, 16 and 17.
T1	1.00	Same as No. 1 Star Box, $1\frac{1}{2}$ , for Conveyors; Cleaner Grain Auger, Grain Auger, Cleaner Distributing Auger, Return Auger, Baby Holt Special, Holt Holley, Junior and Senior up to and including 1913; Standard to 1909; Large and Small Gear Standard, 1910 to 1913; Cleaner Return Auger, Junior and Senior, 1903 to 1906; Gas Pipe Pickers, Junior, 1901 and 1902.
T2	1.25	Flange Box, $\frac{1}{8}$ , for Header Drum.
T3	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, for Q Bracket.
T4	2.00	Crank Disc, $1\frac{3}{8}$ , drives Sickle, without Pin.
T4	2.75	Crank Disc, $1\frac{3}{8}$ , drives Sickle, with Pin.
T5	4.00	Ten Tooth Sprocket, $1\frac{3}{8}$ , 78 Chain, Header Counter Shaft to 1890.
T5A	4.00	Ten Tooth Sprocket, $1\frac{7}{8}$ , 78 Chain, Header Counter Shaft, 1890, 1891 and 1892.
T6	.75	Hook Collar, $1\frac{3}{8}$ Bore, Header Counter Shaft, to 1890.
T6A	.75	Collar, $1\frac{3}{8}$ Bore, Header Counter Shaft, 1891.
T6B	.75	Hook Collar, $1\frac{7}{8}$ Bore, Header Counter Shaft, 1890.
T7	2.00	Clutch, $1\frac{3}{8}$ , Header Counter Shaft, to 1890.
T7A	3.00	Clutch, $1\frac{7}{8}$ , Header Counter Shaft, 1890 and 1891.
T8	1.75	Twelve Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Sickle Shaft, 1888.
T8A	1.75	Twelve Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, outside Drive Return Auger, Standard to 1909. Drives Grain Elevator; use 597, Holt Holley, 1906 and 1907, Junior and Senior, 1901 to 1907; Standard to 1909.



T10	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Header Drum, all Machines to 1903, except Steam; Divided Straw Carrier, Front and Back, Top Shaft and Straw Dump Elevator, Senior, 1908; Straw Carrier Shaft, Standard to 1909.
T10A	1.75	Eleven Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Header Drum.
T11	1.00	End Reel Hub, Six Arm, for 1-inch Gas Pipe.
T12	1.00	Center Reel Hub, Six Arm, for 1-inch Gas Pipe.
T13	1.00	End Reel Hub, Eight Arm, for 1-inch Gas Pipe; Holt Holley, 1906 and 1907; Junior, and Senior, 1901 to 1907; Standard to 1909.
T14	1.00	Center Reel Hub, Eight Arm, for 1-inch Gas Pipe; Holt Holley, 1906 and 1907; Junior, and Senior, 1901 to 1907; Standard to 1909.
T15	2.25	Twelve Tooth Clutch Sprocket, $1\frac{3}{8}$ , 62 Chain, Center No. T Bracket.
T16	2.25	Nineteen Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Inside No. T Bracket.
T17	1.50	Nine Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Outside No. T Bracket.
T18	3.00	Eighteen Tooth Face Sprocket, $1\frac{3}{8}$ , 62 Chain, drives Grain Carrier.
T19A	1.50	Nine Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, Inside Grain and Return Elevators and Augers; Holt Holley, 1906; Standard to 1909; drives Cleaner Distributing Auger; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1903 to 1913; Large and Small Gear, Standard, 1910 to 1913; Grain Auger, Junior and Senior, 1901 to 1906. Cleaner Grain Auger, Junior and Senior, 1907, Standard to 1909. Grain Hopper Elevator Shaft, Senior, 1907 to 1908, Junior, 1907 only.
T20	1.25	Six Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Pickers, to 1890.
T21	1.75	Sixteen Tooth Ring Sprocket, 44 Chain, bolts to No. 22, drives Jackson Feeder Counter Shafts, Standard Harvester, to 1892, and Side Hill Shoe, 1896 to 1899.
T22	4.00	Ten Tooth Sprocket, $1\frac{1}{2}$ , 78 Chain, Cylinder Counter Shaft.
T23	4.00	Forty Tooth Ring Sprocket, 62 Chain, bolts to No. 28, drives Separator.

T24	10.00	Forty-two Tooth Ring Sprocket, 78 Chain, bolts to No. 28 and 28A, drives Cylinder Counter Shaft.
T25	2.75	Eleven Tooth Crank Sprocket, $1\frac{3}{8}$ , 44 Chain, Shakes Shoe; Standard to 1909.
T25A	2.75	Ten Tooth Crank Sprocket, $1\frac{3}{8}$ , 44 Chain, Shakes Shoe, Senior, 1901 to 1904.
T26	6.00	Thirty-four Tooth Sprocket, $1\frac{7}{8}$ , 62 Chain, drives Header Counter Shaft; Single Drive Standard, to 1892; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T27	5.00	Hand Wheel, for raising Header, 1889; Junior to 1907.
T27A	1.00	Eleven Tooth Ring Sprocket, 44 Chain, drives down Feeder.
T27B	1.75	Header Raising Hand Wheel Hub, all Machines until 1907; Standard to 1909.
T28	16.00	Clutch Spider, $2\frac{3}{8}$ , bolts to No. 24.
T28A	16.00	Clutch Spider, $2\frac{7}{8}$ , bolts to No. 24.
T29	15.50	Fifty-eight Tooth Ring Sprocket, 78 Chain, bolts to Grain Wheel.
T30	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Feeder.
T31	1.25	Same as No. 31, Seven Tooth Sprocket, 44 Chain, drives Straw Carrier Beater Shaft; Holt Holley, 1906; Junior up to 1902; Standard to 1909. Drives Picker Shaft, $\frac{11}{16}$ , Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Junior and Senior, 1901 to 1913; Large and Small Gear Standard, 1910 to 1913. Top Draper Shaft Sprocket, 1901.
T32	.75	Same as No. 32. Collar, $1\frac{1}{8}$ Bore.
T33	.75	Collar, $1\frac{3}{8}$ Bore.
T34	.75	Collar, $1\frac{1}{8}$ Bore for 1-inch Gas Pipe.
T35	....	Obsolete.
T36A	2.75	Twenty-seven Tooth Mitre Gear, $1\frac{3}{8}$ , for Header Sickle Shaft and Counter Shaft; Standard to 1909.
T37	2.50	Eighteen Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Grain Carrier Shaft, drives Picker; Senior, 1901 to 1906; drives Straw Carrier; Standard to 1909; Senior, 1901 to 1906; drives Separator Fan, 1905 and 1906.
T38	....	Obsolete.
T39	....	Obsolete.
T40	6.00	Eleven Tooth Sprocket, $2\frac{3}{8}$ , 117 Chain, Main Counter Shaft.



T40A	6.00	Eleven Tooth Sprocket, $2\frac{7}{8}$ , 117 Chain, Main Counter Shaft.
T40B	6.00	Eleven Tooth Sprocket, $2\frac{3}{8}$ , Narrow, 115 Chain, Main Counter Shaft.
T41	.75	Collar, $\frac{1}{8}$ Bore.
T42	25.00	Fifty-four Tooth Ring Sprocket, 117 Chain, bolts to 16-inch and 20-inch Main Wheels.
T43	1.75	Same as No. 43, Twelve Tooth Sprocket, $\frac{1}{8}$ Bore, 44 Chain, drives Straw Carrier Beater Shaft; Senior, 1901 and 1902. Agitator Shaft, Senior and Junior, 1901 to 1908. Holt Holley, 1906 to 1908. All Standard models to 1913. Straw Dump Elevator Shaft; Holt Holley, 1906 and 1907; Junior and Senior up to and including 1907; all Standard models up to 1913. Drives Grain Elevator, Main Side; Holt Holley, 1906 and 1907. Cheat Elevator Top Shaft, Junior and Senior, 1907 and 1908, Cleaner Grain Auger and Cleaner Fan Idler Sprocket, Standard, 1909. Divided Straw Carrier, Front and Back, Top Shaft. Holt Holley, 1909 to 1913. Junior, 1907 and 1909-13, and Senior, 1909 to 1913. Straw Carrier Shaft, Back, Holt Holley, 1906 to 1908; Junior, 1901 to 1908; Senior, 1909 and 1910; Large and Small Standard, 1910 to 1913.
T44A	1.75	Same as 44A. Ten Tooth Sprocket, $1\frac{1}{8}$ Bore, 44 Chain. Drives Cleaner Pitman Shaft; Grain Elevator Top Shaft; drives Distributing Auger; Baby Holt Special; Holt Holley, 1909 to 1913; Junior and Senior, 1909 to 1913; Large and Small Gear, Standard, 1910 to 1913. Back Beater Shaft, Junior, 1907 and 1908; Holt Holley, 1906 and 1907.
T44	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Cleaner Pitman Shaft.
T45	2.25	Box, $1\frac{1}{8}$ , Header Counter Shaft, Single Drive, Both Sides; Standards to 1893; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913.
T46	....	Obsolete.
T46A	....	Obsolete.
T46B	....	Obsolete.
T47	7.00	Front Concave, 28-inch Cylinder, without Teeth.
T48	5.00	Blank Concave, 28-inch Cylinder.

T49	5.00	Middle and Back Concave, 28-inch Cylinder, without Teeth, Single Drive Standards, to 1892; Senior, to 1908.
T50	1.25	Left Hand Box, $1\frac{1}{8}$ , for Bracket No. 54.
T51	.20	Sickle Button or Guide.
T52	5.00	Bracket, for Vertical Eccentric Shaft, 111, 11A and 11B.
T53	.50	Cap, for Bracket No. 52.
T54	4.50	Cylinder Tightener Bracket.
T55	1.25	Right Hand Box, $1\frac{1}{8}$ , for Bracket No. 54, 264 and 664.
T56	1.75	Twelve Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, Sickle Counter Shaft.
T56A	1.75	Eleven Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, Sickle Counter Shaft; Senior to 1906; Standard to 1909.
T57	1.75	Twelve Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Sickle Shaft; Standard to 1909.
T58	6.00	Three Box Bracket for Header, to 1890.
T58	.75	Cap for Three Box Brackets, 58A and 58B.
T58A	6.00	Three Box Bracket for Header; Standard to 1909.
T58B	6.00	Three Box Bracket, Side Hill Header to 1898.
T59	2.25	Same as No. 59. Eighteen Tooth Pinion, $1\frac{1}{8}$ Shaft. Header Raising Shaft, Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Junior and Senior up to and including 1913, and Standard to 1909. Large and Small Gear, Standard, 1910 to 1913.
T60	1.25	Same as No. 60. Twenty-two Tooth Rack for raising Header; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913. Junior and Senior, 1901 to 1913; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.
T61	1.25	Box, $\frac{1}{8}$ , Cleaner Fan Shaft, Both Sides; Standard to 1909.
T62	1.75	Twelve Tooth Sprocket, $1\frac{3}{4}$ , 44 Chain, drives Feeder.
T63	1.75	Box, $1\frac{3}{8}$ , Sickle Shaft; Standard to 1909; Senior, 1893 to 1906.
T64	1.50	Eleven Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, for raising Header.



T65	1.25	Seven Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain; drives Cleaner Grain Auger and Cleaner Cheat Auger; Junior and Senior, 1903 to 1906; Reel Counter Shaft, to 1900; Baby Holt Special, 1909 to 1913 and Holt Holley, 1906 to 1913; Junior and Senior, 1909 to 1913; Cleaner Counter Shaft, drives Cleaner Grain Auger; Holt Holley, 1907. Sickie Counter Shaft, Senior, 1907 to 1913. Junior, 1901 to 1913.
T66	2.75	Twenty-four Tooth Sprocket, $1\frac{1}{2}$ , 44 Chain, runs Reel.
T69	1.00	Collar, $2\frac{1}{8}$ Bore, 1 inch wide.
T69A	.75	Collar, $2\frac{7}{8}$ Bore, $1\frac{1}{4}$ inch wide.
T69B	.75	Collar, $2\frac{7}{8}$ Bore, $1\frac{1}{2}$ inch wide.
T70	6.00	Six Point Main Clutch, $2\frac{3}{8}$ ; Standard to 1909.
T70A	6.00	Six Point Main Clutch, $2\frac{7}{8}$ .
T71	1.00	Collar, $2\frac{1}{8}$ Bore, 2 inch wide.
T72	1.50	Ten Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Feeder Shaft.
T73	1.25	Same as No. 73. Five Tooth Sprocket, Inside.
T73A	....	Obsolete.
T74	1.50	Same as No. 74. Rear Pinion Support. Header Raising Shaft; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913. Junior and Senior up to and including 1913; Standard to 1909. Large and Small Gear Standard, 1910 to 1913.
T75	1.50	Same as No. 75. Front Pinion Support Header Raising Shaft; Holt Holley, 1906 to 1913. Baby Holt Special, 1909 to 1913. Junior and Senior up to and including 1913, and Standard to 1909. Large and Small Gear Standard, 1910 to 1913.
T76	1.25	Five Tooth Sprocket. $1\frac{1}{8}$ , Jackson Feeder Chain.
T77A	2.25	Same as No. 77A. Eight Tooth Sprocket, $\frac{7}{8}$ , 117 Main Chain Tightener, Holt Holley, Junior and Senior, 1901 to 1913. Baby Holt Special, 1909 to 1913.
T78	1.25	Six Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Cleaner Fan Shaft, drives Grain Auger, Junior and Senior, 1901 and 1902; drives Top Beater and Jigger Board, Jackson Feeder Shaft, Grain Side, Baby Holt Special, Holt Holley, 1909 only; Junior and Senior, 1901 to 1906 and Standard to 1909.
T78A	1.25	Six Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Top Beater, Old Style Harvester.

T79	....	Obsolete.
T79A	1.75	Right Hand Beater Arm, 1 $\frac{3}{8}$ ; Standard to 1909; Senior to 1907.
T80	....	Obsolete.
T80A	1.75	Left Hand Beater Arm, 1 $\frac{3}{8}$ , Standard to 1909. Senior to 1907.
T81	1.75	Twelve Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Top Beater; Standard to 1909 and Top Beater Shaft; Junior and Senior, 1901 to 1904.
T82	1.25	Left Hand Beater Box, 1 $\frac{3}{8}$ .
T83	1.25	Right Hand Separator Fan Box, 1 $\frac{1}{8}$ .
T83E	1.50	Turn Buckle, Header Balance Levers; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Senior, 1901 to 1913; Junior, 1901 to 1913. Separator Truss Rod; Holt Holley, 1901. A Frame Chain.
T84	1.25	Beater Box, 1 $\frac{3}{8}$ , Grain Side, Standard to 1901.
T85	.50	Same as No. 85. Square Hinge, for Straight Lever on Header; Balance Levers; Baby Holt Special; Holt Holley, 1906 to 1913. Junior and Senior, 1901 to 1913, and Standard to 1909. For A Frame.
T86	.40	Right Hand Shoe Lug.
T87	.40	Left Hand Shoe Lug.
T88	1.50	Double Box, $\frac{1}{8}$ , Jigger Board; Standard to 1909.
T92	.50	Cap, $\frac{1}{8}$ , for Double Box, No. 88.
T93	1.25	Eight Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Jigger Board Shaft; Feeder Shaft, Holt Holley, 1906 to 1908; Jigger Board Shaft; Holt Holley; Baby Holt Special, 1907 to 1910-1911; Standard to 1909.
T94	....	Obsolete.
T95	....	Obsolete.
T100	....	Obsolete.
T101	3.00	Outside Box, for Header Wheel Shaft.
T102	.50	Same as No. 102. Angle Hinge, Header Balance Levers, for A Frame.
T103	.50	Pitman Pin, for Jigger Board; Holt Holley, 1906 to 1911; Baby Holt Special, 1909 to 1911; Junior and Senior, 1901 to 1913; Standard to 1909.
T104	20.00	Forty-two Tooth Clutch Sprocket, 2 $\frac{3}{8}$ , 78 Chain, drives Cylinder Counter Shaft.
T105	.50	Shoe Box.
T106	.80	Oil Cup, for 78 and 89 Chain.
T107	....	Obsolete.
T108	1.75	Box Cap for No. 109.



T109	1.75	Box Bottom, Grain Side, Front Wheel Shaft, $1\frac{1}{8}$ . Baby Holt Special, 1909 to 1913, Holt Holley, 1906 to 1913. Junior and Senior up to and including 1913 and Standard to 1909.
T110	....	Obsolete.
T111	....	Obsolete.
T111A	4.00	Vertical Eccentric Cleaner Shoe Shake Shaft and Pulley, 1892.
T111B	....	Obsolete.
T112	7.50	Outside Eight Bar Cylinder Head, $1\frac{1}{8}$ .
T113	5.50	Inside Eight Bar Cylinder Head, $1\frac{1}{8}$ .
T114	2.25	Left Hand Double Picker Box and Plate.
T114A	2.25	Left Hand Double Picker Box and Plate.
T115	2.25	Right Hand Double Picker Box and Plate.
T115A	2.25	Right Hand Double Picker Box and Plate.
T116	3.50	Sliding Box, $2\frac{3}{8}$ , on Box Plate No. G2; Standard to 1909.
T117	14.00	Hub, $2\frac{7}{8}$ , 12-inch Wheel.
T118	16.00	Hub, $2\frac{7}{8}$ , for 16-inch Grain and Main Wheel; Standard to 1909.
T119	20.00	Hub, $2\frac{7}{8}$ , for 20-inch Grain and Main Wheel; Standard to 1909.
T120	....	Obsolete.
T121	.25	Idler Stud for Pulley, No. 036.
T122	1.00	Nine Tooth Sprocket, $\frac{1}{2}$ , No. 32 Chain, Chaff Carrier.
T123	1.75	Twelve Tooth Sprocket, $\frac{1}{2}$ , 44 Chain, drives Straw Elevator.
T124	....	Obsolete.
T125	....	Obsolete.
T126	....	Obsolete.
T127	1.50	Nine Tooth Sprocket, $\frac{1}{2}$ , 44 Chain; Cheat Elevator Top Shaft; Junior, 1909 to 1913; Senior, 1907 to 1913; drives Divided Straw Carrier, Front and Back Top Shaft. Baby Holt Special, 1909 to 1913. Straw Dump Elevator Bottom Shaft; Baby Holt Special; Holt Holley; Junior and Senior, 1908 to 1913.
T128	1.75	Right Hand Swivel Cylinder Box Bottom, $1\frac{1}{8}$ .
T128A	1.75	Right Hand Swivel Cylinder Box Bottom, $1\frac{1}{8}$ , 1897.
T129	1.75	Right Hand Swivel Cylinder Box Cap, $1\frac{1}{8}$ , for Box Bottom, No. 128.
T129A	1.75	Right Hand Swivel Cylinder Box Cap, $1\frac{1}{8}$ , for Box Bottom, No. 128A, 1897.
T130	1.50	Left Hand Swivel Cylinder Box Bottom, $1\frac{1}{8}$ .

T130A	1.50	Left Hand Swivel Cylinder Box Bottom, 1 $\frac{3}{8}$ , 1897.
T131	1.50	Left Hand Swivel Cylinder Box Cap, 1 $\frac{3}{8}$ , for Box Bottom, No. 130.
T131A	1.50	Left Hand Swivel Cylinder Box Cap, 1 $\frac{3}{8}$ , 1897, for Box Bottom, No. 130A.
T132	1.00	Swivel Cylinder Box Bottom Holder.
T132A	1.00	Swivel Cylinder Box Bottom Holder, 1897.
T132B	1.00	Swivel Cylinder Box Bottom Holder, 1897, Standard Harvester only.
T133	1.00	Swivel Cylinder Box Cap Holder.
T133A	1.00	Swivel Cylinder Box Cap Holder, Standard to 1910; Junior, 1908 to 1910; Senior, 1901 to 1906, inclusive.
T134	1.75	Socket for Header Extension A Frame.
T135	....	Obsolete.
T135A	....	Obsolete.
T135B	....	Obsolete.
T136	....	Obsolete.
T137	....	Obsolete.
T137A	....	Obsolete.
T138	....	Obsolete.
T139	4.50	Forty-eight Tooth Sprocket, 62 Chain, Main Counter Shaft, bolts to Sprocket Nos. 104, 161, 200 and 431, drives Separator; Standard to 1909.
T140	7.00	Front Concave, 30-inch Cylinder, without Teeth; Standard to 1909.
T141	5.00	Middle Blank Concave, 30-inch Cylinder.
T142	5.50	Middle and Back Concave, 30-inch Cylinder, Standard to 1909.
T143	2.25	Fourteen Tooth Clutch Sprocket, 1 $\frac{3}{8}$ , 62 Chain, Middle Bracket No. T.
T144	3.50	Twenty-two Tooth Face Sprocket, 1 $\frac{3}{8}$ , 62 Chain, drives Grain Carrier, Main Wheel side, 1892 only.
T145	1.25	Star Box, $\frac{1}{16}$ , Right Side, Chaff Carrier Shaft.
T145A	1.25	Star Box, $\frac{1}{16}$ , Left Side, Chaff Carrier Shaft.
T146	1.25	Shoe Shaker Shaft Lug, 1892 only.
T147	.50	Separator Shoe Screen Box, 1892 only.
T148	.75	Separator Pitman Slide Pin, 1892 to 1911.
T149	1.00	Main Wheel Sleeve, 2 $\frac{1}{2}$ x3 $\frac{3}{4}$ inches wide.
T150	....	Obsolete.
T151	....	Obsolete.
T152	4.25	Ten Tooth Sprocket, 1 $\frac{1}{16}$ , 89 Chain, Cylinder Counter Shaft.
T153	1.00	Star Box, $\frac{1}{16}$ , Shoe Shaker Shaft.
T154	....	Obsolete.
T155	.75	Agitator Lug, Shakes Straw Carrier.



T156	....	Obsolete.
T157	....	Obsolete.
T158	5.75	Middle and Back Concave, without Teeth, 32-inch Cylinder, Harvester No. 399 only.
T159	4.00	Nine Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, Cylinder Counter Shaft, Harvester No. 399 only.
T160	3.50	Twenty-two Tooth Clutch Sprocket, $1\frac{1}{8}$ , 62 Chain, drives Grain Carrier, Main Wheel Side.
T161	20.00	Forty-two Tooth Clutch Sprocket, $2\frac{3}{8}$ , 89 Chain, drives Cylinder Counter Shaft, Standard to 1909.
T162	1.75	Eleven Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Sickle Counter Shaft, used in place of Pulley No. 017.
T163	....	Obsolete.
T164	1.25	Seven Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Cheat and Cleaner Augers, Standard to 1909.
T165	1.50	Ten Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, runs Cleaner Fan, Standard to 1909.
T166	3.00	Twenty-six Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Inside Bracket No. 207, drives Separator Fan and can be used in place of Nos. 541 and 458, if desired.
T167	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 33 Chain, drives Cleaner Fan; Junior, 1906.
T168	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, runs Cleaner Grain Auger; Junior and Senior, 1901. Cheat Auger, Junior and Senior, 1903 to 1906, and Standard to 1913. Cleaner Fan Shaft, Junior, 1903 to 1905.
T169	1.75	Eleven Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, runs Cleaner Fan.
T170	1.75	Separator Fan Box, $1\frac{1}{8}$ , Right Hand; Standard to 1909.
T171	1.00	Same as No. 171. Star Box, $1\frac{1}{8}$ , Cleaner Special, Cheat Auger; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1903 to 1913; Standard, Both Sides, to 1909. Divided Straw Carrier Picker, Both Sides, Junior and Senior, 1907. Large and Small Gear Standard, Both Sides, 1910 to 1913.
T172	4.00	Nine Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, Cylinder Counter Shaft; Standard to 1909.
T173	1.75	Box, $1\frac{3}{8}$ , Beater Shaft, Left Hand.
T174	1.75	Box, $1\frac{3}{8}$ , Feeder Shaft, Right Hand; Standard to 1909.

T175	5.00	Hub, 2 $\frac{3}{8}$ , for Ring Sprocket Nos. 176 and 179, Main Counter Shaft; Standard to 1909.
T176	3.50	Eleven Tooth Ring Sprocket, 115 and 117 Chain, bolts to Hubs Nos. 175 and 302.
T177	....	Obsolete.
T178	4.00	Ten Tooth Sprocket, 1 $\frac{1}{2}$ , 101 Chain, Header Counter Shaft.
T179	4.00	Eleven Tooth Ring Sprocket, 118 Chain, bolts to Hub No. 175, Main Counter Shaft; Standard to 1909.
T180	16.00	Hub, 2 $\frac{7}{8}$ , 14-inch Grain Wheel; Side Hill Harvester, Holt Holley, 1905.
T181	16.00	Hub, 2 $\frac{7}{8}$ , 14-inch Main Wheel, Side Hill Harvester.
T182	16.00	Hub, 2 $\frac{7}{8}$ , 16-inch Main Wheel; Side Hill Harvester.
T183	20.00	Hub, 2 $\frac{7}{8}$ , 20-inch Grain Wheel; Standard Harvester.
T184	7.50	Outside Ten Bar Cylinder Head, 1 $\frac{3}{8}$ .
T185	7.50	Inside Ten Bar Cylinder Head, 1 $\frac{3}{8}$ .
T186	18.00	Sixty Tooth Ring Sprocket, 101 Chain, bolts to Grain Wheel; Standard to 1909.
T187	1.00	Draper Tightener Box Holder; Junior and Senior, 1901 to 1908.
T188	3.25	Nineteen Tooth Sprocket, 1 $\frac{3}{8}$ , 62 Chain, Grain Carrier Shaft.
T189	2.75	Nineteen Tooth Clutch Sprocket, 1 $\frac{3}{8}$ , 44 Chain Inside Bracket No. T.
T190	3.25	Box, 2 $\frac{3}{8}$ , Cylinder Counter Shaft, 50-inch Steam Separator.
T191	....	Obsolete.
T192	1.00	Brace Box, $\frac{1}{2}$ , Feeder Shaft, Right Side; Standard to 1909.
T193	3.25	Eleven Tooth Sprocket, 1 $\frac{1}{2}$ , 78 Chain, bolts to Pulley No. 042, drives Cylinder Counter Shaft, 50-inch Steam Separator.
T194	....	Obsolete.
T195	....	Obsolete.
T196	....	Obsolete.
T197	7.50	Front Concave, 34-inch Cylinder, without Teeth, 50-inch Steam Separator.
T198	5.50	Middle Blank Concave, 34-inch Cylinder, 50-inch Steam Separator.
T199	6.00	Middle and Back Concave, 34-inch Cylinder, without Teeth, 50-inch Steam Separator.
T200	20.00	Forty Tooth Sprocket, 2 $\frac{3}{8}$ , 78 and 88 Chain, drives Cylinder Counter Shaft, Side Hill Harvester.



T201	6.25	Eleven Tooth Six Point Clutch Sprocket, 2 $\frac{3}{8}$ , 115 Chain, Main Counter Shaft.
T202	3.25	Eighteen Tooth Clutch Sprocket, 1 $\frac{3}{8}$ , 62 Chain, Grain Carrier Shaft, Main Wheel Side.
T203	2.25	Clutch, 1 $\frac{3}{8}$ , Four Point, for Sprockets Nos. 160 and 202, Standard to 1909.
T204	6.00	Thirty-four Tooth Clutch Sprocket, 1 $\frac{1}{2}$ , 62 Chain, drives Grain Carrier, Grain Wheel side.
T205	3.00	Clutch, 1 $\frac{1}{2}$ , for Sprocket No. 204.
T206	2.25	Twelve Tooth Clutch Sprocket, 1 $\frac{3}{8}$ , 62 Chain, Middle T Bracket, Harvesters Nos. 292 and 337.
T207	....	Obsolete.
T208	2.25	Eleven Tooth Clutch Sprocket, 1 $\frac{3}{8}$ , 62 Chain, Outside Bracket No. 207.
T209	2.75	Twenty-four Tooth Sprocket, 1 $\frac{3}{8}$ , 44 Chain, drives Separator Fan, Inside Bracket No. 207.
T210	2.50	Twenty Tooth Sprocket, 1 $\frac{1}{8}$ , 44 Chain, drives Reverse Clutches, Nos. 251A and 252A.
T211	4.00	Nine Tooth Clutch Sprocket, 1 $\frac{1}{2}$ , 103 Chain, Header Counter Shaft, used on Harvesters Nos. 292 and 337 only.
T212	3.00	Clutch, 1 $\frac{1}{2}$ , for Sprocket Nos. 258, 434.
T212A	....	Obsolete.
T213	18.00	Same as No. 213. Fifty-two Tooth Ring Sprocket, 103 Chain, bolts to Grain Wheel; Senior, all years; Junior, 1905 to 1913.
T214	....	Obsolete.
T215	....	Obsolete.
T216	4.00	Nine Tooth Sprocket, 1 $\frac{1}{2}$ , 78 and 88 Chain, Cylinder Counter Shaft; Senior, 1901 to 1904 and 1906; Junior, 1906 only.
T216A	3.75	Eight Tooth Sprocket, for Belt Drive, 1 $\frac{1}{2}$ , 78 and 88 Chain, Cylinder Counter Shaft.
T217	....	Obsolete.
T218	2.75	Ten Tooth Crank Sprocket, 1 $\frac{1}{8}$ , 44 Chain, Shakes, Jigger Board, Holt Holley, 1906 to 1908; Junior and Senior, 1901 to 1913.
T219	3.25	Rack for Pinions Nos. 220, 221 and 222, used on Harvesters Nos. 292 and 337 only.
T220	....	Obsolete.
T221	2.25	Eleven Tooth Pinion, 1 $\frac{3}{8}$ , raises and lowers Grain Wheel Frame, used on Harvesters 292 and 337 only.

T222	2.25	Twelve Tooth Pinion, $1\frac{1}{8}$ , raises and lowers Grain Wheel Frame, used on Harvesters Nos. 292 and 337 only.
T223	2.00	Three-inch Guide Roller, Pinion No. 220, used on Harvesters Nos. 292 and 337 only. Three and one-half inch Guide Roller Pinion, No. 222, used on Harvesters Nos. 292 and 337 only.
T225	2.25	Four-inch Guide Roller, Pinion No. 221, used on Harvesters Nos. 292 and 337 only.
T226	....	Obsolete.
T227	....	Obsolete.
T228	3.50	Sliding Box Plate, Main Counter Shaft; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Junior and Senior, 1901 to 1907. Outside Cylinder Counter Shaft, Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1907 to 1913. Header Counter Shaft; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913. Junior Outside, 1901 to 1908. Inside, 1904 to 1908; Senior, 1901 to 1908, both sides; Standard to 1909.
T228	3.50	Sliding Box Plate, $1\frac{1}{8}$ Shaft, left hand. Special Stationary Attachment. Baby Holt Special; Holt Holley, 1912 and 1913.
T229	....	Obsolete.
T230	....	Obsolete.
T231A	....	Obsolete.
T232	2.50	Main Wheel Box Cap, $2\frac{7}{8}$ , use with Nos. 232A and 232B, 1893.
T232A	2.50	Outside Main and Grain Wheel Box Bottom, $2\frac{7}{8}$ , 1893.
T232B	2.50	Inside Main and Grain Wheel Box Bottom, $2\frac{7}{8}$ , 1893.
T233	1.75	Box, $1\frac{1}{8}$ , Separator Fan, Feeder Counter and Jigger Shaft.
T234	....	Obsolete.
T234A	....	Obsolete.
T235	1.00	Front Cap, $1\frac{1}{8}$ , Bracket No. 234.
T236	....	Obsolete.
T236A	....	Obsolete.
T237	....	Obsolete.
T238	1.00	Separator Shoe Pitman Crank.
T239	....	Obsolete.
T240	....	Obsolete.
T241	....	Obsolete.
T242	....	Obsolete.
T243	....	Obsolete.



T244	....	Obsolete.
T245	7.50	Outside Ten Bar Cylinder Head, 50-inch Steam Separator.
T246	7.50	Inside Ten Bar Cylinder Head, 50-inch Steam Separator.
T247	3.50	Seventeen Tooth Worm Gear, $1\frac{7}{8}$ , 1892.
T247A	5.00	Twenty Tooth Worm Gear, $1\frac{3}{8}$ , 1893.
T247B	....	Obsolete.
T248	2.75	Screw, $1\frac{5}{8}$ , for Worm Gear No. 247, 1892.
T248A	2.75	Screw, $1\frac{5}{8}$ , for Worm Gear No. 247A, 1893.
T248B	....	Obsolete.
T249	1.75	Twelve Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, runs Beater.
T250	2.00	Thirty-two Tooth Bevel Gear, $1\frac{5}{8}$ .
T251	2.25	Clutch Pinion, $1\frac{1}{8}$ , Right Hand, 1891 and 1892.
T251A	2.25	Clutch Pinion, $1\frac{1}{8}$ , Right Hand, 1893.
T252	....	Obsolete.
T252A	2.25	Clutch Pinion, $1\frac{1}{8}$ , Left Hand, 1893.
T253	....	Obsolete.
T253A	2.00	Double Bevel Gear Clutch, $1\frac{1}{8}$ , 1893.
T254	5.00	Reverse Lever Clutch, $1\frac{3}{8}$ , Right Hand.
T255	3.00	Double Reverse Clutch Lever, $1\frac{3}{8}$ .
T256	....	Obsolete.
T257	....	Obsolete.
T258	4.50	Eleven Tooth Clutch Sprocket, $1\frac{1}{2}$ , 89 Chain, bolts to Grain Wheel, 1892 only.
T259	1.25	Eight Tooth Clutch Sprocket, $1\frac{3}{8}$ , 44 Chain.
T260	2.25	Twelve Tooth Clutch Sprocket, $1\frac{3}{8}$ , 62 Chain, Center T Bracket Frame.
T261	....	Obsolete.
T262	.25	Bottom Spiral Spring Washer.
T263	....	Obsolete.
T264	3.50	Cylinder Tightener Bracket.
T265	6.00	Thirty-four Tooth Sprocket, $1\frac{1}{2}$ , 62 Chain, drives Header, Standard, 1909.
T266	3.50	Inside Box, $2\frac{3}{8}$ , Main Counter Shaft.
T267	2.75	Middle Chain Spool, $1\frac{3}{8}$ , Grain Wheel Frame.
T268	3.00	Right Hand Chain Spool, $1\frac{3}{8}$ , Grain Wheel Frame.
T269	3.00	Left Hand Chain Spool, $1\frac{3}{8}$ , Grain Wheel Frame.
T270	....	Obsolete.
T271	....	Obsolete.
T272	....	Obsolete.
T273	1.00	Collar, $2\frac{3}{8}$ Bore, $1\frac{1}{2}$ inches wide, Main Counter Shaft.

T274	1.00	Collar, $2\frac{7}{8}$ Bore, $2\frac{3}{8}$ inches wide, Main Wheel Shaft.
T275	1.00	Collar, $2\frac{7}{8}$ Bore, $2\frac{1}{8}$ inches wide, Grain Wheel Shaft.
T276	....	Obsolete.
T277	4.50	Cross Shaft Hanger Box, $1\frac{3}{8}$ .
T278	.50	Sack Dump Chain Roller.
T279	1.00	Brace Box, $1\frac{3}{8}$ , Back Beater Shaft, Junior 1907 and 1908, and Grain Carrier Shaft; Standard and all Machines; Senior, 1913.
T280	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, runs Separator Fan, 1892.
T280A	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, runs Separator Fan, Standard to 1909.
T281	2.75	Twenty-four Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Double Clutch No. 253, 1892 only; Senior, all Machines.
T282	2.75	Twenty-four Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Return Elevator; Standard and Senior, all Machines.
T283	....	Obsolete.
T284	7.00	Front Concave, without Teeth, 28-inch Cylinder, Senior Side Hill to 1908.
T285	5.00	Middle Blank Concave, 28-inch Cylinder, Senior Side Hill to 1913.
T286	2.50	Grain Wheel Frame Guide Plate.
T287	3.00	Right and Left Hand Double Chain Spool, $1\frac{3}{8}$ , Main Wheel Frame.
T288	....	Obsolete.
T289	2.50	Fourteen Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, Middle T Bracket.
T290	....	Obsolete.
T291	....	Obsolete.
T292	1.25	Shifter for Double Clutch, No. 253.
T293	....	Obsolete.
T294	....	Obsolete.
T295	....	Obsolete.
T296	.75	Cap, $1\frac{3}{8}$ , for Cross Shaft Hanger Boxes Nos. 292 and 297.
T297	1.50	Cross Shaft Hanger Box, $1\frac{3}{8}$ .
T298	....	Obsolete.
T299	....	Obsolete.
T300	.75	Concave Lever Segment, Baby Holt Special, 1909 and 1910, Holt Holley, 1906, 1907 and 1909, Junior and Senior, 1901 to 1906.
T301	.75	Main Wheel Frame Guide Roller, $1\frac{1}{8}$ , Junior and Senior, 1901 to 1906.
T302	5.00	Six Point Clutch Hub, $2\frac{3}{8}$ , Ring Sprockets Nos. 176 and 454.



T303	....	Obsolete.
T304	....	Obsolete.
T305	....	Obsolete.
T306	....	Obsolete.
T307	....	Obsolete.
T308	....	Obsolete.
T309	....	Obsolete.
T310	....	Obsolete.
T311	....	Obsolete.
T312	8.00	Outside Twelve Bar Cylinder Head, 1 $\frac{3}{8}$ .
T315	....	Obsolete.
T318	.50	Chain Tightener; Cleaner Auger and Cheat Auger; Standard to 1909.
T319	.50	Sickle Shoe.
T320	.20	Sickle Button Guide.
T321	1.00	Collar, 2 $\frac{7}{8}$ -inch Bore, 1 $\frac{1}{8}$ wide.
T322	1.00	Collar, 2 $\frac{7}{8}$ -inch Bore, 2 $\frac{1}{8}$ wide.
T323	1.00	Collar, 2 $\frac{7}{8}$ -inch Bore, 2 $\frac{1}{8}$ wide.
T324	2.25	Six Tooth Sprocket, 1 $\frac{1}{2}$ , 115 Chain, Tightener for Side Hill Main Chain.
T325	1.50	Cap, 1 $\frac{1}{8}$ , Front Wheel Box, Old Style Harvester.
T326	1.75	Bottom, 1 $\frac{1}{8}$ , Front Wheel Box, Old Style Harvester.
T327	....	Obsolete.
T328	....	Obsolete.
T329	2.00	Fourteen Tooth Sprocket, 1 $\frac{5}{8}$ , 44 Chain, Top Grain Elevator.
T330	1.75	Eleven Tooth Clutch Sprocket, 1 $\frac{3}{8}$ , Outside Brackets Nos. T and 336, drives Grain Elevator.
T331	4.50	Thirty-one Tooth Sprocket, 1 $\frac{5}{8}$ , drives Header, Steam Harvester, 1896.
T332	1.50	Brace Box, Header Counter Shaft.
T333	2.50	Sixteen Tooth Sprocket, 1 $\frac{5}{8}$ , 44 Chain, Top Grain Elevator.
T334	1.50	Same as No. 334. Eight Tooth Sprocket, 1 $\frac{1}{2}$ , 44 Chain; Sack Elevator Top Shaft; Junior and Senior, 1909 to 1913. Divided Straw Carrier Picker, Junior and Senior, 1907. Drives Separator Fan, used in place of No. 280A, if so desired. Cleaner Cheat Auger, outside, Baby Holt Special, 1909 to 1913; Holt Holley, 1908 to 1913; Junior and Senior, 1907 to 1913. Reel Counter Shaft; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1897 to 1910. Side Feeder Shaft; Holt Holley and Baby Holt Special, 1909 and 1910; Standard to 1909.

T335	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, runs Cleaner Fan, used in place of No. 165, if so desired.
T336	5.00	Bracket for Sprockets Nos. 189, 330 and 353.
T337	10.00	Seven Box Bracket, Screw, Gear and Clutch and Gear and Clutch Counter Shafts.
T337A	....	Obsolete.
T338	2.50	Double Cap and Oil Box Cover, $1\frac{5}{8}$ , Bracket No. 337.
T339	1.00	Left Front Cap, $1\frac{5}{8}$ , Brackets Nos. 337 and 758.
T340	1.75	Shifter for Double Clutch No. 343.
T341	1.00	Right Front Cap, $1\frac{1}{8}$ , and $1\frac{1}{8}$ , Brackets Nos. 337 and 758.
T342	1.50	Double Clutch Shifter Lever.
T343	2.25	Double Bevel Gear Clutch, $1\frac{1}{8}$ , 1895 and 1896.
T344	2.00	Same as No. 344. Sixteen Tooth Clutch Pinion, $1\frac{1}{8}$ , Right Hand; Leveling Device, Junior and Senior, 1895 to 1913, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T345	2.00	Same as No. 345. Sixteen Tooth Clutch Pinion, $1\frac{1}{8}$ , Left Hand, Leveling Device, Junior and Senior, 1895 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T346	2.25	Thirty-six Tooth Bevel Gear, $1\frac{3}{8}$ , with T344-T345.
T347	1.00	Collar, $1\frac{1}{8}$ Bore, $1\frac{1}{2}$ inches wide.
T348	.50	Cast Iron Buttons, Main and Grain Wheels, $1\frac{1}{2}$ in. high. Senior and Junior, 1901 to 1906; Standard to 1909; Holt Holley, 1906.
T348A	.60	Button, Main and Grain Wheel, 2 inches high.
T348B	.70	Button, Main and Grain Wheel, $2\frac{1}{2}$ inches high.
T349	1.00	Collar, $2\frac{1}{2}$ Bore, 1 inch wide.
T350	.75	Collar, $\frac{7}{8}$ Bore, 1 inch wide.
T351	....	Obsolete.
T352	3.25	Twenty Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, Grain Carrier Shaft, Right Hand.
T353	2.25	Fourteen Tooth Clutch, Sprocket, $1\frac{3}{8}$ , 62 Chain, Middle Bracket No. 336.
T354	.25	Star Gudgeon, Saddle Board.
T355	1.00	Middle Cap, $1\frac{5}{8}$ , Bracket No. 337.
T356	1.25	Nine Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, runs Chaff Carrier.



T357	3.50	Outside Box Plate, Header Counter Shaft, 1894.
T358	2.75	Eighteen Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, drives Reverse Clutches, Nos. T344 and T345; Senior and Junior, up to and including 1913.
T359	3.00	Hub, $1\frac{1}{8}$ , for Ring Sprocket, No. 360.
T360	2.00	Ten Tooth Ring Sprocket, 101 Chain, bolts to Hub No. 359 and 434; Standard to 1909, Junior, 1901.
T361	1.75	Twelve Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, runs Cleaner Grain Auger, Junior and Senior, 1901 and 1902, Standard to 1909.
T362	1.00	Star Box, $1\frac{5}{8}$ , Cleaner Grain Auger, Left Hand, Standard to 1909.
T363	.50	Shoe Shaker Shaft Lug, Left Hand, Standard Harvester, 1894 to 1897, inclusive.
T364	.50	Shoe Shaker Shaft Lug, Right Hand, Standard Harvester, 1894 to 1897, inclusive.
T365	.50	Wheel Frame Truss Brace Support.
T366	.50	Same as 366; Separator Shoe Hanger, Right Hand. All Harvesters from 1894 to 1913.
T367	.50	Same as 367; Separator Shoe Hanger, Left Hand. All Harvesters from 1894 to 1913.
T368	27.00	Fifty-four Tooth Ring Sprocket, 118 Chain, bolts to Main Wheel; Standard to 1909.
T369	.50	Foot Rest, Grain and Main Wheel Sprockets; Standard, 1896 to 1909; Junior, 1905; Senior 1898 to 1907.
T370	.75	Draper Roller Tightener Box Holder, Front. Baby Holt Special, 1909 to 1913; Holt Holley, 1908 to 1913; Junior and Senior, 1901 to 1913; Standard to 1909. 1892 Combination Sickle Bar.
T371	.50	Star Box, Shoe Shaker Shaft, Left Hand; Standard to 1909.
T372	.50	Box, Shoe Shaker Shaft, Right Hand; Baby Holt Special, 1909; Holt Holley, 1906 to 1909; Junior and Senior, 1901 to 1909; Standard to 1909.
T373	....	Obsolete.
T374	1.50	Ten Tooth Sprocket, $\frac{1}{2}$ , 44 Chain, drives Straw Elevator.
T375	.50	Header Truck Axle Socket.
T377	4.50	Same as 377; Header Weight, large. Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1901 to 1913; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.

T378	3.50	Same as 378; Header Weight, small. Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior, 1901 to 1913; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.
T379	.50	Shoe Shaft Lug, Right Hand; Junior, Senior, Holt Holley to 1906 and Standard to 1909.
T380	.50	Shoe Shaft Lug, Left Hand; Junior, Senior, Holt Holley to 1906 and Standard to 1909.
T381	1.00	Separator Truss Bracket, Standard to 1909.
T382	1.25	Concave Lug, Left Hand, Square Shaft, all Machines to 1907; Standard to 1909.
T383	1.25	Concave Lug, Right Hand, Square Shaft, all Machines to 1907; Standard, 1909.
T384	1.50	Bracket, for Sprockets, Nos. 385 and 386, 652 and 653.
T384	12.00	Bracket, with Sprockets, Nos. 652 and 653, complete.
T384	12.50	Bracket, with Sprockets, Nos. 385 and 386, complete.
T385	1.75	Twelve Tooth Clutch Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Draper.
T386	1.75	Twelve Tooth Clutch Sprocket, $1\frac{1}{8}$ , 44 Chain.
T387	.50	Sickle Shoe, $3\frac{1}{2}$ -inch Bar.
T388	3.00	Auger Box End, supports Grain Elevator, Side Hill Harvester.
T389	1.75	Twelve Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, drives Chaff Carrier.
T390	2.00	Cone Pulley Head, Side Hill Cleaner, 1895.
T391	.50	Fulcrum for No. 392. Shifter Sprocket Nos. 386 and 652.
T392	.50	Shifter Sprocket Nos. 386, 652, 779 and 871.
T393	.75	Shifter Lever, Sprockets Nos. 386 and 652.
T394	1.25	Cone Pulley Head, Side Hill Cleaner, 1895.
T395	1.25	Box, $\frac{1}{8}$ , Upper Separator Fan Shaft, One Wheel Side Hill, 1897 and 1898.
T396	.50	Tightener Bracket, Box No. 395.
T397	.50	Separator Shoe Hanger, Right Hand, Side Hill 1894 to 1897, inclusive.
T398	.50	Separator Shoe Hanger, Left Hand, Side Hill 1894 to 1897, inclusive.
T399	.50	Saddle Board and Separator Screen Connector, Side Hill, 1894 to 1897, inclusive.
T400	.50	Cleaner Auger and Cheat Auger Chain Tightener, Side Hill.
T401	....	Obsolete.
T402	1.75	Twelve Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Feeder Counter Shaft, Steam Harvester.



T403	1.75	Ten Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, Sickle Counter Shaft, used in place of 56A, if desired.
T404	1.25	Pitman Lever, Williams' Shoe Shake.
T405	.25	Pitman Lever Socket, large, Williams' Shoe Shake.
T406	.25	Pitman Lever Socket, small, Williams' Shoe Shake.
T407	1.00	Pitman Lever Bracket, Williams' Shoe Shake, bolts to Cleaner Shoe Sides.
T408	.50	Connecting Bar, Williams' Shoe Shake.
T409	.25	Brake, Bevel Gear, No. 346.
T410	2.00	Fifteen Tooth Face Sprocket, $1\frac{1}{8}$ , 44 Chain, tightens Cleaner Fan Chain.
T411	.25	Lock for Tilting Cleaner.
T412	1.50	Auger Box End, $1\frac{1}{8}$ , Return Elevator, Standard to 1909.
T413	2.25	Eleven Tooth Ring Sprocket, 101 Chain, bolts to Hub No. 359, Header Counter Shaft; Standard Extra and Junior, 1901 only.
T414	4.00	Twelve Tooth Ring Sprocket, 118 Chain, bolts to Hub No. 175, Main Counter Shaft.
T415	3.75	Twelve Tooth Ring Sprocket, 117 Chain.
T417	....	Obsolete.
T418	4.25	Twenty Tooth Worm Gear, $1\frac{3}{8}$ , Junior, 1910 to 1913; Senior, 1901 to 1904 and 1910 and 1911.
T419	5.50	Nine Tooth Sprocket, $2\frac{3}{8}$ , 115 Chain, One Wheel Side Hill.
T420	5.00	Clutch, $2\frac{3}{8}$ , goes with Sprocket No. 419.
T421	2.25	Twelve Tooth Pinion, $1\frac{1}{8}$ , One and Two Wheel Side Hill, 1898 and 1899.
T422	....	Obsolete.
T422A	....	Obsolete.
T423	22.50	Main Wheel Hub, One Wheel Side Hill.
T424	3.50	Seven Tooth Sprocket, 78 Chain, Header Counter Shaft, One Wheel Side Hill.
T425	....	Obsolete.
T426	27.50	Thirty-six Tooth Sprocket, $3\frac{3}{8}$ , 118 Special Chain, drives Separator, One Wheel Side Hill.
T427	6.50	Front Concave, without Teeth, 24-inch Cylinder.
T428	5.00	Middle and Back Concave, without Teeth, 24-inch Cylinder.
T429	....	Obsolete.
T430	1.25	Seven Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Reel Counter; Senior, 1901 to 1906, inclusive; Standard, 1894 to 1909; drives Cheat and Distributing Auger.

T431	15.00	Thirty-four Tooth Clutch Sprocket, $2\frac{3}{8}$ , 88 Chain, drives Cylinder Counter Shaft, One Wheel Side Hill.
T432	1.00	Cap, $1\frac{1}{8}$ and $\frac{1}{8}$ , Shifter and Bevel Gear Clutch Shafts, Bracket No. 546, Two Wheel Side Hill, 1898.
T433	3.50	Twenty-two Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, drives Grain Carrier, One Wheel Side Hill.
T434	3.00	Clutch Hub, $1\frac{1}{8}$ , for Ring Sprocket, No. 360, Standard to 1901.
T435	15.00	Thirty-four Tooth Sprocket, $2\frac{3}{8}$ , 88 Chain, drives Cylinder Counter Shaft; Senior, 1898 to 1906, inclusive.
T436	2.25	Twelve Tooth Clutch Sprocket, $1\frac{3}{8}$ , 62 Chain, Header Clutch Shaft, One Wheel Side Hill.
T437	2.25	Fourteen Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, drives Pitman Counter Shaft.
T438	2.00	Fourteen Tooth Clutch Sprocket, $1\frac{5}{8}$ , 44 Chain, Pitman Shaft, Steam Harvester.
T439	1.25	Clutch, $1\frac{5}{8}$ , for Sprocket No. 438.
T440	2.80	Sway Bar Bracket for Steam Harvester.
T441	4.50	Bottom, Main Wheel Box, $3\frac{1}{4}$ , One Wheel Side Hill.
T442	4.50	Cap, Main Wheel Box, $3\frac{1}{4}$ , One Wheel Side Hill.
T443	....	Obsolete.
T444	.75	Pivot, Sway Bar Bracket No. 440, Steam Harvester.
T445	2.50	Clutch, $1\frac{1}{8}$ , for Sprocket No. 446, Regular Side Hill, 1898.
T446	3.00	Eight Tooth Clutch Sprocket, $1\frac{1}{8}$ , 78 Chain, Cylinder Counter Shaft, Regular Side Hill, 1898.
T447	3.00	Double Chain Spool, $1\frac{1}{8}$ , Right and Left Hand, Main Wheel Frame.
T448	3.00	Chain Spool, $1\frac{1}{8}$ , Left Hand, Grain Wheel Frame.
T449	1.25	Same as No. 449. Tightener Box, $\frac{1}{8}$ , Left Hand, Straw Carrier Shaft Back; all Machines to 1901 and Junior and Holt Holley to 1908; Large and Small Gear Standard, 1910 to 1913; Main Side. Divided Straw Carrier, Front and Back Top Shaft, Baby Holt Special, Holt Holley, 1909 to 1913; Junior, 1907 to 1913; Senior, 1909 to 1913.



T450	1.25	Same as No. 450. Tightener Box, $1\frac{1}{8}$ , Right Hand, Straw Carrier Shaft Back; all Machines to 1901 and Junior to 1908 and Holt Holley; Large and Small Gear Standard, 1910 to 1913; Grain Side, Divided Straw, Front and Back Top Shaft, Baby Holt Special, Holt Holley, 1909 to 1913; Junior, 1907 to 1913; Senior 1909 to 1913.
T451	1.00	Eleven Tooth Ring Sprocket, 44 Chain, bolts to No. 452, drives Grain Elevator, Standard Harvester to 1909.
T452	2.25	Fourteen Tooth Clutch Sprocket, $1\frac{3}{8}$ , 62 Chain, Left Side, runs Grain Carrier, 1897 and 1898, Standard Harvester; Left Side of Back Beater Shaft; Standard Harvester to 1909.
T453	1.25	Clutch, $1\frac{3}{8}$ , goes with Sprocket No. 452.
T454	1.25	Ten Tooth Ring Sprocket, 117 Chain, bolts to Hub No. 175, extra, Side Hill Harvester.
T455	9.50	Thirty-three Tooth Sprocket, $1\frac{3}{8}$ , $76\frac{1}{2}$ Chain, drives Grain Carrier, Standard and Side Hill.
T456	5.00	Twenty Tooth Sprocket, $1\frac{3}{8}$ , $76\frac{1}{2}$ Chain, runs Grain Carrier, Standard and Side Hill.
T457	2.50	Twelve Tooth Clutch Sprocket, $1\frac{3}{8}$ , $76\frac{1}{2}$ Chain, runs Back Beater, Standard.
T458	3.00	Twenty-six Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Separator Fan, Side Hill. No pattern for this; use 166, with one washer $1\frac{1}{4}$ inch wide.
T459	4.50	Auger Box End, $1\frac{5}{8}$ , Standard.
T460	2.50	Nineteen Tooth Sprocket, $1\frac{3}{8}$ , 52 Chain, drives Beater and Shoe, Standard to 1909.
T461	3.00	Thirty Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Separator Fan; Standard, 1896 to 1899, and to 1909.
T462	3.50	Bracket, Bevel Gears, Nos. 476 and 477, Steam Harvester.
T463	9.50	Thirty-three Tooth Clutch Sprocket, $1\frac{1}{8}$ , $78\frac{1}{2}$ Chain, drives Grain Carrier and Back Beater.
T464	10.00	Forty-eight Tooth Ring Sprocket, 62 Chain, sent out as an extra.
T465	3.00	Twelve Tooth Crank Sprocket, $1\frac{3}{8}$ , 52 Chain, shakes Separator Shoe.
T466	2.25	Ten Tooth Clutch Sprocket, $1\frac{3}{8}$ , $76\frac{1}{2}$ Chain, Back Beater Shaft.

T467	1.50	Nine Tooth Clutch Sprocket, $1\frac{1}{8}$ , 44 Chain, Inside Top Grain Elevator; Holt Holley, Junior and Senior, to and including 1907. Standard to 1909.
T468	2.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ Bore, 44 Chain, drives Reel Counter Shaft; Baby Holt Special, 1909 to 1913 and Holt Holley, 1906.
T469	3.00	Same as No. 469. Thirty Tooth Sprocket, $1\frac{1}{8}$ Shaft, 44 Chain, drives Reel Shaft; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913. Junior and Senior, 1901 to 1913; Standard to 1909.
T470	1.50	Beater Head, $1\frac{3}{8}$ , Left Side; Senior Side Hill, 1901 to 1907.
T471	1.00	Beater Head, $1\frac{3}{8}$ , Right Side; Senior Side Hill, 1901 to 1907.
T472	1.75	Beater Box, $1\frac{3}{8}$ , Left Side; Senior, 1901 to 1906.
T473	1.25	Beater Box, $1\frac{3}{8}$ , Right Side; Senior, 1901 to 1906.
T474	1.50	Eleven Tooth Tightener Sprocket, $\frac{1}{2}$ , $76\frac{1}{2}$ Chain, Standard and Side Hill.
T475	2.25	Nine Tooth Ring Sprocket, 103 Chain, bolts to Hub No. 359.
T476	3.25	Twenty-one Tooth Bevel Gear, $1\frac{3}{8}$ , Bracket No. 462, Steam Harvester.
T477	4.00	Thirty-five Tooth Bevel Gear, $1\frac{5}{8}$ , Bracket No. 462, Steam Harvester.
T478	2.50	Swivel Box, $2\frac{3}{8}$ , Header Wheel Shaft, Steam Harvester.
T479	1.25	Fan Hub, $\frac{1}{2}$ .
T480	....	Obsolete.
T481	2.50	Worm, $1\frac{1}{8}$ , for Automatic Stop, One Wheel Side Hill.
T482	1.75	Drum Head, $\frac{7}{8}$ , Standard and Side Hill, 1896 and 1897 only.
T483	1.75	Beater Arm, $1\frac{3}{8}$ , Right Hand, Standard to 1909.
T484	1.75	Beater Arm, $1\frac{3}{8}$ , Left Hand, Standard to 1909.
T485	.50	Bell Crank, Shifter No. 486, One Wheel Side Hill, 1896.
T486	2.00	Double Clutch Shifter, One Wheel Side Hill, 1896.
T487	....	Obsolete.
T488	3.00	Twenty-six Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Steam Harvester, 1896.



T489	1.00	Box Cap, $1\frac{1}{8}$ , Box Bottom W, Improved Cleaner Shake, 1896 to 1899; Standard to 1909.
T490	1.00	Header Pivot Block, Regular Side Hill, 1897.
T491	1.75	Twelve Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Feeder Shaft, One Wheel and Two Wheel Side Hill, 1897 to 1911; Junior and Senior, 1901 to 1913.
T492	1.25	Cleaner Shake Cam, $1\frac{1}{8}$ ; Standard to 1909; Junior and Senior, 1903 to 1906; and Senior, 1907.
T493	.50	Bracket Box, for Roller No. 494, Cleaner Shake; Standard to 1909.
T494	.75	Roller, for Cleaner Shake; Standard to 1909; Junior and Senior, to 1906.
T495	2.25	Double Cap, $1\frac{1}{8}$ , and Oil Box Cover, for Bracket No. 337, Regular Side Hill.
T496	2.25	Same as No. 496. Double Bevel Gear Clutch, Leveling Device, $1\frac{1}{8}$ , Side Hill, 1897 and after and Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913; Junior and Senior up to and including 1913.
T497	.20	Sickle Button, new style Sickle Bar, $3\frac{1}{2}$ -inch Top Plate, same as ZZ; Junior and Senior, 1901 to 1913.
T498	2.50	Ten Tooth Ring Sprocket, 103 Chain, bolts to Hub No. 359, Side Hill, 1897.
T499	4.00	Eighteen Tooth Face Sprocket, $1\frac{3}{8}$ , $76\frac{1}{2}$ Chain, runs Grain Carrier, Regular Side Hill, 1897.
T500	1.50	Ten Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Grain Elevator, Side Hill.
T501	3.00	Box Plate, Main Counter Shaft, One Wheel Side Hill, 1897.
T502	....	Obsolete.
T503	....	Obsolete.
T504	2.00	Oil Box, bolts to Bracket No. 417, One Wheel Side Hill, 1897.
T505	....	Obsolete.
T506	1.00	Collar, $2\frac{3}{8}$ , Main Counter Shaft, One Wheel Side Hill, 1897.
T507	....	Obsolete.
T508	6.00	Nine Tooth Sprocket, $2\frac{3}{8}$ , 118 Chain, Main Counter Shaft, One Wheel Side Hill, 1897.
T509	3.00	Spider, $2\frac{3}{8}$ , for Ring Sprocket No. 23, Main Counter Shaft, One Wheel Side Hill, 1897.
T510	1.00	Star Box, $1\frac{1}{4}$ , Rough Iron Shaft, Bottom Return Elevator, Standard, 1898 to 1909.

T511	1.50	Nine Tooth Sprocket, $1\frac{1}{4}$ , Rough Iron Shaft, 44 Chain, Inside Return Elevator, Standard to 1909.
T512	.25	Step Box, Bottom Cleaner Shake Shaft; Standard to 1909; all Machines, 1897 to 1906.
T512	1.50	Step Box Cleaner Shake Shifter, complete.
T513	1.00	Same as No. 513; $1\frac{1}{8}$ Bore, Star Box, Lower End Straw Carrier, Front Shaft, Both Sides Holt Holley, 1906 to 1908; Junior, 1901 to 1908 and Senior, 1906 to 1910. Large and Small Gear Standard, 1910 to 1913; Divided Straw Carrier, Front and Back Bottom Shaft, Both Sides; Junior and Senior, 1907, 1909 to 1913; Holt Holley, 1909 to 1913; Baby Holt Special, 1909 to 1913; Straw Dump Elevator Shaft, Top, Baby Holt Special, 1909 to 1913; Holt Holley, Junior and Senior, 1907 to 1913; Large and Small Gear Standard, 1910 to 1913.
T514	16.00	Hub, 16-inch Grain Wheel, Side Hill, 1897.
T515	....	Obsolete.
T516	2.75	Twenty-four Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Separator Fan, One Wheel Side Hill, 1897; drives Grain Elevator, 1909 to 1913; Senior and Junior, 1909 and 1910.
T517	5.50	Middle and Back Concave, without Teeth, 26-inch Cylinder, One Wheel Side Hill, 1897.
T518	7.00	Front Concave, without Teeth, 26-inch Cylinder, One Wheel Side Hill, 1897.
T518A	5.00	Blank Concave, 26-inch Cylinder, One Wheel Side Hill, 1897.
T519	1.25	Bottom Holder, Swivel Cylinder Box, $1\frac{1}{8}$ Shaft, Steam Harvester.
T520	1.25	Cap Holder, Swivel Cylinder Box, $1\frac{1}{8}$ Shaft, Steam Harvester, 1903 and 1904.
T521	2.25	Swivel Cylinder Box Bottom, $1\frac{1}{8}$ , Steam Harvester.
T522	2.25	Swivel Cylinder Box Cap, $1\frac{1}{8}$ , Steam Harvester.
T523	1.50	Eight Tooth Sprocket, $1\frac{1}{2}$ , Jackson Feeder Chain, Jackson Feeder Straw Carrier, Steam Harvester.
T524	....	Obsolete.
T525	.50	Sickle Shoe, One Wheel Side Hill, 1897.
T526	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 62 Chain, Chain Tightener, One Wheel Side Hill, 1897.
T527	2.25	Auger Box End, $1\frac{1}{2}$ , Return Elevator, One Wheel Side Hill, 1897, and Regular Side Hill, 1898.



T528	1.75	Twelve Tooth Sprocket, $\frac{7}{8}$ , 62 Chain, Header Chain Tightener, One and Two Wheel Side Hill, 1898.
T529	....	Obsolete.
T530	....	Obsolete.
T531	4.00	Jones' Fan Box, Right Hand, Standard, 1897.
T532	4.00	Jones' Fan Box, Left Hand, Standard, 1897.
T533	1.75	Twelve Tooth Sprocket, $1\frac{3}{4}$ , 44 Chain, Outside Bottom Return Elevator, Standard, 1897 to 1909.
T534	3.50	Fourteen Tooth Crank Sprocket, $1\frac{3}{8}$ , 52 Chain, drives Front Beater, Senior, 1909 to 1913; and Separator Shoe, takes place of No. 465, Regular Side Hill.
T535	.75	Six Tooth Sprocket, 44 Chain, bolts to No. 81, drives Mustard Reel, Standard, 1897.
T536	1.00	Mustard Reel Head, $1\frac{1}{8}$ , Standard.
T537	4.50	Nine Tooth Clutch Sprocket, $1\frac{1}{4}$ , 101 Chain, Header Counter Shaft, Standard, 1897.
T538	2.50	Grain Wheel Box Bottom, $2\frac{7}{8}$ ; Junior and Senior, 1907 only; Main Wheel, Junior, 1905 to 1907, inclusive; Senior, 1901 to 1907, inclusive.
T538A	2.75	Main Wheel Box Cap, $2\frac{7}{8}$ , Junior and Senior, 1901 to 1907; Grain Wheel, Senior and Junior, 1907.
T539	.50	Chain Guide, No. 56A Sprocket.
T540	.75	Nine Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Grain Elevator, One Wheel Side Hill, 1898.
T541	3.00	Thirty Tooth Clutch Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Separator Fan, Regular Side Hill.
T542	.25	Return Elevator Idler Shaft, Inside Return Elevator, Holt Holley, 1906 to 1908; Senior and Junior, 1901 to 1910.
T543	2.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Cleaner Fan, Standard to 1909.
T544	6.00	Bottom and Oil Case, for No. 548.
T545	4.00	Cap, for No. 544.
T546	8.50	Seven Box Bracket, Screw, Gear and Clutch, and Gear and Clutch Counter Shaft, Regular Side Hill.
T547	....	Obsolete.
T548	4.00	Twenty Tooth Worm Gear, $1\frac{1}{8}$ , Regular Side Hill.
T549	3.50	Swivel Cylinder Roller Bearing Box, $1\frac{1}{8}$ , Right Side, Regular Side Hill.
T550	3.50	Swivel Cylinder Roller Bearing Box, $1\frac{1}{8}$ , Left Side, Regular Side Hill.

T551	2.25	Mitre Gear Reversing Attachment, Regular Side Hill.
T552	3.25	Twenty-four Tooth Sprocket, $1\frac{1}{2}$ , 44 Chain, drives Return Elevator, Steam Harvester.
T553	2.50	Sixteen Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Reverse Pinions Nos. 344 and 345, Regular Side Hill.
T554	....	Obsolete.
T555.	....	Obsolete.
T556	2.50	Sheave, Main and Grain Wheel Swing Frame Chains, Regular Side Hill.
T557	3.50	Inside Box, $2\frac{3}{8}$ , Main Counter Shaft, Regular Side Hill.
T558	3.00	Box Plate, for Box No. 557, Regular Side Hill.
T559	2.50	Cap, $2\frac{7}{8}$ , Grain Wheel Shaft, Both Sides, Senior to 1906; Junior, 1904 to 1906.
T560	3.00	Bottom, $2\frac{7}{8}$ , Grain Wheel Shaft; Senior to 1906; Junior, 1904 to 1906, inclusive.
T561	....	Obsolete.
T562	....	Obsolete.
T563	2.50	Seven Tooth Face Sprocket, $1\frac{1}{8}$ , 117 Chain, Tightener, Regular Side Hill.
T564	3.50	Clutch Hub, $1\frac{1}{2}$ , Ring Sprocket No. 360; Senior to 1901; Junior, 1901 only.
T565	4.50	Clutch, $1\frac{1}{2}$ , for Clutch Hub No. 564, Senior and Junior, 1901 to 1907, inclusive.
T566	3.00	Nine Tooth Ring Sprocket, 117 Chain, Regular Side Hill; use No. 632 place of 566, 567 and 568.
T567	5.00	Clutch Hub, Ring Sprocket No. 566, Regular Side Hill, 1898; use No. 632 place of 566, 567 and 568.
T568	5.00	Main Clutch, Hub No. 567, Regular Side Hill, 1898.
T569	....	Obsolete.
T570	1.25	End Reel Hub, 1-inch Pipe, Twelve Arm Reel.
T571	1.00	Center Reel Hub, 1-inch Pipe, Twelve Arm Reel.
T572	5.50	Sixteen Tooth Sprocket, $1\frac{1}{2}$ , 78 Chain, Harvester No. 629 only.
T573	5.50	Sixteen Tooth Clutch Sprocket, 78 Chain, Harvester No. 629 only.
T574	4.00	Nine Tooth Sprocket, $2\frac{7}{8}$ , 78 Chain, Harvester, No. 629 only.



T575	3.50	Seven Tooth Sprocket, 78 Chain, Harvester No. 629 only.
T576	20.00	Hub, $2\frac{7}{8}$ , 20-inch Main Wheel, Regular Side Hill, 1898 and 1899.
T577	20.00	Hub, $2\frac{7}{8}$ , 20-inch Grain Wheel, Regular Side Hill, 1898 and 1899.
T578	2.00	Inside Main Counter Shaft Box Bottom, $2\frac{3}{8}$ , Regular Side Hill, 1898 only.
T579	.75	Split Collar, $2\frac{7}{8}$ bore, $2\frac{7}{8}$ wide, 20-inch Grain Wheel, Regular Side Hill, 1898 and 1899.
T580	.50	Split Collar, $2\frac{7}{8}$ bore, $1\frac{5}{8}$ wide, 16-inch Grain Wheel Hub, Regular Side Hill, 1898 and 1899.
T581	.20	Spiral Spring Washer, $76\frac{1}{2}$ Chain Tightener, Regular Side Hill.
T582	.25	Spiral Spring Bevel Washer, $76\frac{1}{2}$ Chain Tightener, Regular Side Hill.
T583	1.00	Header Chain Tightener Box, $1\frac{1}{8}$ , Senior 1901 to 1904; Junior, 1901 to 1903.
T584	....	Obsolete.
T585	1.75	Beater Box, $1\frac{5}{8}$ , Right Hand, Steam Harvester.
T586	2.75	Eighteen Tooth Sprocket, $1\frac{3}{8}$ , 52 Chain, Runs Front Beater, Steam Harvester, 1898.
T587	5.00	Fourteen Tooth Face Sprocket, $1\frac{5}{8}$ , 89 Chain, runs Grain Carrier, Steam Harvester.
T588	.75	Draper Roller Gudgeon, Iron Roller.
T589	....	Obsolete.
T590	.75	Split Collar, $2\frac{7}{8}$ Bore, $3\frac{5}{8}$ wide, 20-inch Grain Wheel Swing Frame, Regular Side Hill Harvester, 1898 and 1899.
T591	.20	Spiral Spring Washer, Regular Side Hill Harvester.
T592	5.00	Blank Concave, 26-inch Cylinder, One Wheel Side Hill Harvester. See No. 518A.
T593	.20	Sickle Button, 1892 style Sickle Bar, Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Junior and Senior, 1901 to 1913; Standard to 1909.
T594	3.50	Ten Tooth Ring Sprocket, 117 Chain, Regular Side Hill Harvester, 1898 only.
T595	....	Obsolete.
T596	6.25	Eleven Tooth Clutch Sprocket, 117 Chain, Regular Side Hill Harvester, 1898.

T597	1.75	Ten Tooth Sprocket, $1\frac{5}{8}$ Bore, 44 Chain, runs Return Auger, Junior, 1901 to 1907; Cleaner Distributing Auger, Senior, 1907; Grain Elevator Top Shaft, Holt Holley, 1906 and 1907; Junior and Senior, 1904 to 1906; takes place of No. 8 A Grain Hopper, Holt Holley, 1907 only, Junior, 1903 to 1906; Senior, 1901 to 1907; Cleaner Grain Auger, Grain Side, Senior and Junior, 1903 to 1906.
T598	1.75	Box Bottom, 1, for No. 599, Front Wheel. Shaft, $1\frac{1}{8}$ , Main Side, Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior up to and including 1913; Standard to 1909.
T599	1.75	Box Cap for No. 598, $1\frac{1}{8}$ Shaft.
T600	....	Obsolete.
T601	5.50	Forty-seven Tooth Rack, used with Pinion No. 421, Regular Side Hill.
T602	1.50	Double Clutch Shifter, $1\frac{1}{8}$ , Regular Side Hill.
T603	1.25	Straw Carrier Tightener Box, $\frac{1}{2}$ , Right Hand, Standard to 1909 and Senior to 1908. Divided Straw Carrier, Front and Back Top Shaft; Senior, 1907. Grain Side.
T604	1.25	Straw Carrier Tightener Box, $\frac{1}{2}$ , Left Hand; Standard to 1909 and Senior to 1908. Divided Straw Carrier, Front and Back Top Shaft; Senior, 1907. Main Side.
T605	1.00	Brace Box, $1\frac{3}{8}$ , Grain Carrier Shaft; One Wheel Side Hill, 1898.
T606	1.75	Beater Box, Front and Back, $1\frac{3}{8}$ , Both Sides; Standard to 1909, and Cleaner Counter Shaft, Steam, 1903 and 1904.
T607	1.50	Swivel Cylinder Box Bottom, $1\frac{3}{8}$ , Left Hand, Junior, 1901 to 1905; Holt Holley, 1906.
T608	1.50	Swivel Cylinder Box Cap, $1\frac{3}{8}$ , Left Hand; Junior, 1901 to 1905; Holt Holley, 1906.
T609	1.75	Swivel Cylinder Box Bottom, $1\frac{3}{8}$ , Right Hand; Junior, 1901 to 1905; Holt Holley, 1906.
T610	1.75	Swivel Cylinder Box Cap, $1\frac{3}{8}$ , Right Hand; Junior, 1901 to 1905; Holt Holley, 1906.
T611	1.00	Swivel Cylinder Box Bottom Holder, Left Hand; Standard to 1909.
T612	1.00	Swivel Cylinder Box Bottom Holder; One Wheel Side Hill and Right Side, Standard to 1909; Junior and Senior, 1901 and 1902.
T613	.30	Malleable Thimble for Stretcher Bar.
T614	3.25	Right Hand Box, $1\frac{1}{8}$ , Cross Shaft; Steam Harvester.



T615	3.25	Left Hand Box, $1\frac{1}{2}$ , Cross Shaft, Steam Harvester.
T616	25.00	Fifty-two Tooth Ring Sprocket, 117 Chain, bolts to Main Wheel; Senior, 1901 to 1909.
T617	2.50	Star Box, $1\frac{1}{8}$ , Grain Elevator Auger; Senior, 1899 to 1902; Holt Holley, 1908; Junior and Senior, 1907 and 1908.
T618	1.50	Cleaner Grain Auger Box, $1\frac{5}{8}$ , Right Hand.
T619	2.50	Outside Box, $1\frac{1}{2}$ , Header Counter Shaft, Regular Side Hill, 1899.
T620	....	Obsolete.
T621	4.00	Eight Tooth Clutch Sprocket, $1\frac{3}{8}$ , 89 Chain, Steam Harvester.
T622	1.50	Cleaner Fan Box, $1\frac{1}{8}$ , Steam Harvester, 1899.
T623	3.50	Thirty-six Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, drives Grain Auger, Steam Harvester, 1899.
T624	2.25	Outside Box, Header Wheel Shaft, Standard to 1909; Holt Holley, 1906 and 1907.
T625	2.00	Inside Box, Header Wheel Shaft, Standard to 1909; Holt Holley, 1906 and 1907.
T626	....	Obsolete.
T627	2.50	Sheave, Inside Main, Wheel Swing Frame Chain, Regular Side Hill.
T628	.50	Hinge Brace, Main Wheel Swing Frame, Regular Side Hill, 1899.
T629	....	Obsolete.
T630	1.75	Outside Box, Header Wheel Shaft; Senior and Junior, 1901 to 1907, inclusive.
T631	5.00	Clutch, Six Point, $2\frac{3}{8}$ , for Sprocket No. 632.
T632	6.25	Ten Tooth Six Point Clutch Sprocket, $2\frac{3}{8}$ , 117 Chain, Main Counter Shaft; Senior, 1901 to 1907, inclusive.
T633	3.50	Thirty-six Tooth Sprocket, $2\frac{3}{8}$ , 44 Chain, drives Grain Elevator; Senior, 1901 to 1906, inclusive.
T634	2.00	Eleven Tooth Tightener Sprocket, $\frac{1}{2}$ , 075 Chain; Junior, 1905 to 1913; Senior, 1901 to 1913; Standard to 1909.
T635	2.50	Ten Tooth Clutch Sprocket, $1\frac{3}{8}$ , 075 Chain, Back Beater Shaft, Regular Side Hill, 1899.
T636	3.00	Twelve Tooth Clutch Sprocket, $1\frac{3}{8}$ , 075 Chain, runs Back Beater Shaft, Standard, to 1909.
T637	10.00	Thirty-three Tooth Sprocket, $1\frac{1}{2}$ , 075 Chain, drives Separator, Standard to 1909 and Regular Side Hill.

T638	5.00	Twenty Tooth Face Sprocket, $1\frac{3}{8}$ , 075 Chain, runs Grain Carrier, Standard.
T639	5.50	Eighteen Tooth Face Sprocket, $1\frac{3}{8}$ , 075 Chain, runs Grain Carrier, Regular Side Hill, 1899.
T640	.25	Rear Shifter Latch, Tilting Cleaner, Regular Side Hill, 1899.
T641	.25	Front Shifter Latch, Tilting Cleaner, Regular Side Hill, 1899.
T642	.50	Eight Tooth Rack, Chaff Carrier Platform, Standard, One and Two Wheel Side Hill, 1899.
T643	.50	Seven Tooth Segment, Chaff Carrier Platform, Standard, One and Two Wheel Side Hill, 1899.
T644	4.50	Spider, $1\frac{1}{8}$ , for Sprocket No. 23, Cross Shaft, Steam Harvester.
T645	.75	Right and Left Hand Picker Arm, $1\frac{1}{8}$ , all Separators, 1899; Straw Carrier Beater Shaft, Arms, Both Sides, Senior, 1901 and 1902; Standard to 1909.
T646	1.75	Twelve Tooth Sprocket, $\frac{3}{8}$ , 44 Chain, Bottom Straw Dump Elevator, One and Two Wheel Side Hill, 1899.
T647	....	Obsolete.
T648	....	Obsolete.
T649	1.00	Clutch, $1\frac{1}{4}$ Pipe, for No. 648, Steam Harvester.
T650	1.75	Center Reel Hub, $1\frac{1}{4}$ Pipe, Six Arms, Steam Harvester.
T651	2.00	Socket, for Header Extension A Frame, Steam Harvester.
T652	1.75	Twelve Tooth Clutch Sprocket, $1\frac{1}{8}$ , 44 Chain, rear, takes place of No. 386, works with No. 653.
T653	1.75	Twelve Tooth Clutch Sprocket, $1\frac{1}{8}$ , 44 Chain, Front, drives Draper, takes place of No. 385.
T654	3.00	Eleven Tooth Ring Sprocket, 103 Chain, bolts to Hub No. 359, Regular Side Hill.
T655	1.50	Nine Tooth Sprocket, $1\frac{3}{8}$ , 62 Chain, Reel Counter Shaft, drives Sprocket No. 265, Steam Harvester, 1899.
T656	1.75	Swivel Cylinder Box Bottom, $1\frac{1}{8}$ , all Machines to 1901; Senior, 1901 to 1906, inclusive; Right Hand, Junior, 1906; Standard to 1909.
T657	....	Obsolete.



T658	7.50	Outside Ten Bar Cylinder Head, $1\frac{1}{8}$ , Standard to 1909; and One Wheel; Senior, 1901 to 1913; Junior, 1911.
T659	7.50	Center Ten Bar Cylinder Head, $1\frac{1}{8}$ , Standard to 1909; and One Wheel; Senior, 1901 to 1913; Junior, 1911.
T660	1.75	Swivel Cylinder Box Bottom, $1\frac{1}{8}$ , Left Side; Senior, 1901 to 1905; Standard to 1909.
T661	1.50	Swivel Cylinder Box Cap, $1\frac{1}{8}$ , Left Side; Senior, 1901 to 1905; Standard to 1909.
T662	.25	Same as 662. Shoe Hanger Box, $1\frac{1}{8}$ inches long, Both Sides, all Harvesters to 1913.
T663	.25	Shoe Hanger Box, 1 inch long.
T664	3.25	Cylinder Tightener Bracket, Standard to 1909.
T665	8.00	Outside Ten Bar Cylinder Head, $1\frac{1}{8}$ , Steam Harvester.
T666	7.00	Inside Ten Bar Cylinder Head, $1\frac{1}{8}$ , Steam Harvester.
T667	....	Obsolete.
T668	1.00	Worm Gear Cap, Bracket No. 667, 732 and 851; Junior, 1901 and 1910 to 1913; Senior, 1901 to 1904 and 1910 and 1911.
T669	....	Obsolete.
T670	1.00	Star Box, $1\frac{1}{8}$ , Straw Carrier, Steam Harvester, 1900.
T671	1.25	Same as No. 671. Driving Collar, Malleable, Front Wheel Shaft, $1\frac{1}{8}$ Bore, $\frac{3}{4}$ inch wide, Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior and Senior up to and including 1913; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.
T672	1.50	Driving Collar, $2\frac{7}{8}$ Bore, $1\frac{1}{8}$ inches wide, Main and Grain Wheel Shafts, Standard to 1909.
T673	....	Obsolete.
T674	....	Obsolete.
T675	....	Obsolete.
T676	1.50	Driving Collar, $2\frac{7}{8}$ Bore, $1\frac{1}{2}$ wide.
T677	....	Obsolete.
T678	3.50	Double Main Wheel Box Bottom, $2\frac{7}{8}$ , Steam Harvester.
T679	3.50	Double Main Wheel Box Truss Cap, $2\frac{7}{8}$ , for Box Bottom, No. 678.
T680	1.50	Truss Rod Plate, Main Wheel Box, Steam Harvester.
T681	3.00	Cylinder Box Bottom, $1\frac{1}{8}$ , 9 inches long, Right Side, Steam Harvester, 1900.

T682	3.00	Cylinder Box Cap, $1\frac{1}{8}$ , 9 inches long, for Box Bottom No. 681.
T683	3.50	Double Box Bottom, $2\frac{7}{8}$ , Main Wheel, Steam Harvester, 1900.
T684	3.50	Double Box Cap, $2\frac{7}{8}$ , Main Wheel, for Box Bottom, No. 683, Steam Harvester, 1900.
T685	10.00	Thirty Tooth Sprocket, $1\frac{1}{8}$ , 075 Chain, Header Counter Shaft, drives Header, Steam Harvester.
T686	2.50	Concave Hanger, Right Side, Steam Harvester, 1903 to 1906.
T687	2.50	Concave Hanger, Left Side, Steam Harvester, 1903 to 1906.
T688	2.50	Sixteen Tooth Sprocket, $1\frac{1}{8}$ , 52 Chain, Cleaner Pitman Shaft, Steam Harvester, 1900.
T689	1.25	Seven Tooth Sprocket, $1\frac{1}{8}$ , 52 Chain, drives Sack Elevator, Steam Harvester.
T690	3.00	Twenty-six Tooth Clutch Sprocket, $1\frac{3}{8}$ , 52 Chain, Front Beater Shaft, drives Cleaner, Steam Harvester, 1900.
T691	2.75	Eighteen Tooth Sprocket, $1\frac{3}{8}$ , 52 Chain, Front Beater Shaft, runs Beater, Steam Harvester, 1900.
T692	2.00	Sixteen Tooth Ring Sprocket, 44 Chain, bolts to No. 691, drives Feeder Counter Shaft, Steam Harvester, 1900.
T693	....	Obsolete.
T694	25.00	Hub, $2\frac{7}{8}$ , 24-inch Grain Wheel, Standard Tule Harvester, 1900.
T695	2.75	Twenty-four Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, drives Cleaner Return Auger, Steam Harvester.
T696	2.75	Eighteen Tooth Sprocket, $1\frac{5}{8}$ , 52 Chain, Grain Carrier Shaft, drives Pickers, Steam Harvester.
T697	6.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, drives Grain Carrier Shaft, Steam Harvester, 1900.
T698	1.75	Beater Box, $1\frac{3}{8}$ , Right Hand, One Wheel Side Hill.
*T699	....	Obsolete.
T700	1.25	Flange Box, Draper Drum, all Harvesters to 1903 except Steam.
T701	4.50	Sixteen Tooth Face Sprocket, $1\frac{3}{8}$ , 075 Chain, Steam Separator.
T702	1.00	Brace Box, $1\frac{5}{8}$ , Grain Carrier Shaft, Steam Harvester, 1900.



T703	8.00	Three Box Bracket, Header, Steam Harvester, 1902 to 1906, inclusive.
T703A	1.00	Cap, for Nos. 703 and 1080.
T704	4.00	Twenty-four Tooth Mitre Gear, Bracket No. 703, Steam Harvester.
T705	1.00	Sixteen Tooth Circular Rack, Cylinder Belt Tightener, Steam Harvester.
T706	1.00	Ten Tooth Pinion, Rack No. 705, Steam Harvester, 1900.
T707	3.00	Twelve Tooth Sprocket, $1\frac{5}{8}$ , 075 Chain, Sickle Counter Shaft, Steam Harvester, up to and including 1904.
T707A	3.00	Twelve Tooth Sprocket, $1\frac{3}{8}$ , 075 Chain, Steam Harvester, 1899.
T708	3.00	Crank, Disc, $1\frac{5}{8}$ , drives Sickle, Steam Harvester, without Pin.
T708A	3.75	Crank Disc, $1\frac{5}{8}$ , drives Sickle, Steam Harvester, with Pin.
T708X	2.50	Eight Tooth Sprocket, $1\frac{1}{2}$ , 78 Chain, takes place of No. 216.
T709	1.75	Twelve Tooth Sprocket, $1\frac{5}{8}$ , 52 Chain, drives Draper, Steam Harvester, 1900.
T709X	1.75	Sixteen Tooth Ring Sprocket, 44 Chain, bolts to Sprocket No. 708X, takes place of No. 21, Standard and Regular Side Hill and Steam Harvesters.
T710	2.00	Box, $1\frac{5}{8}$ , on Sickle Bar, Steam Harvester, up to and including 1905.
T711	1.50	Straw Carrier Tightener Shaft Box, $1\frac{5}{8}$ , Right Hand, Steam Harvester, 1900.
T712	1.50	Straw Carrier Tightener Shaft Box, $1\frac{5}{8}$ , Left Hand, Steam Harvester, 1900.
T713	1.25	Seven Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, Sickle Counter Shaft, Steam Harvester, up to and including 1906; Cleaner Grain Auger, Baby Holt Special, Holt Holley, 1912 and 1913.
T714	7.00	Front Concave, 24-inch Cylinder, Junior Side Hill, 1901 to 1907, inclusive; Holt Holley, 1906 and 1907.
T715	5.50	Middle and Back Concave, 24-inch Cylinder, Junior Side Hill Harvester, 1901 to 1907, inclusive; Holt Holley, 1906 to 1907.
T716	....	Obsolete.
T717	2.50	Box Bottom, $2\frac{3}{8}$ , with Flange on side, Grain Wheel, Junior, 1901, 1902, 1903. Main Wheel, Junior, 1901 to 1903.
T718	3.00	Box Cap, $2\frac{3}{8}$ , for Nos. 717 and 719.

T719	2.50	Box Bottom, $2\frac{3}{8}$ , without Flange on side, Main Wheel, Junior, 1901 to 1904; Both Sides.
T720	4.75	Blank Concave, 24-inch Cylinder, Junior Side Hill, 1901 to 1907, inclusive; Holt Holley, 1906 and 1907.
T721	.50	Split Collar, $2\frac{3}{8}$ Bore, 2 inches wide, Main Wheel Shaft, Junior, 1901 to 1904; Holt Holley, 1908.
T722	6.50	Fifty-five Tooth Rack, Leveling Device, Junior Side Hill Harvester, 1900 only.
T723	....	Obsolete.
T724	2.25	Eleven Tooth Cast Iron Pinion, $1\frac{7}{8}$ , Rack No. 823, Junior Side Hill, 1901, 1902 and 1903.
T724A	2.25	Eleven Tooth Malleable Pinion, $1\frac{7}{8}$ Shaft, Leveling Device, Main Shaft, Rack No. 723, Junior Side Hill, 1901 to 1909; Senior Side Hill, 1905 to 1909; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T724B	2.25	Eleven Tooth Malleable Pinion, $1\frac{9}{8}$ , Rack No. 723, Junior Side Hill, 1910 to 1913, inclusive.
T725	2.25	Box Cap, $1\frac{9}{8}$ , Cylinder Counter Shaft, Junior Side Hill, 1901 to 1904, inclusive.
T726	1.75	Box, $1\frac{1}{8}$ , Left Side, Back Beater, Grain Carrier and Feeder Counter Shafts, Junior and Senior, 1901 to 1903.
T727	1.75	Box, $1\frac{1}{8}$ , Right Side, Back Beater, Grain Carrier and Feeder Counter Shafts, Junior and Senior, 1901 to 1903.
T728	1.25	Box, $\frac{1}{8}$ , Separator Fan, Junior Side Hill, 1901, 1902 and 1903.
T729	1.25	Box, $\frac{1}{8}$ , Cleaner Fan, Junior and Senior Side Hill, 1901 and 1902 only.
T730	1.75	Box, $1\frac{1}{8}$ , Front Beater, Left Side, Junior, 1901 to 1906, inclusive.
T731	1.25	Box, $1\frac{1}{8}$ , Front Beater, Right Side, Junior Side Hill and Holt Holley, 1901 to 1906, inclusive.
T732	5.50	Three Box Bracket, for Worm Gear, Leveling Device, Junior Side Hill, 1901 to 1909, inclusive, and Senior Side Hill, 1905 to 1909.
T733	2.25	Double Cap for Bracket Nos. 732 and 851.
T734	2.75	Same as No. 734. Worm, Leveling Device, Junior and Senior Side Hill, 1901 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.



T735	....	Obsolete.
T736	4.00	Twenty Tooth Worm Gear, $1\frac{1}{8}$ Shaft, Screw No. 734, Junior, 1901 to 1909; Senior, 1905 to 1909; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T737	3.25	Outside Box, $1\frac{1}{8}$ , Main Counter Shaft, Junior Side Hill, 1901 to 1913; Holt Holley, Baby Holt Special, 1909 to 1913.
T738	3.25	Inside Box, $1\frac{1}{8}$ , Main Counter Shaft, Junior Senior Side Hill, 1910 to 1913; Holley, 1906 to 1913 and Baby Holt Special, 1909 to 1913.
T739	1.75	Hub, $\frac{1}{8}$ , Cleaner Fan, Senior and Junior, 1901 and 1902 only, and Separator Fan, Junior, 1901 to 1906, inclusive; Separator and Cleaner, Holt Holley, 1906 only.
T740	1.00	Star Box, $\frac{1}{8}$ , Cleaner Shake, Junior and Senior Side Hill, 1901 and 1902 only.
T741	1.25	Bracket, Cleaner Shake, Junior and Senior Side Hill, 1901 and 1902 only.
T742	1.75	Bell Crank Pitman, Cleaner Shake, Junior and Senior Side Hill, 1901 and 1902 only.
T743	.50	Rod Clamps, Cleaner Shake, Junior and Senior Side Hill, 1901 and 1902 only; Holt Holley, 1906 only.
T744	.75	Same as No. 744. Pivot Clamp, Cleaner Shake, Junior and Senior Side Hill, 1901 and 1902 and 1907 to 1913; Large and Small Gear Standard, 1910 to 1913; Holt Holley and Baby Holt Special, 1906 to 1913.
T745	2.00	Eight Tooth Crank Sprocket, $\frac{1}{8}$ , 44 Chain, Cleaner Fan Shaft, Junior and Senior Side Hill, 1901 and 1902; Holt Holley, 1906.
T746	1.00	Pitman Pin, for driving Cleaner Shake, Sprocket No. 745, Junior and Senior Side Hill, 1901 and 1902; Holt Holley, 1906.
T747	.75	Rear Hanger Box, Double Shoe, Junior Side Hill, 1901 only.
T748	.75	Main Hanger Box, Double Shoe, Left Side Junior Side Hill, 1901 only.
T749	.75	Main Hanger Box, Double Shoe, Right Side, Junior Side Hill, 1901 only.
T750	3.50	Sliding Box Plate, Main Counter Shaft, Senior and Junior, Outside, 1901 to 1908, inclusive; Inside Junior and Senior, 1908 only; Header Counter, Junior, 1901 to 1903, inclusive.
T751	1.50	Nine Tooth Sprocket, $\frac{1}{8}$ , 44 Chain, Separator Fan Shaft, Junior Side Hill, 1901 to 1906, inclusive.

T752	2.75	Eighteen Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Grain Carrier Shaft, Junior, 1901 to 1906, Holt Holley, 1906. Front Beater Shaft; drives Separator Fan, Junior 1905 and 1906.
T753	2.75	Ten Tooth Crank Sprocket, $1\frac{1}{8}$ , 52 Chain, Front Beater Shaft, Junior Side Hill, 1901 to 1906, inclusive.
T754	1.50	Eight Tooth Sprocket, Top, Inside, $1\frac{1}{2}$ , 44 Chain, Return Auger, Senior and Junior, 1901 to 1907; Holt Holley, 1907; Grain Hopper Elevator, Top Shaft, Senior and Junior, 1901 and 1902.
T755	4.00	Nine Tooth Sprocket, $1\frac{3}{8}$ , 78 Chain, Cylinder Counter Shaft, Junior Side Hill, up to and including 1904.
T756	1.75	Sixteen Tooth Ring Sprocket, 44 Chain, bolts to No. 755 or 1094, Junior Side Hill Harvester, up to and including 1904, and bolts to No. 216, Senior Side Hill, up to and including 1904.
T757	2.50	Twenty Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Back Beater, Junior Side Hill, 1901 to 1906, inclusive.
T758	8.00	Three Box Bracket, Leveling Device, Gear Bracket, for Pinions Nos. 344 and 345, Gear 762, Junior and Senior Side Hill, 1901 to 1913.
T759	1.00	Rear Cap, $1\frac{3}{8}$ , Bracket No. 758.
T760	1.75	Shifter, for Double Clutch No. 496, Leveling Device Gear Bracket, Junior and Senior Side Hill Harvesters, 1901 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T761	1.50	Bell Crank for Clutch Shifter, No. 760, Junior and Senior Side Hill, 1901 to 1906, inclusive.
T762	2.25	Same as No. 762. Thirty-six Tooth Bevel Gear, $1\frac{3}{8}$ , Leveling Device, Bracket No. 758, Junior and Senior Side Hill Harvesters, 1901 to 1913; Holt Holley, 1906 to 1913, and Baby Holt Special, 1909 to 1913.
T763	3.00	Eighteen Tooth Face Sprocket, $1\frac{1}{8}$ , 62 Chain, Grain Carrier Shaft, Junior, 1901 to 1904.
T764	2.75	Screw, $1\frac{1}{8}$ , for Automatic Stop, Leveling Device, Main Shaft, Junior, 1901 to 1906, inclusive; Senior, 1905 and 1906.
T765	6.00	Three Box Bracket, Sickle Counter Shaft, Junior, 1901 to 1913 and Senior, 1907 to 1913.



T766	.50	Cap, for No. 765.
T767	....	Obsolete.
T768	2.25	Same as No. 768. Twenty Tooth Sprocket, 1 $\frac{1}{8}$ , 62 Chain, Header Chain Tightener, Junior and Senior Side Hill, 1901 to 1913, Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
T769	1.75	Back Beater Head, 1 $\frac{1}{8}$ , Right Hand, Junior Side Hill, 1901 to 1907, inclusive; Holt Holley, 1906 and 1907.
T770	1.75	Back Beater Head, 1 $\frac{1}{8}$ , Left Hand, Junior Side Hill, 1901 to 1907, inclusive; Holt Holley, 1906 and 1907.
T771	1.75	Ten Tooth Sprocket, 1 $\frac{1}{8}$ , 62 Chain, drives Back Beater, Junior Side Hill, 1901 to 1904, inclusive.
T772	2.75	Thirty Tooth Ring Sprocket, 44 Chain, bolts to No. 771, drives Separator Fan, Junior and Senior Side Hill, 1901 to 1904.
T773	1.75	Front Beater Head, 1 $\frac{1}{8}$ , Right Hand, Junior, 1901 to 1907, inclusive; Holt Holley, 1906 and 1907.
T774	1.75	Front Beater Head, 1 $\frac{1}{8}$ , Left Hand, Junior Side Hill Harvester, 1901 to 1907, inclusive; Holt Holley, 1906 and 1907; Senior, 1907 to 1913.
T775	2.75	Twenty-seven Tooth Mitre Gear, 1 $\frac{1}{8}$ , Sickle Counter Shaft, Junior, 1901 to 1911, inclusive.
T776	2.00	Same as 776. Twelve Tooth Sprocket, 1 $\frac{1}{8}$ , 62 Separator Chain Tightener, Junior Side Hill, 1901 to 1904; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Large and Small Gear Standard, 1912 and 1913.
T777	18.00	Sixty-one Tooth Ring Sprocket, 101 Chain, bolts to Grain Wheel, Junior, 1901 to 1904, inclusive.
T778	2.75	Twenty-four Tooth Sprocket, 1 $\frac{1}{8}$ , 44 Chain, Grain Carrier Shaft, drives Grain Elevator, Baby Holt Special, Holt Holley, 1909 to 1913; Junior, 1911 to 1913; drives Return Elevator, Junior, 1901 to 1913; drives Leveling Device, Feeder and Jigger Board. Grain Side. Baby Holt Special, 1909 to 1913 and Holt Holley, 1906 to 1913.
T779	1.75	Twelve Tooth Clutch, Sprocket, 1 $\frac{1}{8}$ , 44 Chain, Sickle Shaft, drives Draper, Junior, 1901 to 1913; Senior, 1907 to 1913.

T780	1.25	Clutch, $1\frac{1}{8}$ , Sprocket No. 779, Junior, 1901 to 1911, inclusive; Senior, 1907 to 1911, inclusive.
T781	1.00	Cap and Fulcrum combined, shifts Sprocket, No. 779, Junior, 1901 to 1911, inclusive.
T782	2.75	Crank Disc, $1\frac{1}{8}$ , drives Sickle, Senior, 1907 to 1913; Junior, 1901 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; without Pin.
T783	7.50	Outside Ten Bar Cylinder Head, $1\frac{3}{8}$ , Junior, 1901 to 1910, except 1906; Holt Holley, 1906 to 1910, inclusive.
T784	7.50	Inside Ten Bar Cylinder Head, $1\frac{3}{8}$ , Junior Side Hill Harvester, 1901 to 1910, except 1906, Holt Holley, 1906 to 1910.
T785	15.00	Thirty-four Tooth Sprocket, $1\frac{1}{2}$ , 78 Chain, Main Counter Shaft, drives Cylinder Counter Shaft, Junior, 1901 to 1906, inclusive; Holt Holley, 1906 and 1907.
T786	1.00	Brace Box, $1\frac{1}{8}$ , Side Feeder Shaft, Holt Holley and Baby Holt Special, 1909 and 1910; Grain Carrier Shaft, Junior Side Hill, 1901 to 1913; Baby Holt Special, Holt Holley, 1909 to 1913; Back Beater Shaft, Junior, 1907 and 1908.
T787	....	Obsolete.
T788	3.50	Thirty-six Tooth Sprocket, $1\frac{1}{2}$ , 44 Chain, Main Counter Shaft, drives Grain Elevator, Junior Side Hill, 1901 to 1906, inclusive.
T789	2.50	Three Jaw Mill Clutch, $1\frac{3}{8}$ , Leveling Device, Top and Bottom Shaft, Junior and Senior, 1901 to 1913.
T790	6.25	Ten Tooth Clutch Sprocket, $1\frac{1}{2}$ , 115 Chain, Main Counter Shaft, Junior Side Hill, 1901 to 1907, inclusive; Holt Holley, 1906 to 1907.
T791	5.00	Clutch, $1\frac{1}{2}$ , drives No. 790.
T792	1.75	Eleven Tooth Sprocket, $1\frac{1}{8}$ , 62 Chain, Header Gear Bracket, drives Sickle Shaft, Junior, 1901 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913; Senior, 1907 to 1913.
T793	1.75	Separator Fan Box, $1\frac{1}{8}$ , Senior Side Hill, 1901 to 1903, inclusive.
T794	6.00	Thirty-four Tooth Sprocket, $1\frac{1}{2}$ , 62 Chain, Header Counter Shaft, drives Separator, Junior, 1901 to 1904, inclusive; drives Header, Junior and Senior, 1901 to 1907, inclusive.



T795	1.75	Box, 1 $\frac{3}{8}$ , Right Hand, Back Beater Junior Side Hill, 1901 to 1911, inclusive.
T796	....	Obsolete.
T797	1.00	Collar, 1 $\frac{1}{8}$ , Main Counter Shaft, Junior, 1901 to 1907, inclusive; Holt Holley, 1906 to 1907.
T798	1.75	Box, 1 $\frac{1}{8}$ , Sickle Shaft, Junior, 1901 to 1913; Senior, 1907 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T799	1.00	Star Box, 1 $\frac{3}{8}$ , Grain Hopper Elevator and Grain Auger, Junior Side Hill, 1901 and 1902 only.
T800	1.00	Rear Double Shoe Hanger Arm, Junior Side Hill, 1901 only.
T801	.50	Box, Rear Shoe Hanger, Right Hand, Junior Side Hill, 1901 only.
T802	.50	Box, Rear Shoe Hanger, Left Hand, Junior Side Hill, 1901 only.
T803	2.00	Fourteen Tooth Sprocket, $\frac{3}{4}$ , 44 Chain, Grain Elevator Chain Tightener, Junior and Senior Side Hill, 1901 to 1906; Main Wheel Swing Frame Tightener, 1905 and 1906.
T804	.50	Clutch Shifter Lever, Header Sickle Counter Shaft, Junior and Senior Side Hill, 1901 to 1913.
T805	....	Obsolete.
T806	.50	Same as 806. Spring Washer, Cleaner Shake, Header Gear Chain Tightener, and Cleaner Shake, Steam Harvester; Cylinder Counter Shaft Chain Tightener; Junior, 1908 to 1913; Senior, 1909 to 1913; Separator Chain Tightener, Baby Holt Special, 1909 to 1913; Holt Holley, 1908 to 1913; Junior and Senior, 1901 to 1913; Large and Small Gear Standard, 1912 and 1913.
T807	25.00	Same as No. 807. Fifty-two Tooth Ring Sprocket, 115 Chain, bolts to Main Wheel, Junior Side Hill, 1901 to 1913; Senior, 1907 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1910 to 1913.
T808	3.25	Box, 2 $\frac{3}{8}$ , Main Counter Shaft, Outside, Senior Side Hill, 1901 to 1913.
T809	2.50	Box Bottom, 1 $\frac{1}{8}$ , Cylinder Counter Shaft, Junior and Senior, 1905 and 1906, Header Counter Shaft, Both Sides, Senior, 1901 to 1913; Junior, 1905 to 1913.
T809	2.50	Box Bottom, Special, Stationary Attachment, 1 $\frac{1}{8}$ Shaft, Both Sides Baby Holt Special, Holt Holley, 1912 and 1913.

T810	1.00	Split Collar, $2\frac{3}{8}$ , Grain Wheel Shaft, Junior Side Hill, 1901, 1902 and 1903.
T811	....	Obsolete.
T812	3.50	Box, $2\frac{3}{8}$ , Grain Side, Main Counter Shaft, Senior Side Hill, 1901 to 1913.
T813	2.50	Box, $1\frac{1}{8}$ , Cylinder Counter Shaft, both sides, Senior Side Hill, 1901 to 1904, inclusive.
T814	1.00	Star Box, $1\frac{1}{2}$ , Cleaner Return Auger, Senior and Junior, 1901 and 1902.
T815	....	Obsolete.
T816	3.50	Cap for Box C, Steam Harvester.
T817	1.25	Seven Tooth Sprocket, $1\frac{1}{2}$ , 44 Chain, Gas Pipe Pickers, Junior and Senior Side Hill, 1901 and 1902; Cleaner Grain Auger, Baby Holt Special, Holt Holley, 1911.
T818	....	Obsolete.
T819	4.50	Bracket Box, $1\frac{3}{8}$ , Supporting Gear Shaft, up to 1903, Steam Harvester.
T820	2.00	Cap, $1\frac{3}{8}$ , for No. 819.
T821	....	Obsolete.
T822	1.50	Straw Carrier Tightener Box, $1\frac{5}{8}$ , Steam Harvester, 1901 to 1906, inclusive.
T823	....	Obsolete.
T824	1.50	Cleaner Auger Box End, $1\frac{5}{8}$ , Left Side, Steam Harvester, 1901 and 1902.
T825	....	Obsolete.
T826	1.75	Box, $1\frac{3}{8}$ , Left Hand, Back Beater and Grain Carrier Shafts, Senior Side Hill, 1901, 1902 and 1903.
T827	.75	Split Collar, $2\frac{7}{8}$ , Steam Harvester.
T828	....	Obsolete.
T829	16.00	Hub, $2\frac{3}{8}$ , for Main Wheel, Junior Side Hill, 1902 only.
T830	....	Obsolete.
T831	....	Obsolete.
T832	1.50	Pulley, $1\frac{1}{8}$ , Top Draper, all Machines, 1901.
T833	....	Obsolete.
T834	....	Obsolete.
T835	....	Obsolete.
T836	6.25	Nine Tooth Six Point Clutch Sprocket, $1\frac{1}{2}$ , 115 Chain, Main Counter Shaft, Junior Side Hill, used in place of No. 790 to change speed.
T836A	6.25	Nine Tooth Six Point Clutch Sprocket, $2\frac{3}{8}$ Bore, 117 Chain, Main Counter Shaft, Regular Side Hill, used in place of No. 632, to change speed.
T837	5.50	Sprocket, 13 Tooth, 118 Chain, $2\frac{7}{8}$ Shaft, bolts to Hub No. 175, Steam Harvester.



T838	3.25	Twelve Tooth Ring Sprocket, 101 Chain, bolts to No. 359 or 434.
T839	1.00	Gear Bracket Cap, for 732 and 851.
T840	6.25	Eleven Tooth Clutch Sprocket, 1 $\frac{1}{8}$ ", 115 Chain, Main Counter Shaft, Junior, 1901 to 1907, inclusive.
T841	8.00	End Cylinder Head, 2 $\frac{7}{8}$ ", Ten Bar, Steam Harvester.
T842	8.00	Center Cylinder Head, 2 $\frac{7}{8}$ ", Ten Bar, Steam Harvester.
T843	2.75	Swivel Cylinder Box Bottom, 2 $\frac{7}{8}$ ", Steam Harvester.
T844	2.75	Swivel Cylinder Box Cap, 2 $\frac{7}{8}$ ", for No. 843, Steam Harvester.
T845	1.00	Swivel Cylinder Box Bottom Holder, use with No. 843, Steam Harvester.
T846	1.00	Swivel Cylinder Box Cap, Holder, use with No. 844, Steam Harvester.
T847	.25	Driver's Seat Corner Iron.
T848	3.00	Twenty-seven Tooth Rack, 2 $\frac{1}{2}$ -inch Face, Senior Side Hill, 1901 to 1904, inclusive.
T849	3.25	Twelve Tooth Pinion, 1 $\frac{3}{8}$ ", use with No. 848, Senior Side Hill, 1901 to 1904.
T850	.75	Box, 1 $\frac{1}{4}$ ", Rough Iron, Separator Shoe, Shaft, Junior and Senior Side Hill, 1902 to 1909; Baby Holt Special, 1909; Holt Holley, 1906 to 1909.
T851	5.50	Three Box Bracket, for Worm Gear, 1 $\frac{3}{8}$ ", Leveling Device Shaft, Senior Side Hill, 1901 to 1904; Junior, 1910 to 1913; Senior, 1910 to 1913.
T852	.50	Same as No. 852. Foot Rest, Main and Sprockets; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 to 1913; Junior, 1901 to 1913; Senior, 1908 to 1913. Grain Wheel, Baby Holt Special and Holt Holley, 1909 to 1913; Junior, 1901 to 1904 and 1908 to 1913; Senior, 1908 to 1913.
T853	1.00	Ratchet, for Cleaner Screen Lever, Junior and Senior Harvesters, 1902 only; Holt Holley, 1906.
T854	1.00	Cleaner Screen Adjusting Lever Segment, Junior and Senior, 1902 to 1906; Holt Holley, 1906 only.
T855	1.25	Eight Tooth Sprocket, $\frac{3}{4}$ " Gas Pipe, 44 Chain, Grain Hopper Elevator, Junior and Senior Side Hill, 1901 and 1902 only.
T856	1.75	Twelve Tooth Face Sprocket, 1 $\frac{1}{8}$ ", 44 Chain, Cleaner Grain Auger, Junior and Senior Side Hill, 1902 only.

T857	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Separator Fan Shaft, Senior Side Hill, 1901 to 1906, inclusive.
T858	20.00	Hub, $2\frac{7}{8}$ , 20-inch Grain Wheel, Senior Side Hill, 1901 to 1906, inclusive.
T860	.75	Same as No. 860. Split Collar, $2\frac{7}{8}$ , 2 inches wide, Grain Wheel Shaft, Junior, 1904 to 1906, Senior, 1901 to 1906; Main Wheel, Baby Holt Special, 1909 to 1913, Holt Holley, 1906 to 1913; Main Wheel, Senior and Junior, 1908 to 1913; Main Wheel, Senior, 1901 to 1906; Large and Small Gear, Standard, 1910 to 1913.
T861	5.00	Ten Tooth Clutch Sprocket, $1\frac{1}{2}$ , 101 Chain, Header Counter Shaft, Standard, 1902 to 1909.
T862	10.50	Twenty-eight Tooth Sprocket, $1\frac{1}{2}$ , 075 Chain Header Counter Shaft, drives Separator, Senior, 1901 to 1913; Junior, 1905 to 1913.
T863	2.75	Eight Tooth Sprocket, $1\frac{3}{8}$ , 075 Chain, Back Beater Shaft, 1901 to 1906, inclusive, Senior Side Hill.
T864	5.00	Ten Tooth Clutch Sprocket, $1\frac{1}{2}$ , 101 Chain, Header Counter Shaft, Junior Side Hill, 1902 to 1904, inclusive.
T865	5.00	Nine Tooth Clutch Sprocket, $1\frac{1}{2}$ , 103 Chain, Header Counter Shaft, Senior Side Hill, 1901 to 1907, inclusive; Junior Side Hill, 1905 to 1907, inclusive.
T866	4.00	Fifteen Tooth Face Sprocket, $1\frac{3}{8}$ , 075 Chain, drives Grain Carrier, Senior Side Hill, 1901 to 1906, inclusive.
T867	20.00	Same as No. 867. Main Wheel Hub, $2\frac{7}{8}$ , 20-inch Tire, Senior, 1907 and 1908; Junior 1907 and 1908; Grain, Senior, 1907 to 1908; Holt Holley, 1906 to 1908.
T868	16.00	Main Wheel Hub, $2\frac{7}{8}$ , 16-inch Tire, Senior, 1901 to 1906, inclusive; Junior Side Hill Harvester, 1905 and 1906; Holt Holley, 1906 only.
T869	2.50	Twenty Tooth Sprocket, $1\frac{3}{8}$ , 52 Chain, Back Beater Shaft, drives Cleaner Fan, Senior Side Hill, 1901 to 1906.
T870	1.00	Truss Rod Plate and Step, used with Box No. 538, Steam Harvester up to 1903; Main and Grain Wheel, Senior, 1901 to 1906; Junior Grain Wheel, 1904, 1905 and 1906; Main Wheel, 1905 and 1906.



T871	1.75	Twelve Tooth Clutch Sprocket, $1\frac{3}{8}$ , 44 Chain, drives Sickle and Header Drum Shaft, Senior, 1901 to 1906.
T872	2.00	Clutch Hub, $1\frac{3}{8}$ , drives No. 871, Senior Side Hill, 1901 to 1906.
T873	6.00	Three Box Header Bracket, Senior Side Hill, 1901 to 1906.
T874	1.25	Cap and Fulcrum, for Bracket No. 873, Senior Side Hill, 1901 to 1906.
T875	.75	Cap, for Bracket No. 873, Senior Side Hill, 1901 to 1906.
T876	2.75	Screw, $1\frac{3}{8}$ , for Automobile Stop, Leveling Device, Main Shaft, Senior Side Hill, 1901 to 1904.
T877	1.25	Split Collar, $2\frac{7}{8}$ , 3-inch face.
T878	22.50	Hub, Main Wheel, 24-inch Tire, Steam Harvester.
T879	2.00	Twelve Tooth Clutch Sprocket, $1\frac{5}{8}$ , 62 Chain, Sickle Shaft, drives Draper, Steam Harvester, 1902 to 1906.
T880	2.00	Clutch Hub, $1\frac{5}{8}$ , Sickle Shaft, Steam Harvester, 1902 to 1906.
T881	1.25	Cap and Fulcrum, $1\frac{5}{8}$ , for Bracket No. 703, Steam Harvester, 1902 to 1906.
T882	1.75	Ten Tooth Sprocket, $1\frac{1}{8}$ , 62 Chain, used in place of No. 883, to change speed.
T883	2.25	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 62 Chain, Drum Shaft, Steam Harvester, 1903 to 1906.
T884	5.50	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, Cylinder Counter Shaft, can be used in place of No. 172, if so desired.
T885	....	Obsolete.
T886	1.00	Box, $1\frac{1}{8}$ , Fan under Cylinder, used on Steam Harvester, Nos. 659, 1001, 1003, 1108, 1109, 1115 and 1117 only.
T887	1.25	Draper Drum Head, $1\frac{1}{8}$ , Junior, Senior and Steam, 1903 to 1907; Holt Holley, 1906 and 1907; Standard, 1904 to 1909.
T888	2.00	Sixteen Tooth Ring Sprocket, 62 Chain, bolts to No. 216, in place of No. 756.
T889	....	Obsolete.
T890	6.00	Ten Tooth Sprocket, $2\frac{3}{8}$ , 118 Chain, One Wheel Side Hill, 1902, takes place of No. 508.
T891	8.00	Front Concave, 48-inch Cylinder, Steam Harvester.
T892	7.00	Middle Concave, 48-inch Cylinder, Steam Harvester.

T893	1.50	Ten Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Separator Fan Shaft, used in place of No. 751 to change speed, Junior Side Hill.
T894	1.50	Ten Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Separator Fan Shaft, used in place of No. 857 to change speed, Senior Side Hill.
T895	5.50	Eleven Tooth Clutch Sprocket, $1\frac{1}{8}$ , 101 Chain, Header Counter Shaft, used in place of No. 861, to change speed Standard to 1909.
T896	5.50	Eleven Tooth Clutch Sprocket, $1\frac{1}{8}$ , 101 Chain, Header Counter Shaft, Junior Side Hill, 1902 to 1904, inclusive.
T897	5.50	Ten Tooth Clutch Sprocket, $1\frac{1}{8}$ , 103 Chain, Header Counter Shaft, Junior, 1905 and 1906; Senior, 1901 to 1907, inclusive.
T898	6.25	Nine Tooth Clutch Sprocket, $2\frac{3}{8}$ , 117 Chain, Main Counter Shaft, used in place of No. 632, to change speed, Senior Side Hill Harvester.
T899	4.50	Eighteen Tooth Crank Sprocket, $1\frac{3}{8}$ , 62 Chain.
T900	....	Obsolete.
T901	3.75	Eight Tooth Sprocket, $1\frac{3}{8}$ , 78 Chain, Cylinder Counter Shaft, used in place of No. 755 to increase speed, Junior Side Hill, 1901 to 1905, inclusive.
T902	2.00	Front and Back Beater Box, $1\frac{5}{8}$ , Steam Harvester, 1903 and 1904.
T903	....	Obsolete.
T904	2.75	Cap, $2\frac{3}{8}$ , for Cylinder Box Bottom No. 905, Steam Harvester, 1903 to 1906, inclusive.
T905	2.75	Nine-inch Box Bottom, $2\frac{3}{8}$ , for Cap No. 904, Grain Side, Cylinder Shaft, Steam Harvester, 1903 to 1906, inclusive.
T906	1.50	Cylinder Box Bottom Holder, for Nos. 905 and 908, Steam Harvester, 1903 and 1904.
T907	3.50	Cap, $2\frac{3}{8}$ , for Cylinder Box Bottom, No. 908, Steam Harvester, 1903 and 1904.
T908	3.25	Eleven-inch Box Bottom, $2\frac{3}{8}$ , Sack Side, Cylinder Shaft, Steam Harvester, 1903 and 1904.
T909Y	1.00	Cap, $1\frac{1}{8}$ , for No. 909Z.
T909Z	1.50	Bracket Box, $1\frac{1}{8}$ , Feeder Counter Shaft, Grain Side, for Cap No. 909Y, Steam Harvester, 1903 to 1906, inclusive.
T910	1.50	Box, $1\frac{1}{4}$ , Rough Iron Shaft, Shoe Shake, Cleaner Side, Steam Harvester, 1903 to 1906, inclusive.



T911	1.75	Ten Tooth Sprocket, $1\frac{5}{16}$ , 52 Chain, Back Beater, Steam Harvester, 1903 and 1904; Front Beater, 1903 to 1906, inclusive; Draper Drum Shaft, Standard Harvester, 1904 to 1909.
T912	.75	Fulcrum, for Draper Stop, Steam Harvester, 1903 to 1906, inclusive.
T913	....	Obsolete.
T914	....	Obsolete.
T915	....	Obsolete.
T916	....	Obsolete.
T917	1.25	Double Star Box, $1\frac{1}{8}$ , Cleaner Shake, Junior and Senior Side Hill, 1903 to 1906; Steam Harvester, 1903 and 1904.
T917A	1.25	Double Star Box, $1\frac{1}{8}$ , Cleaner Shake, Steam Harvester, 1905 and 1906.
T918	1.25	Roller Bracket, Cleaner Shake, Junior and Senior Side Hill and Steam Harvester, 1903 to 1906.
T919	7.00	Eighteen Tooth Pinion, on Long Separator Counter Shaft, Steam Harvester, 1903 to 1906, inclusive.
T920	4.00	Forty-six Tooth Ring Sprocket, 52 Chain, rivets to No. 921, Separator Bevel Gear Counter Shaft, Steam Harvester, 1903 and 1904.
T921	16.50	Forty-seven Tooth Bevel Gear, $1\frac{1}{8}$ , Separator Bevel Gear Counter Shaft, Steam Harvester, 1903 and 1904.
T922	1.00	Same as No. 922. Star Box, $\frac{1}{8}$ , Cleaner Shake, Sack Side, Junior and Senior Side Hill, 1903 to 1906; Baby Holt Special, 1909 to 1913; Holt Holley, 1907 to 1913; Large and Small Gear Standard, 1910 to 1913.
T923	2.00	Back Beater Head, $1\frac{5}{8}$ , Steam Harvester, 1903 to 1906, inclusive.
T924	8.50	Front Concave, 40-inch Cylinder, Steam Harvester, 1903 to 1906, inclusive.
T925	7.50	Middle and Back Concave, 40-inch Cylinder, Steam Harvester, 1903 to 1906, inclusive.
T926	7.50	Blank Concave, 40-inch Cylinder, 1903 to 1907, inclusive.
T927	.50	Spring Washer, Cleaner Shake, Steam Harvester, 1903 to 1906, and Junior and Senior Side Hill, 1903 to 1906.

T928	1.50	Return Auger Box End, $1\frac{5}{8}$ , Steam Harvester, 1903 to 1906, inclusive and Junior and Senior Side Hill, 1905, 1906 and 1907; Holt Holley, 1906 and 1907; Grain Auger, Holt Holley, 1906 and 1907, Junior and Senior, 1906.
T929	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Draper Drum Shaft, takes place of No. 10, Junior and Senior Side Hill, 1903 to 1907, Holt Holley, 1906 and 1907.
T930	3.75	Three Jaw Mill Clutch, $1\frac{1}{4}$ , end of Header Counter Shaft, bolt to No. 1084 on Bevel Gear Counter Shaft, Steam Harvester, 1903 to 1906, inclusive.
T931	2.25	Fifteen Tooth Sprocket, $1\frac{1}{8}$ , 52 Chain, runs Cleaner Fan, Steam Harvester, 1903 only.
T932	3.00	Seventeen Tooth Sprocket, $1\frac{1}{4}$ , Rough Iron Shaft, 62 Chain, Steam Harvester, 1903 to 1906, inclusive.
T933	1.75	Eleven Tooth Clutch Sprocket, $1\frac{5}{8}$ , 44 Chain, Back Beater Shaft, drives Grain Elevator and Cleaner Return Auger, Steam Harvester, 1905 and 1906.
T934	4.00	Eight Tooth Clutch Sprocket, $1\frac{5}{8}$ , 89 Chain, runs Back Beater, Steam Harvester, 1903 and 1904 only.
T935	3.50	Twenty-four Tooth Clutch Sprocket, $1\frac{5}{8}$ , 62 Chain, drives Cleaner Counter Shaft, Steam Harvester, 1903 and 1904 only.
T936	5.50	Twenty Tooth Crank Sprocket, $1\frac{1}{4}$ Wrought Iron Shaft, 52 Chain, Cleaner Counter Shaft, drives Fan, Steam Harvester, 1903 to 1906, inclusive.
T937	6.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, Separator Bevel Gear Counter Shaft, drives Separator, Steam Harvester, 1903 and 1904 only.
T938	3.00	Twenty-six Tooth Sprocket, $1\frac{5}{8}$ , 52 Chain.
T939	16.00	Main Wheel Hub, $2\frac{3}{8}$ , takes place of No. 716, Junior Side Hill, 1903 and 1904 only; Grain Wheel, 1903 only.
T940	.75	Nine Tooth Pinion, $1\frac{1}{8}$ , Cylinder Tightener Shaft, Steam Harvester, 1903 and 1906.
T941	2.00	Bracket, $1\frac{1}{8}$ , Cleaner Shake, goes with No. 951; Junior and Senior and Steam Harvesters, 1903 to 1906, and Senior, 1907.
T942	1.00	Cap, for Bracket No. 951.



T943	1.00	Cap, for Bracket No. 941.
T944	8.00	Outside Ten Bar Cylinder Head, $2\frac{3}{8}$ , Steam Harvester, 1903 to 1906, inclusive.
T945	8.00	Center Ten Bar Cylinder Head, $2\frac{3}{8}$ , Steam Harvester, 1903 to 1906, inclusive.
T946	1.50	Straw Carrier Tightener Box, $1\frac{1}{8}$ , Both Sides, Steam Harvester, 1903 to 1906, inclusive.
T947	11.00	Header Wheel Hub, $2\frac{3}{8}$ Steam Harvester, 1903 to 1906, inclusive.
T948	1.75	Fourteen Tooth Sprocket, $1\frac{1}{8}$ Rough Iron Shaft, 52 Chain, Cleaner Counter Shaft, drives Auger, Junior and Senior Side Hill, 1903 to 1906, inclusive.
T949	3.00	Twenty-six Tooth Sprocket, $1\frac{5}{8}$ , 52 Chain.
T950	2.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ , C. R. Shaft, 44 Chain, drives Separator Fan, Senior and Junior, 1907 and 1908; Cleaner Counter Shaft, drives Separator Fan, Junior and Senior, 1903 to 1906.
T951	2.00	Top Bracket, $1\frac{1}{8}$ , Cleaner Shake Shaft Junior and Senior Side Hill and Steam Harvesters, 1903 to 1906, and Senior, 1907.
T952	.50	Shoe Hanger Box, connects both Shoes, Steam Harvester, 1905 and 1906.
T953	2.50	Twenty Tooth Sprocket, $1\frac{1}{8}$ , 52 Chain, Cleaner Return Auger, Junior and Senior, 1903 to 1906.
T954	1.00	Ratchet, for Cleaner Screen Lever, Junior and Senior Side Hill, 1903 to 1906, inclusive.
T955	1.00	Swivel Cylinder Box Bottom Holder, both sides, Junior and Senior Side Hill, 1903 to 1906; Holt Holley, 1906.
T956	....	Obsolete.
T957	1.00	Box Bottom, Cleaner Counter Shaft, Junior and Senior, 1903 to 1906; and Feeder Counter Shaft, 1904 to 1906; Junior, Back Beater Shaft, 1904 to 1906, and Grain Carrier Shaft, Junior 1904 to 1913; goes with Cap No. 984; Separator Fan, Junior, 1907 only.
T958	4.00	Auger Box End, Junior and Senior, 1903 to 1906, inclusive; Holt Holley, 1906 to 1908, inclusive.

T958A	1.00	Box Bottom, can be used in place of No. 959.
T959	1.00	Box Bottom, $1\frac{1}{8}$ , Cleaner Fan, Junior and Senior Harvesters, 1903 to 1906, inclusive, and Separator Fan, Senior, 1904 to 1907, inclusive; Holt Holley, 1907 only, goes with Cap No. 979; Front Beater Shaft, Holt Holley, 1907 and 1908.
T960	3.50	Main Bracket Box Bottom, $1\frac{3}{8}$ , Front End, Long Separator Counter Shaft, Steam Harvester, 1903 and 1904.
T961	1.75	Cap, for Bracket Box No. 960.
T962	1.00	Cleaner Cheat Screen Pitman Guide, Junior and Senior Side Hill Harvesters, 1903 to 1906, inclusive.
T963	3.00	Eighteen Tooth Sprocket, $1\frac{1}{8}$ , 62 Chain, sometimes used to lessen speed Header Drum, Steam Harvester.
T964	.75	Split Collar, $2\frac{3}{8}$ -inch Shaft, $2\frac{3}{4}$ inches long.
T965	.50	Split Collar, $2\frac{7}{8}$ -inch Shaft, $1\frac{3}{4}$ inches long.
T966	.75	Split Collar, $2\frac{7}{8}$ -inch Shaft, $2\frac{3}{8}$ inches long, Junior, 1908 to 1911, inclusive.
T967	.50	Split Collar, $2\frac{7}{8}$ -inch Shaft, $1\frac{1}{2}$ inches long, Main and Grain Wheel, Senior and Junior, 1907 only.
T968	2.25	Fifteen Tooth Clutch Sprocket, $1\frac{1}{8}$ , 62 Chain, used in place of No. 452, Left Hand Side, Standard, 1905 and 1906.
T969	5.50	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, Header Counter Shaft, drives Grain Carrier Shaft, used to change speed, Steam Harvester.
T970	10.00	Twenty-three Tooth Sprocket, $1\frac{1}{8}$ , 075 Chain, Header Counter Shaft, drives Header, Steam Harvester, used instead of No. 685 to change speed.
T971	10.00	Twenty-six Tooth Sprocket, $1\frac{1}{8}$ , 075 Chain, Header Counter Shaft, drives Header, Steam Harvester, used instead of No. 685, to change speed.
T972	6.00	Fifteen Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, drives Grain Carrier, takes place of No. 697, Steam Harvester.
T973	2.50	Fifteen Tooth Sprocket, $1\frac{1}{8}$ , 62 Chain, used to change speed of Draper Drum, Steam Harvester.
T974	2.50	Seven Tooth Sprocket, $1\frac{1}{8}$ , 075 Chain.
T975	.75	Box Cap, $1\frac{3}{8}$ , for No. 976.



T976	1.00	Same as 976. Box Bottom, $1\frac{3}{8}$ , for No. 975, Back Beater, Shaft, Senior, 1904 to 1906; Grain Carrier Main Side, Senior, 1904 to 1913; Shoe Shake Shaft, both sides, Baby Holt Special, Holt Holley, Junior and Senior, 1910 to 1913; Large and Small Gear Standard, 1912 and 1913.
T977	.75	Box Cap, $1\frac{3}{8}$ , for No. 978, Box Bottom.
T978	1.00	Box Bottom, $1\frac{3}{8}$ , for No. 977, Grain Carrier Grain Side, Senior, 1904 to 1913; Front and Back Beater Shaft, both sides, Senior, 1907 to 1913.
T979	.75	Box Cap, $1\frac{3}{8}$ , for Box Bottom No. 958A and No. 959.
T980	1.00	Box Bottom, $1\frac{3}{8}$ , Cap No. 981, Top Feeder Shaft, Junior and Senior, 1907 to 1913; Separator Fan Shaft, Both Sides, Holt Holley, 1906 only; Junior Side Hill, 1904 to 1906; Cleaner Fan, Holt Holley, 1906.
T981	.75	Box Cap, $1\frac{3}{8}$ , for Box Bottom No. 980.
T982	1.00	Box Bottom, $1\frac{3}{8}$ Shaft, Cap No. 983, Grain Carrier Shafts, Junior, 1904 to 1907; Feeder Counter Shaft, Junior and Senior Side Hill, 1904 to 1906. Cleaner Counter Shaft, Holt Holley, 1906 and 1907; Holt Holley, Both Sides. Grain Carrier, 1906 and 1907; Cleaner Fan. Back Beater Shaft, Main Side, Holt Holley, 1906 and 1907; Junior 1904 to 1907. Grain Side; Baby Holt Special, 1909 to 1913; Holt Holley, 1906 and Junior and Senior, 1901 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T983	.75	Box Cap for 982.
T984	.75	Box Cap for 957.
T985	....	Obsolete.
T986	.15	Chilled Washer, goes at end of Front Wheel Shaft, all Harvesters.
T987	2.00	Same as No. 987. Header Chain Swinging Tightener Box, $1\frac{1}{8}$ ; Junior, 1904 to 1913; Senior, 1905 to 1913.
T988	1.50	Header Chain Tightener Weight; Senior, 1904 to 1913; Junior, 1909 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T989	2.75	Weight, Draper Driving Chain Tightener, Junior and Senior, 1901 to 1913; Holt Holley, 1906 to 1913; Baby Holt Special, 1909.

T990	.10	Bevel Washer, for Bottom of Truss Rod on Main Wheel Swing Frame; Junior and Senior, 1901 to 1906.
T991	.10	Bevel Washer, for $\frac{5}{8}$ Bolt, used on Turn Table, all Side Hills.
T992	....	Obsolete.
T993	1.00	Adjusting Wedge, used with No. 994, to adjust Box and Cap Nos. 559 and 560, Grain Wheel; Junior and Senior Side Hill, 1904 to 1906.
T994	....	Obsolete.
T995	1.75	Eighteen Tooth Ring Sprocket, 44 Chain, bolts to No. 755, can be used in place of No. 756, if desired. Cylinder Counter Shaft; Junior Side Hill.
T996	....	Obsolete.
T997	.25	Cast Block, fits against end of Main Wheel Box, No. 719, Junior Side Hill, 1904 only.
T998Y	2.50	Sixteen Tooth Clutch Sprocket, $1\frac{1}{8}$ , 62 Chain, used in place of No. 143, if desired.
T999Y	....	Obsolete.
T1000	....	Obsolete.
T1001	.50	Split Collar, $2\frac{7}{8}$ -inch Shaft, $2\frac{1}{2}$ inches long.
T1002	2.50	Sack Dump Weight, Junior and Senior Side Hill, 1902 to 1906, inclusive.
T1003	3.00	Thirty Tooth Ring Sprocket, 44 Chain, Clamps onto Jack Pulley, drives Separator Fan, any Machine.
T1004	1.75	Thirteen Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, Worm Gear Cross Shaft, drives Jackson Feeder and Leveling Device Bracket, Holt Holley, 1906 to 1913, and Baby Holt Special, 1909 to 1913.
T1005	1.50	Sixteen Tooth Mitre Gear, $\frac{1}{8}$ , Side Straw Elevator, Rear of Junior and Senior Side Hill.
T1006	....	Obsolete.
T1007	....	Obsolete.
T1008	....	Obsolete.
T1009	....	Obsolete.
T1010	2.25	Thirteen Tooth Clutch Sprocket, $1\frac{1}{8}$ , 62 Chain, Sickle Shaft, drives Draper, used in place of No. 879 to change speed, Steam Harvester.
T1011	3.50	Fourteen Tooth Sprocket, $1\frac{5}{8}$ , 075 Chain, Sickle Counter Shaft, runs Header, Steam Harvester, 1905 and 1906.



T1012	1.00	Star Box, $1\frac{3}{8}$ , Side Straw Elevator, rear of Junior Side Hill.
T1013	1.25	Six Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, Side Straw Elevator, Rear of Junior and Senior Side Hill.
T1014	.75	Sheave Bracket, for Sheaves No. 120, Straw Dump Rope, Junior and Senior Side Hill, 1905 and 1906.
T1015	.75	Sheave Bracket, for Sheaves No. 120, Straw Dump Rope, Junior and Senior Side Hill, 1905 and 1906.
T1016	1.00	Box Bottom, $1\frac{1}{8}$ , Separator Back Fan, Chain Straw Carrier and Cleaner Fan Shafts, Steam Harvester, 1905 and 1906.
T1017	.75	Cap, $1\frac{1}{8}$ , for No. 1016.
T1018	1.00	Box Bottom, $1\frac{5}{8}$ , Back Beater, both sides, Steam Harvester, 1905 and 1906.
T1019	1.00	Cap, $1\frac{5}{8}$ , for No. 1018.
T1020	1.00	Box, $1\frac{5}{8}$ , Grain Carrier, Left Side, Steam Harvester, 1905 and 1906.
T1021	1.00	Cap, $1\frac{5}{8}$ , for No. 1020.
T1022	1.00	Box Bottom, $1\frac{5}{8}$ , Grain Carrier, Right Side, Steam Harvester, 1905 and 1906.
T1023	1.00	Cap, $1\frac{5}{8}$ , for No. 1022.
T1024	....	Obsolete.
T1025	1.75	Cylinder Box Bottom Holder, use with Boxes Nos. 1024, 904 and 905, both sides, Steam Harvester, 1905 and 1906.
T1026	5.00	Main Box Bottom, $1\frac{3}{8}$ , Rear End, Long Separator Counter Shaft, use Cap No. 1027, Steam Harvester, 1905 and 1906, to be babbitted on Shaft.
T1027	1.75	Cap, $1\frac{3}{8}$ , for No. 1026, to be babbitted on Shaft.
T1028	5.50	Main Double Box Bottom, $1\frac{3}{8}$ and $2\frac{1}{8}$ , Front End, Long Separator Counter Shaft, and Crank Shaft; for Separator Counter Shaft, use Cap No. 1030, $1\frac{3}{8}$ ; for Crank Shaft, use Cap No. 1029, $2\frac{1}{8}$ ; Steam Harvester, 1905 and 1906; to be babbitted on Shaft.
T1029	2.50	Cap, $2\frac{1}{8}$ , for Double Box Bottom No. 1028, to be babbitted on Shaft.
T1030	2.25	Cap, $1\frac{3}{8}$ , for Double Box Bottom No. 1028, to be babbitted on Shaft.
T1031	2.25	Back Support Box Bottom, $1\frac{3}{8}$ , Long Separator Counter Shaft, used with Cap No. 1033, Steam Harvester, 1905 and 1906, to be babbitted on Shaft.

T1032	1.50	Front and Middle Support Box Bottom, $1\frac{3}{8}$ , Long Separator Counter Shaft, use Cap No. 1033, Steam Harvester, 1905 and 1906; to be babbitted on Shaft.
T1033	1.00	Cap, $1\frac{3}{8}$ , for Box Bottom Nos. 1031 and 1032, to be babbitted on Shaft.
T1034	4.50	Main and Auxiliary Wheel Double Box Bottom, $2\frac{7}{8}$ and $2\frac{1}{2}$ , Steam Harvester, 1905 and 1906, use Cap No. 1035.
T1035	6.00	Double Cap, $2\frac{7}{8}$ and $2\frac{1}{2}$ , for No. 1034, Steam Harvester, 1905 and 1906.
T1036	20.00	Main and Grain Wheel Hub, $2\frac{1}{2}$ , 20-inch Tire, Steam Harvester, 1905 and 1906.
T1037	20.00	Auxiliary Main and Grain Wheel Hub, $2\frac{7}{8}$ , 20-inch Tire, Steam Harvester, 1905 and 1906.
T1038	1.00	Box Bottom, $1\frac{3}{8}$ , Cleaner Counter Shaft, Left Side and Center, used with No. 606, Steam Harvester, 1905 and 1906.
T1039	1.25	Truss Post Cap, Main and Grain Wheel Frame, Steam Harvester, 1905 and 1906.
T1040	1.50	Lug Collar, $2\frac{1}{2}$ , Main and Grain Wheel Shafts, 1905 and 1906.
T1041	16.50	Forty-seven Tooth Bevel Gear, $1\frac{1}{2}$ , Separator Bevel Gear Counter Shaft, Steam Harvester, 1905 and 1906.
T1042	4.25	Box Bottom, $2\frac{1}{2}$ , Main Wheel, Inside, use with No. 1043, Steam Harvester, 1905 and 1906.
T1043	4.25	Cap, $2\frac{1}{2}$ , for Bottom No. 1042.
T1044	.35	Box Cap for T1042 Bottom.
T1045	1.00	Box Bottom, $1\frac{3}{8}$ , Cleaner Counter Shaft, Grain Wheel Side, used with Cap No. 1046, Steam Harvester, 1905 and 1906.
T1046	1.00	Cap, $1\frac{3}{8}$ , for Bottom No. 1045.
T1047	65.00	Fly Wheel, $2\frac{1}{2}$ , 50-inch, drives Cylinder, Steam Harvester, 1905 and 1906.
T1048	2.00	Auxiliary Wheel Box Bottom, $2\frac{7}{8}$ , use with Cap No. 1049, Both Sides, Steam Harvester, 1905 and 1906.
T1049	2.75	Cap, $2\frac{7}{8}$ , for Bottom No. 1048.
T1050	3.75	Fifteen Tooth Crank Sprocket, $1\frac{1}{8}$ , 52 Chain, Feeder Counter Shaft, Right Side, Steam Harvester, 1905 and 1906.
T1051	1.00	Bracket Box Bottom, $\frac{1}{2}$ , Feeder Shaft, use Cap No. 1052, Steam Harvester, 1905 and 1906.
T1052	.75	Cap, $\frac{1}{2}$ , for Bottom No. 1051, Steam Harvester, 1905 and 1906.



T1053	4.25	Forty-two Tooth Ring Sprocket, 62 Chain, rivets to No. 1041, drives Separator, Steam Harvester, 1905 and 1906.
T1054	1.50	Lug Collar, 2½, Main Wheel Shaft, Steam Harvester, 1905 and 1906.
T1055	4.00	Fifteen Tooth Face Sprocket, 1½, 075 Chain, Grain Carrier Shaft, used in place of No. 763, Junior Side Hill, 1905 and 1906.
T1056	2.75	Eight Tooth Sprocket, 1½, 075 Chain, runs Back Beater, Junior Side Hill, 1905 and 1906.
T1057	2.50	Fifteen Tooth Face Sprocket, 1½, 62 Chain, drives Grain Carrier, Holt Holley, 1905 to 1913, Baby Holt Special, 1909 to 1913.
T1058	1.50	Ten Tooth Sprocket, 1½, 62 Chain, drives Back Beater, Holt Holley Side Hill, 1905 to 1913, Baby Holt Special, 1909 to 1913.
T1059	1.75	Box Bottom, 1½, Jack Shaft, used with Cap No. 1060, Holt Holley Side Hill Harvester, 1905 to 1911, inclusive.
T1060	1.50	Cap, 1½, for Bottom No. 1059.
T1061Y	....	Obsolete.
T1062	1.75	Double Crank Cleaner Shake Device, Holt Holley, 1905 and 1906.
T1063	2.50	Bracket, for No. 1062, Holt Holley, 1905 and 1906.
T1064	3.00	Socket Bracket on Grain Wheel Frame, Holt Holley, 1905 to 1911, Baby Holt Special, 1909 to 1911.
T1065	3.25	Thirteen Tooth Crank Sprocket, 1½, 44 Chain, Shakes Shoe, Holt Holley, 1905 and 1906.
T1066	8.50	Five Box Bracket, for Tilting Device, Holt Holley, 1905 to 1908.
T1066A	1.75	Double Cap, 1½, Bracket No. 1066 and 1499 Bracket, Holt Holley, 1905 to 1913, Baby Holt Special, 1909 to 1913.
T1066B	1.00	Cap, 1½, Bracket No. 1066, and 1499 Bracket, Holt Holley, 1905 to 1913, Baby Holt Special, 1909 to 1913.
T1067	1.00	Cap, 1½, Bracket No. 1066 and 1499 Bracket, Holt Holley, 1905 to 1913, Baby Holt Special, 1909 to 1913.
T1068	1.00	Cap, 1½, Bracket No. 1066 and 1499 Bracket, Holt Holley, 1905 to 1913, Baby Holt Special, 1909 to 1913.
T1069	1.00	Cap, 1½, Bracket No. 1066 and 1499 Bracket, Holt Holley, 1905 to 1913, Baby Holt Special, 1909 to 1913.

T1070	4.00	Eight Tooth Sprocket, $1\frac{5}{8}$ , 89 Chain, drives Back Beater, Steam Harvester, 1905 and 1906, Return Auger, Senior and Junior, 1908.
T1071	3.00	Eighteen Tooth Sprocket, $1\frac{5}{8}$ , 62 Chain, Straw Chain Drag, Steam Harvester, 1905 and 1906.
T1072	2.50	Sixteen Tooth Sprocket, $1\frac{1}{8}$ , 52 Chain, runs Cleaner Fan Shaft, Steam Harvester, 1905 and 1906.
T1073	6.00	Twenty-seven Tooth Sprocket, $1\frac{5}{8}$ , 62 Chain, Back Beater, Steam Harvester, 1904 to 1906.
T1073A	6.00	Same as No. 1073, with Special Hub.
T1074	6.00	Outside Solid Box, $2\frac{7}{8}$ , Auxiliary Grain Wheel, Steam Harvester, 1905 and 1906.
T1075	4.00	Box Bottom, $2\frac{1}{8}$ , Outside, use with Cap No. 1076, Steam Harvester, 1905 and 1906.
T1076	2.75	Cap, $2\frac{1}{8}$ , for Bottom No. 1075.
T1077	1.75	Hinge Bracket, for No. 1074, Steam Harvester, 1905 and 1906.
T1078	5.00	Twelve Tooth Sprocket, $1\frac{1}{8}$ , 78 Chain, used in place of No. 1094, Cylinder Counter Shaft, Junior and Senior Side Hill, 1905 and 1906.
T1079	3.75	Twenty-four Tooth Mitre Gear, $1\frac{5}{8}$ , Sickle Counter and Sickle Shafts, Steam Harvester, 1905 and 1906.
T1080	8.00	Three Box Bracket, $1\frac{5}{8}$ , Header Gear, use Caps Nos. 703A and 881, takes place of Bracket No. 703, Steam Harvester, 1905 and 1906.
T1081	2.50	Twenty-one Tooth Ring Sprocket, 44 Chain, bolts to No. 1078, Junior and Senior Side Hill.
T1082	17.50	Ninety Tooth Internal Gear, $1\frac{1}{8}$ , Cylinder Counter Shaft, drives Cylinder, Junior and Senior Side Hill, 1905 only.
T1083	3.50	Fifteen Tooth Pinion, $1\frac{1}{8}$ , Cylinder Shaft, Senior Side Hill, 1905, and Junior and Senior Side Hill, 1906.
T1084	6.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, Separator Bevel Gear Counter Shaft, Steam Harvester, 1905 and 1906.
T1085	2.25	Fifteen Tooth Face Sprocket, $1\frac{1}{8}$ , 44 Chain, Feeder Counter Shaft, Steam Harvester, 1905 and 1906.
T1086	6.00	Iron Header Truck Wheel, without Tire.
T1086	8.50	Iron Header Truck Wheel, with $\frac{3}{8} \times 2\frac{1}{2}$ Tire,



T1087	3.00	Twenty-six Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Back Beater Shaft, drives Cleaner Fan, Main Side, Holt Holley, 1905 to 1907, Separator Fan, Front Beater and Shoe, 1907 only; drives Cleaner Fan, Cleaner Grain Auger, Front Beater and Cheat, Screen Shake, Grain Side, Holt Holley, 1908 to 1913; Baby Holt Special, 1908 to 1913.
T1088	2.75	Box Bottom, $2\frac{7}{8}$ , Holt Holley, Main Wheel, 1905 to 1907; Grain Wheel, 1905.
T1089	1.50	Cap, $2\frac{7}{8}$ , for Bottom No. 1088.
T1090	1.00	Cylinder Box Top Holder, used with Boxes Nos. 904 and 1024, both sides, Steam Harvester, 1905 and 1906.
T1091	2.50	Truss Post Plate, for Double Box, Grain Wheel Frame, Steam Harvester, 1905 and 1906.
T1092	1.25	Box Bottom, $1\frac{7}{8}$ , Leveling Device Shaft, Holt Holley, 1905 to 1913; Baby Holt Special, 1909 to 1913.
T1093	1.50	Box Cap, for Bottom No. 1092.
T1094	4.50	Eleven Tooth Sprocket, $1\frac{1}{4}$ , 78 Chain, drives Cylinder Counter Shaft, Grain Side, Junior and Senior Side Hill, 1905 and 1906 and 1911 to 1913, Baby Holt Special, Holt Holley, 1911 to 1913.
T1095	2.00	Twenty Tooth Ring Sprocket, 44 or 52 Chain, bolts to 755 or 1094, Grain Carrier Shaft, drives Front Beater, Junior and Senior, 1905 and 1906; drives Straw Carrier, Picker and Beater, Junior and Senior, 1907 to 1913.
T1096Y	1.00	Brace Box, $1\frac{5}{8}$ , $2\frac{1}{2}$ inches long, Grain Carrier Shaft, Steam Harvesters, 1905 and 1906.
T1097	1.00	Box Bottom, $1\frac{5}{8}$ , Outside Sickle Counter Shaft, use Cap No. 1098, Steam Harvester, 1905 and 1906.
T1098	.75	Cap, $1\frac{5}{8}$ , for Bottom No. 1097.
T1099Y	....	Obsolete.
T1100	1.25	Eight Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Cleaner Cheat Auger, Steam Harvester, 1905 and 1906.
T1101	1.25	Collar, $2\frac{1}{8}$ , Crank Shaft, Steam Harvester, 1905 and 1906.
T1102	3.50	Fifteen Tooth Pinion, $1\frac{3}{8}$ , works with No. 1082, Cylinder Shaft, Junior Side Hill, 1905 only.

T1103	1.25	Eight Tooth Face Sprocket, $1\frac{1}{8}$ , 44 Chain, Top Feeder Shaft, Junior and Senior Side Hill, 1905 and 1906.
T1104	2.75	Twenty-four Tooth Sprocket, $1\frac{5}{8}$ , 44 Chain, Straw Carrier Drag Shaft, Grain Side, Steam Harvester, 1905 and 1906.
T1105	3.25	Twenty Tooth Sprocket, $2\frac{1}{8}$ , 44 Chain Crank Shaft, Steam Harvester, 1905 and 1906.
T1106	6.00	Thirteen Tooth Sprocket, $1\frac{1}{8}$ , 89 Chain, drives Grain Carrier, used in place of No. 697 to change speed, Steam Harvester, 1900.
T1107	....	Obsolete.
T1108	....	Obsolete.
T1109Y	4.00	Eight Tooth Sprocket, $1\frac{1}{2}$ , 89 Chain, used in place of No. 172 to change speed, Cylinder Counter Shaft, Standard Harvester.
T1110	....	Obsolete.
T1111	1.00	Knuckle Block, used with Knuckle No. 1112.
T1112	1.75	Knuckle, $1\frac{5}{8}$ , used to connect Main and Extension Reel Shafts, used with No. 1111, all Steam Harvesters.
T1113	2.75	Eleven Tooth Crank Sprocket, $1\frac{3}{8}$ , 52 Chain, shakes Shoe, used in place of No. 25A, Senior Side Hill, 1905 to 1906.
T1114	5.50	Fourteen Tooth Sprocket, $1\frac{1}{2}$ , 78 Chain, Cross Counter Shaft, drives Separator, used on Steam Harvester No. 576.
T1115	.50	Split Collar, $2\frac{7}{8}$ Shaft, $1\frac{1}{8}$ wide, Main Wheel Shaft, Holt Holley, 1905 and 1906; Junior, 1905 and 1907; Grain Wheel, Senior, 1908 to 1913; Junior, 1907.
T1116	....	Obsolete.
T1117	....	Obsolete.
T1118	....	Obsolete.
T1119	.75	Split Collar, $2\frac{7}{8}$ Shaft, $2\frac{3}{8}$ inches long, Junior, 1906 only.
T1120	....	Obsolete.
T1121	.75	Collar, $1\frac{1}{8}$ Shaft, $1\frac{1}{2}$ inches wide by 3 in diameter, Long Separator Counter Shaft, Steam Harvester, 1905 and 1906.
T1122	17.50	Same as No. 1122. Ninety-two Tooth Internal Gear, $1\frac{1}{8}$ , Cylinder Counter Shaft, Baby Holt Special, 1909 and 1910, Holt Holley, 1905 to 1910; Junior, 1907 to 1910.
T1123	3.50	Seventeen Tooth Pinion, $1\frac{1}{8}$ , used with No. 1122 Cylinder Shaft, Holt Holley, 1905 to 1910, Junior, 1907 to 1910.



T1124	12.50	Forty-eight Tooth Ring Sprocket, 78 Chain, bolts to Grain Wheel, Holt Holley, 1905.
T1125	....	Obsolete.
T1126	....	Obsolete.
T1127	....	Obsolete.
T1128	1.75	Box Cap, $1\frac{3}{8}$ , for Bottom No. 1127, Holt Holley, 1906 and 1907.
T1129	4.00	Ten Tooth Sprocket, $1\frac{3}{8}$ , 78 Chain, drives Cylinder Counter Shaft, Baby Holt Special, 1909 and 1910, Holt Holley, 1906 to 1910; Junior, 1908 to 1910.
T1130	.25	Bluff Board Gudgeon Pin, Holt Holley Junior Side Hill Harvester, 1907 to 1913, Large and Small Gear Standard, 1912 and 1913, Baby Holt Special, 1909 to 1913.
T1131	1.00	Star Box $1\frac{1}{8}$ , Lower Beater Shaft, Grain Side, Holt Holley, 1906; Top Feeder Shaft, Baby Holt Special, Holt Holley, 1911 to 1913.
T1132	1.00	Sack Dump Hinge, goes with No. 1133, Holt Holley, 1906.
T1133	1.25	Sack Dump Hinge, goes with No. 1132, Holt Holley, 1906.
T1134	6.00	Thirty-four Tooth Sprocket, $1\frac{1}{2}$ , 62 Chain, Main Counter Shaft, drives Separator, Holt Holley, 1906 to 1913; Baby Holt Special, 1909 to 1913.
T1135	6.00	Concave, 28-inch Cylinder, Bean Harvester.
T1136	....	Obsolete.
T1137	3.75	Fourteen Tooth Sprocket, $1\frac{1}{2}$ , 075 Chain, Back Cylinder Shaft, Bean Harvester.
T1138	....	Obsolete.
T1139	1.00	Swivel Cylinder Box Cap Holder, Main Wheel Side, Holt Holley, 1906.
T1140	2.75	Eighteen Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, Grain Carrier Shaft, Grain Side, drives Pickers, Agitator, Straw Carrier and Return Elevator, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1141	....	Obsolete.
T1142	2.00	Fourteen Tooth Face Sprocket, $1\frac{1}{8}$ , 44 Chain, Cleaner Counter Shaft, Cleaner Crank Shaft, drives Cleaner Grain Auger and Cleaner Return Auger, Holt Holley, 1906 and 1907.
T1143	1.50	Bracket Box, $1\frac{1}{8}$ , Wheel Feeder, Holt Holley Side Hill Harvester, 1906, Side Feeder Shaft, Holt Holley and Baby Holt Special, 1909 and 1910.

T1144	.25	Angle Shield, goes outside of Beater Head, Bean Harvester.
T1145	....	Obsolete.
T1146	17.50	Ninety-five Tooth Internal Gear, Cylinder Countershaft, 1 $\frac{1}{8}$ , Junior and Senior Side Hill, 1906.
T1147	....	Obsolete.
T1148	....	Obsolete.
T1149	1.50	Three Arm Hub, 1 $\frac{1}{8}$ , Wheel Feeder, Holt Holley, 1906, Side Feeder Shaft, Holt Holley and Baby Holt Special, 1909 and 1910.
T1150	1.25	Back Picker Arm, $\frac{1}{2}$ , Grain Side, Holt Holley, 1906 and 1907; Junior and Senior, 1907.
T1151	1.25	Back Picker Arm, $\frac{1}{2}$ , Sack Side, Holt Holley, 1906 and 1907; Junior and Senior, 1907.
T1152	2.75	Twenty-six Tooth Mitre Gear, 1 $\frac{1}{8}$ , Shaft Header Gear Brackets, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1153	....	Obsolete.
T1154	1.75	Cylinder Box Bottom, 1 $\frac{1}{8}$ , used with No. 1153, takes place of No. 657, Junior and Senior, 1906.
T1155	1.25	Box Cap, 1 $\frac{1}{8}$ , used with No. 1092, Vertical Position, Main Leveling Device Shaft, Holt Holley, 1906 to 1908.
T1156	6.00	Three Box Bracket, 1 $\frac{1}{8}$ , Shaft for Mitre Gear No. 1152, Header Brackets, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1157	.75	Cap, 1 $\frac{1}{8}$ , Shaft for Bracket No. 1156.
T1158	1.75	Twelve Tooth Sprocket, 1 $\frac{1}{8}$ , 52 Chain, Header Bracket Cross Shaft, drives Sickie Shaft and Drum Shaft, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913; drives Separator Fan, Holt Holley, 1908, Junior and Senior, 1909 and 1910, Back Beater, drives Grain Elevator, Holt Holley, 1908.
T1159	1.75	Hinge, for Push Rod, Grain Side, on Main Sill, under Feeder House, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1160	.75	Collar, 1 $\frac{1}{8}$ , Main Leveling Shaft, Baby Holt Special, 1909 to 1913, Holt Holley, 1906 to 1913; Header Countershaft, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.



T1161	4.00	Ten Tooth Clutch Sprocket, $1\frac{7}{8}$ , 78 Chain, Drives Header Counter Shaft, used with Clutch No. 1162, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1162	3.00	Clutch, $1\frac{7}{8}$ , used with No. 1161, Header 1913 Baby Holt Special, 1909 to 1913.
T1163	2.00	Fourteen Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, not used on any Harvester.
T1164	3.00	Sliding Box Plate, for Box No. 45, Header Counter Shaft, Holt Holley, 1906 to 1913.
T1165	.75	Collar, $1\frac{3}{8}$ , Cylinder Counter Shaft, Holt Holley, 1906.
T1166	1.50	Ten Tooth Sprocket, $1\frac{1}{8}$ , 44 Chain, drives Separator Fan Shaft and Grain Side, Baby Holt Special, 1909 and 1910; Leveling Device Bracket Shaft, drives Bracket, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1167	7.50	End Cylinder Head, $1\frac{1}{2}$ , Junior, 1906; Holt Holley, 1911 to 1913; Junior, 1912 and 1913.
T1168	7.00	Center Cylinder Head, $1\frac{1}{2}$ , Junior, 1906, Holt Holley, 1911 to 1913, Junior, 1912 and 1913.
T1169	1.50	Auger Box End Bracket, $1\frac{5}{8}$ , Grain Auger, Holt Holley, 1906.
T1170	1.25	Auger Box End Bracket, $1\frac{1}{8}$ , Cleaner Cheat Auger, Holt Holley, 1906 to 1913, Baby Holt, 1909 to 1913, Main Side.
T1171	1.00	Collar, $1\frac{1}{2}$ Shaft, $1\frac{7}{8}$ wide x $2\frac{3}{4}$ diameter, shrinks on Cylinder Shaft, Junior, 1906.
T1172	.75	Collar, $1\frac{1}{2}$ Shaft, $\frac{7}{8}$ wide x $2\frac{3}{4}$ diameter, shrinks on Cylinder Shaft, Senior Side Hill, 1906.
T1173	1.50	Ten Tooth Sprocket, $1\frac{3}{8}$ , 44 Chain, cylinder Counter Shaft, drives Wheel Feeder and Top Beater, Holt Holley, 1906 to 1909, Baby Holt Special, 1909.
T1174	1.50	Solid Box, $1\frac{1}{8}$ , Jigger Board Shaft, Holt Holley, 1906 to 1908.
T1175	....	Obsolete.
T1176	.75	Bell Crank, works Shifter Lever No. 1175, on Hand Rail, Holt Holley, 1906 to 1908, inclusive.
T1177	1.50	Sleeve, $1\frac{7}{8}$ , goes on end of Header Counter Shaft, to hold Chain Tightener Sprocket, Holt Holley, 1906 and 1907.
T1178	1.00	Box Bottom, $1\frac{1}{8}$ Shaft, for Cap No. 1179, Header Gear Bracket, Long Shaft, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.

T1179	1.00	Box Cap, 1 $\frac{1}{8}$ , Shaft for No. 1178.
T1180	.75	Collar, 1 $\frac{1}{8}$ Bore.
T1181	5.50	Fourteen Tooth Sprocket, 1 $\frac{1}{2}$ , 78 Chain, runs Swing Frame Counter Shaft, Gasoline Harvester, 1906.
T1182	1.00	Collar, 1 $\frac{1}{2}$ Shaft, 1 $\frac{3}{8}$ Face, 3 in. Diameter, Cylinder Counter Shaft, between Box and Pulley, Sack Side, Senior, 1907 to 1910; Junior Side Hill, 1906; Baby Holt Special, Holt Holley, 1911 to 1913.
T1183	4.00	Twenty-nine Tooth Face Sprocket, 52 Chain, bolts to No. 708X, Secondary Counter Shaft, drives Separator and Header, Gasoline Harvester, 1906.
T1184	....	Obsolete.
T1185	....	Obsolete.
T1186	1.00	Bracket Box, 1 $\frac{1}{8}$ , Sickle Shaft, inside, use Cap No. 1187, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1187	.75	Box Cap, 1 $\frac{1}{8}$ Shaft, for 1186.
T1188	1.00	Star Box, 1 $\frac{3}{8}$ Shaft, Straw Carrier Beater, Platform Wheel Harvester, 1906.
T1188	1.75	Box Cap for No. X1187, Box Bottom.
T1189	1.00	Platform Wheel Harvester, 1906.
T1190	.75	Swing Frame Tightener Sleeve, used with No. 1191, Swing Frame Secondary Counter Shaft, Gasoline Harvester, 1906.
T1191	3.75	Ten Tooth Sprocket, 78 Chain Tightener, used with No. 1190.
T1192	4.00	Eight Tooth Sprocket, 1 $\frac{1}{2}$ , 78 Chain, runs Swing Frame, Secondary Counter Shaft, Gasoline Harvester, 1906.
T1193	1.25	Seven Tooth Sprocket, 1 $\frac{1}{2}$ , 52 Chain, runs Picker, Platform Wheel Harvester, 1906.
T1194	1.25	Draper Roller End and Journal for 2-inch Tube, 1908 and 1913, Baby Holt Special, 1909 to 1913, Holt Holley, Junior and Senior, 1908 to 1913.
T1195	1.25	Draper Roller End and Journal, 2 $\frac{1}{4}$ -inch Tube.
T1196	.75	Nut used with Nos. 1194 and 1195, Baby Holt Special, 1909 to 1913, Holt Holley, Junior and Senior, 1908 to 1913.
T1197	....	Obsolete.
T1198	1.00	Collar, 1 $\frac{1}{8}$ Bore, Cylinder Counter Shaft, Holt Holley, 1907 to 1910; Junior, 1907 to 1910.
T1199	16.00	Grain Wheel Hub, 16-inch, Holt Holley, 1906 to 1908.



T1200	2.50	Box Bottom for No. 1201, 2 $\frac{3}{8}$ Shaft, Right Hand, Grain Wheel, Holt Holley, 1906 to 1913, Left Hand, 1906 to 1908; Baby Holt Special, 1909 to 1913.
T1201	2.50	Box Cap for No. 1200, 2 $\frac{3}{8}$ Shaft.
T1202	12.50	Forty-eight Tooth Ring Sprocket, 78 Chain, bolts to Grain Wheel, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1203	1.50	Eleven Tooth Rack, used as Extension to No. 723, Holt Holley, 1906 and 1909 to 1913, Baby Holt Special, 1910 to 1913.
T1204	1.00	Sack Dump Weight, Holt Holley, 1906 only.
T1205	2.00	Sliding Box Plate, Inside Main Counter Shaft, Holt Holley, 1906 to 1913, Baby Holt Special, 1909 to 1913.
T1206	4.00	Thirteen Tooth Face Sprocket, 075 Chain, 1 $\frac{1}{8}$ Bore, used in place of No. 1055, Grain Carrier Shaft, Junior Side Hill, 1905 and 1906.
T1207	4.00	Nine Tooth Sprocket, 78 Chain, 1 $\frac{1}{8}$ Bore, used in place of No. 1094, runs Cylinder Counter Shaft, Junior and Senior, 1905 and 1906.
T1208	2.25	Twelve Tooth Clutch Sprocket, 44 Chain, 1 $\frac{3}{8}$ Bore, used in place of No. 452.
T1209	.75	Collar, 1 $\frac{5}{8}$ Diameter, $\frac{1}{2}$ Bore, Straw Carrier Beater Shaft, Holt Holley, 1906 and 1907; Junior and Senior, 1907 only.
T1210	.50	Segment for end of Cylinder, not used.
T1211	.50	Segment for end of Cylinder, not used.
T1212	.50	Segment for end of Cylinder, not used.
T1213	.50	Segment for end of Cylinder, not used.
T1214	....	Obsolete.
T1215	3.25	Eight Tooth Sprocket, 075 Chain, 1 $\frac{1}{8}$ Bore, Gasoline Traction Harvester, 1906.
T1216	2.75	Twenty Tooth Ring Sprocket, 44 Chain, takes place of No. 752, Grain Carrier Shaft, Extra.
T1217	1.25	Seven Tooth Sprocket, 44 Chain, $\frac{1}{2}$ Bore.
T1218	1.75	Thirteen Tooth Sprocket, 52 Chain, 1 $\frac{1}{8}$ Bore, Gasoline Traction Harvester, 1906.
T1219	2.50	Box Bottom, 2 $\frac{3}{8}$ Shaft, for No. 1220.
T1220	2.50	Box Cap, 2 $\frac{3}{8}$ Shaft, for No. 1219.
T1221	5.50	Twelve Tooth Face Sprocket, 1 $\frac{5}{8}$ Bore, 89 Chain, Grain Carrier Shaft, Steam Harvester, Extra.
T1222	12.00	Sixty Tooth Sprocket, 62 Chain, 2 $\frac{3}{8}$ Bore, Special with Hubs from 28-A.

T1223	3.50	Solid Box and Hanger, $2\frac{3}{8}$ Shaft, Gasoline Traction Harvester.
T1224	3.50	Seventeen Tooth Pinion, $1\frac{1}{8}$ Bore, $2\frac{1}{2}$ Face, for Internal Gear 803A.
T1225	3.00	Thirty-four Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore.
T1226	....	Obsolete.
T1227	....	Obsolete.
T1228	....	Obsolete.
T1229	....	Obsolete.
T1230	11.00	Twenty-six Tooth Sprocket, 88 Chain, $2\frac{3}{8}$ Bore, Platform Wheel Harvester.
T1231	3.00	Twelve Tooth Sprocket, 075 Chain, $1\frac{5}{8}$ Bore, Gasoline Harvester.
T1232	3.00	Fourteen Tooth Sprocket, 62 Chain, $1\frac{9}{8}$ Bore, Gasoline Harvester.
T1233	2.00	Same as No. 1233. Saddle for Box No. 1285, Cylinder Shaft, Both Sides, Junior and Senior, 1907 to 1913.
T1234	12.00	Twenty-six Tooth Clutch Sprocket, 88 Chain, $2\frac{3}{8}$ Bore, Platform Wheel Harvester.
T1235	6.00	Six Tooth Clutch Hub, $2\frac{3}{8}$ Bore, to engage with No. 1234.
T1236	15.00	Thirty-four Tooth Sprocket, 101 Chain, $2\frac{3}{8}$ Bore.
T1237	3.25	Thirteen Tooth Crank Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, Platform Wheel Harvester.
T1238	4.00	Seventeen Tooth Pinion, $2\frac{3}{8}$ Bore, $2\frac{1}{2}$ Face, Platform Wheel Harvester.
T1239	5.00	Same as No. 1239. Box Roller Bearings, Cylinder Shaft, $1\frac{9}{8}$ , Main and Grain Side, Junior, 1907 and 1908.
T1240	.75	Same as No. 1240. Collar, $1\frac{9}{8}$ Bore, Cylinder Shaft, Holt Holley and Junior, 1907 and 1908.
T1241	.50	Separator Shoe Hanger, Right Hand, Baby Holt Special, 1909, Holt Holley, Junior and Senior, 1907 to 1909.
T1242	.50	Separator Shoe Hanger, Left Hand, Baby Holt Special, 1909, Holt Holley, Junior and Senior, 1907 to 1909.
T1243	.50	Saddle Board Shaker for Lugs No. 1242 and 1241, Holt Holley, Junior and Senior, 1907 to 1909, Baby Holt Special, 1909.
T1244	.25	Rub Iron, not used.
T1245	....	Obsolete.



T1246	....	Obsolete.
T1247	1.00	Same as 1247. Double Crank Shake Cleaner Shoe, Senior, Junior and Holt Holley, 1907 to 1913.
T1248	.25	Same as 1248. Bottom Pivot Box, Double Cleaner Shake, Senior, Junior and Holt Holley, 1907 to 1913; Single Cleaner Shake, Baby Holt Special, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
T1249	.50	Top Pivot Box Double Cleaner Shake, Holt Holley, Senior and Junior, 1907 only.
T1250	1.00	Same as No. 1250. Cheat Screen Shake Lug, Both Sides, Holt Holley, 1908 to 1913; Senior and Junior, 1907 to 1913, Baby Holt Special, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
T1251	1.25	Cheat Screen Shaker Arm, Holt Holley, 1908 to 1913; Junior and Senior, 1907 to 1913; Baby Holt Special, 1909 to 1913.
T1252	2.50	Ten Tooth Sprocket and Disc, 52 Chain, $1\frac{1}{8}$ Bore, drives Cleaner Fan and Shake, Junior and Senior, 1907.
T1253	1.50	Crank Pin, bolts to No. 1252, drives Cleaner Shake, Holt Holley, Junior and Senior, 1907 only.
T1254	1.00	Same as 1254. Star Box, $1\frac{1}{8}$ Bore, Both Sides, Cheat Screen Shake Shaft, Holt Holley, Junior and Senior, 1908 to 1913, Baby Holt Special, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
T1255	.25	Pitman Stud, 1-inch Pin, Shakes Cheat Screen, Junior, 1907 to 1913; Senior, 1907 and 1908; Holt Holley, 1908 to 1913; Baby Holt Special, 1909 to 1913.
T1256	5.50	Twenty-one Tooth Crank Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, Shakes Shoe, Junior, 1907 and 1908.
T1257	1.50	Seven Tooth Sprocket, 52 Chain, $1\frac{3}{8}$ Bore, Drives Separator Fan and Beater, Baby Holt Special, 1909 and 1910 and Holt Holley, 1908 to 1910; Junior, 1907 to 1910, Senior, 1907 and 1908.
T1258	1.75	Twelve Tooth Face Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, drives Feeder Counter and Jigger Board, Junior and Senior, 1907 to 1911, inclusive.
T1259	2.50	Twenty-two Tooth Square Clutch Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, drives Cleaner Fan, Junior, 1907 to 1911, inclusive.

T1260	2.50	Eight Tooth Square Clutch Sprocket, 075 Chain, $1\frac{1}{8}$ Bore, drives Back Beater, Junior, 1907 to 1911, inclusive.
T1261	4.00	Fifteen Tooth Face Sprocket, 075 Chain, $1\frac{1}{8}$ Bore, drives Grain Carrier, Junior, 1907 to 1911, inclusive.
T1262	4.50	Eleven Tooth Sprocket, 88 Chain, $1\frac{3}{8}$ Bore, drives Cylinder Counter, Holt Holley, 1908 to 1911, inclusive; Junior, 1907 to 1911, inclusive.
T1263	2.50	Twenty Tooth Sprocket, 52 Chain, $\frac{1}{2}$ Bore, drives Top Feeder, Senior and Junior, 1907 to 1911, inclusive.
T1264	3.00	Thirty Tooth Ring Sprocket, 52 Chain, bolts to Internal Gear Nos. T1122 and 2122, drives Top Feeder and Feeder Counter, Junior and Senior, 1907 to 1911, inclusive.
T1265	15.00	Thirty-four Tooth Sprocket, 88 Chain, $1\frac{1}{2}$ Bore, drives Cylinder Counter, 1907, Junior only.
T1266	1.25	Five Tooth Sprocket, 44 Chain, $\frac{1}{2}$ Bore, Inside Cheat Elevator Bottom and Top, Junior and Senior, 1907 to 1911, inclusive.
T1267	1.00	Star Box, $\frac{1}{2}$ Bore, Cheat Elevator, Both Sides, Bottom Shaft, Senior and Junior, 1907 to 1913, inclusive.
T1268	1.50	Box Bottom, $1\frac{3}{8}$ , Shaft for 1269 Left Hand Cylinder Counter, Junior and Holt Holley, 1907 to 1910; Baby Holt Special, 1909 and 1910.
T1269	1.75	Box Cap, $1\frac{3}{8}$ , Shaft for No. 1268.
T1270	1.75	Box Bottom, $1\frac{1}{2}$ , Shaft for No. 1271, Inside Right Hand, Cylinder Counter Shaft, Junior, 1911 to 1913; Senior, 1907 to 1913; Baby Holt Special, Holt Holley, 1911 to 1913.
T1271	1.75	Box Cap, for No. 1270, $1\frac{1}{2}$ , Shaft.
T1272	....	Obsolete.
T1273	....	Obsolete.
T1274	1.25	Cleaner Screen Arm, not used.
T1275	.75	Roller for Swing Frame Main Wheel for $\frac{3}{4}$ Gas Pipe, Junior and Senior, 1907 to 1913, inclusive.
T1276	1.50	Same as No. 1276. Nine Tooth Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, drives Grain Auger, Holt Holley, Junior and Senior, 1907 and 1908. Cleaner Grain Auger, Holt Holley, 1907.
T1277	....	Obsolete.



T1278	1.75	Box Bottom, for No. 1279, $1\frac{1}{8}$ Shaft, Left Hand, Outside Cylinder Counter Shaft, Junior, 1911 to 1913, inclusive, Senior, 1907 to 1913, inclusive.
T1279	1.75	Box Cap for No. 1278, $1\frac{1}{8}$ Shaft.
T1280	3.00	Box Bottom, $2\frac{7}{8}$ Shaft for No. 1281, Right Hand, Main Wheel, Junior and Senior, 1907 only, Grain Wheel Junior, 1907.
T1281	3.00	Box Cap, $2\frac{7}{8}$ Shaft for No. 1280.
T1282	1.00	Box Bottom, $1\frac{1}{8}$ Shaft for No. 1283, Both Sides, Feeder Counter and Jigger, Junior, 1907 to 1913, inclusive; Senior, 1908 to 1913. Both Sides, Cleaner Fan, Baby Holt Special, Holt Holley, Junior and Senior, 1908 to 1913. Main Side, Front Beater, Holt Holley, 1908, and Junior, 1908 to 1913, inclusive. Both Sides, Separator Fan, Baby Holt Special, Holt Holley, Junior and Senior, 1908 to 1913. Grain Side, Back Beater, Holt Holley, Junior, 1908. Main Side, Back Beater, Junior, 1908 to 1913, inclusive. Grain Side, Grain Carrier, Junior, 1908 to 1913, inclusive. Both Sides, Grain Carrier, Holt Holley, Baby Holt Special, 1908 to 1913, inclusive.
T1283	1.00	Box Cap, $1\frac{1}{8}$ Shaft for No. 1282. See description of No. 1282.
T1284	.25	Sheave for Sack Dump Chain, Holt Holley, Junior and Senior, 1907 to 1913; Baby Holt Special, 1909 to 1913, inclusive.
T1285	5.00	Cylinder Roller Bearing Box, Top and Bottom only, $1\frac{1}{8}$ Shaft; use No. 2123.
T1286	1.25	Six Tooth Clutch Sprocket, 44 Chain, $1\frac{5}{8}$ Bore, drives Cheat Auger, Junior and Senior, 1907 to 1913, inclusive; Holt Holley, Baby Holt Special, 1908 to 1910, inclusive.
T1287	2.50	Twenty Tooth Face Sprocket, 44 Chain, $1\frac{5}{8}$ Bore, Outside Sprocket, drives Cleaner, Grain Auger, Holt Holley, Baby Holt Special, 1908 to 1910; Junior and Senior, 1907 to 1913, inclusive.
T1288	....	Obsolete.
T1289	.50	Sprocket Foot Rest, Main and Grain Wheel, not used.
T1290	1.50	Eight Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, drives Cleaner and Separator Fan, Holt Holley, 1907.

T1291	2.50	Crank Disc, $1\frac{1}{8}$ Bore, Cleaner Fan Shaft, No. 1253 bolts to this, Holt Holley, 1907.
T1292	16.00	Main Wheel Hub, $2\frac{7}{8}$ , 16-inch Wheel, Junior, 1907. Grain Wheel Hub, Junior, 1907.
T1293	1.50	Box Bottom for No. 1294, $1\frac{1}{8}$ Shaft Right Hand, Cylinder Counter, Junior, 1907 to 1910; Baby Holt Special and Holt Holley, 1909 and 1910.
T1294	1.50	Box Cap for No. 1293.
T1295	1.25	Auger Box and Bracket, $1\frac{1}{8}$ Shaft, Junior and Senior, 1907 to 1909, inclusive.
T1296	.25	Same as No. 1296. Pivot Clamps on Rod of Cleaner Shake, Baby Holt Special, 1909 to 1913; Holt Holley, Junior and Senior, 1907 to 1913, inclusive; Large and Small Gear Standard, 1910 to 1913, inclusive. All Harvesters, 1907 to 1913.
T1297	4.00	Same as No. 1297, Ten Tooth Sprocket, 88 Chain, $1\frac{1}{8}$ Bore, drives Cylinder Counter Shaft, Junior, 1911 to 1913; Senior, 1908 and 1913; Baby Holt Special, Holt Holley, 1911 to 1913, inclusive.
T1298	1.00	Box Bottom or Post Box, $1\frac{1}{8}$ Shaft, Bottom for No. 1299, Left Side, Main Side Grain Carrier Shaft, Holt Holley, 1907 to 1913; Baby Holt Special, 1909 to 1913.
T1299	1.00	Box Cap for Bottom No. 1298, $1\frac{1}{8}$ Shaft. Holley, 1907 and 1908, inclusive; Junior, Senior, 1907 to 1913, inclusive.
T1300	3.50	Fourteen Tooth Crank Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, shakes Separator Shoe, Holt Holley, 1901, to Junior, 1909.
T1301	3.00	Same as No. 1301. Pendulum Weight for Cleaner Screen Leveling Device, Baby Holt Special, 1909 to 1913; Holt Holley, Junior, Senior, 1907 to 1913, inclusive. Leveling Shoe, Baby Holt Special, Holt Holley, 1912 and 1913.
T1302	1.75	Eleven Tooth Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, Sprocket on Cylinder Shaft, drives Separator Fan, Senior, 1907 to 1910, inclusive.
T1303	2.75	Eight Tooth Mill Clutch Sprocket, 075 Chain, $1\frac{1}{8}$ Bore, Right Hand Back Beater Shaft, Senior, 1907 to 1913, inclusive.
T1304	5.50	Twenty-one Tooth Crank Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, drives Front Beater, Shakes Shoe, Senior, 1907 and 1908.



T1305	4.00	Fifteen Tooth Face Sprocket, 075 Chain, $1\frac{3}{8}$ Bore, drives Grain Carrier, Senior, 1907 to 1913, inclusive.
T1306	2.50	Twenty-two Tooth Mill Clutch Sprocket, 52 Chain, $1\frac{3}{8}$ Bore, Back Beater Shaft, drives Cleaner Fan, Senior, 1907 to 1913, inclusive.
T1307	1.50	Eight Tooth Sprocket, 44 Chain, $1\frac{5}{8}$ Bore, takes place of No. 751, drives Fan faster, Junior.
T1308	1.50	Eight Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, takes place of No. 857, drives Separator Fan faster, Senior.
T1309	1.50	Eight Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, Divided Straw Carrier Beater shaft, Baby Holt Special, Holt Holley, 1909 to 1913, inclusive; Junior and Senior, 1909 to 1913, inclusive. Straw Carrier Beater Shaft, Holt Holley, Junior and Senior, 1907 and 1908.
T1310	1.50	Ratchet for Top of Leveling Device, Up-right Bracket Shaft, Holt Holley, 1907 to 1913, inclusive; Baby Holt Special, 1909 to 1913.
T1311	....	Obsolete.
T1312	....	Obsolete.
T1313	.50	Collar, $\frac{5}{8}$ Wide, $1\frac{5}{8}$ Bore.
T1314	1.00	Same as No. 1314. Pendulum Weight for Cleaner Screen Leveling Device, Baby Holt Special, 1909 to 1913; Special Automatic Leveling Shoe, Baby Holt Special, Holt Holley, 1912 and 1913; Holt Holley, Junior and Senior, 1907 to 1913, inclusive.
T1315	1.50	Weight for Cleaner Screens, not used.
T1316	1.00	Same as No. 1316. Arm to carry Weight, No. 1314, Holt Holley, Junior and Senior, 1907 to 1913, inclusive; Baby Holt Special, 1909 to 1913.
T1317	1.25	Same as No. 1317. Slotted Arm for Thumb Nut, on Cleaner Screen Leveling Device, $\frac{3}{4}$ Bore, Baby Holt Special, 1909 to 1913; Holt Holley, Junior, Senior, 1907 to 1913, inclusive.
T1318	1.00	Arm Supporting Cleaner Screen Leveling Device, $1\frac{1}{8}$ , Baby Holt Special, 1909 to 1913; Holt Holley, Junior, Senior, 1907 to 1913.
T1319	1.00	Swiveled Cylinder Box Cap Holder, Both Sides, Holt Holley, 1907 and 1908.

T1320	5.00	Swivel Roller Bearing Cylinder Box and Cap, Both Sides, Holt Holley, 1907 and 1908.
T1321	1.25	Swivel Cylinder Box Bottom Holder, for No. 1320, Holt Holley, 1907 and 1908.
T1322	2.25	Eight Tooth Sprocket, 103 Chain, $\frac{3}{8}$ Bore, Chain Tightener Grain Wheel, Junior and Senior, 1907 to 1913.
T1323	2.50	Nine Tooth Sprocket and Disc, 44 Chain, $1\frac{1}{8}$ Bore, takes place of No. 1252, or can be used in place of No. X1063, Holt Holley, Junior and Senior, 1907 only.
T1324	15.00	Thirty-four Tooth Sprocket, 88 Chain, $2\frac{3}{8}$ Bore, Main Counter, drives Cylinder Counter, Senior, 1907 only.
T1325	1.00	Collar, $2\frac{1}{4}$ Wide, $2\frac{7}{8}$ Bore.
T1326	.75	Collar, $\frac{3}{4}$ Wide, $2\frac{7}{8}$ Bore, Grain and Main Wheel, Senior and Junior, 1907 only; Main Wheel, Holt Holley, 1908. Grain Wheel, Holt Holley, 1906 and 1907.
T1327	1.75	Ten Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, runs Back Beater, drives Grain Elevator, Separator Fan, Senior, 1907 and 1908.
T1328	5.00	Clutch, $1\frac{1}{8}$ , drives No. 790, takes place of No. 791, has Grooves for Lever, Special.
T1329	4.50	Four Jaw Clutch, $1\frac{1}{8}$ , takes place of No. 565, Grooved for Lever, Special.
T1330	1.00	Split Collar, $2\frac{7}{8}$ Bore, 1 inch Wide, Senior, 1907; Junior, 1909 to 1913.
T1331	7.00	Twenty-two Tooth Ring Sprocket, 78 Chain, Gasoline Harvester, 1907.
T1332	7.00	Twelve Tooth Sprocket, 117 Chain, $2\frac{3}{8}$ Bore, takes place of No. 40, Standard Machine.
T1333	4.50	Eleven Tooth Clutch Sprocket, 78 Chain, $1\frac{1}{8}$ Bore, takes place No. 5, Standard Single Drive Machine.
T1334	....	Obsolete.
T1335	....	Obsolete.
T1336	....	Obsolete.
T1337	....	Obsolete.
T1338	18.00	Thirty-two Tooth Sprocket with Friction Ring, $2\frac{3}{8}$ Bore, 103 Chain, Gasoline Harvester, 1907.
T1339	....	Obsolete.
T1340	....	Obsolete.
T1341	1.50	Nine Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, drives Cleaner and Separator Fan, Holt Holley, 1907 only; takes place No. 1290.



T1342	4.50	Eleven Tooth Sprocket, 89 Chain, $1\frac{1}{8}$ Bore, used in place of No. 679, Special.
T1343	6.25	Eleven Tooth Clutch Sprocket, 115 Chain, $1\frac{1}{8}$ Bore, used in place of No. 840.
T1344	5.00	Six point Clutch Hub, $1\frac{1}{8}$ , used with No. 1343.
T1345	6.25	Twelve Tooth, Six Point Clutch Sprocket, $1\frac{1}{8}$ Bore, 115 Chain, used on Holt Holley or Junior to decrease speed.
T1346	....	Obsolete.
T1347	2.00	Auger Box End Grain Hopper, Holt Holley, 1908 only; Cleaner Auger End, Junior and Senior, 1908 only.
T1348	4.00	Box Plate for Nos. 1349 and 1350, Inside Cylinder Counter Shaft, Holt Holley, 1908.
T1349	1.50	Box Bottom, $1\frac{1}{8}$ , Shaft used with Cap No. 1350, Inside Cylinder Counter Shaft, Holt Holley, 1908.
T1350	1.50	Box Cap, $1\frac{1}{8}$ Shaft, used with Bottom No. 1349, Inside Cylinder Counter Shaft, Holt Holley, 1908.
T1351	1.75	Same as 1351. Twelve Tooth Sprocket, 52 Chain, $\frac{7}{8}$ Bore, Tightener Feeder Counter Chain, Junior and Senior, 1909 to 1913; Baby Holt Special and Holt Holley, 1909 to 1913; Large and Small Gear Standard, 1912 and 1913; Distributing Auger, Junior and Senior, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
T1352	1.75	Axle Socket, Outside, Header Wheel Shaft, takes place of No. 630, Baby Holt Special, 1909 to 1913; Holt Holley, 1908 to 1913; Junior and Senior, 1908 to 1913.
T1353	1.75	Axle Socket, Inside, Header Wheel Shaft; takes place of No. 629; Baby Holt Special, 1909 to 1913; Holt Holley, 1908 to 1913; Junior and Senior, 1908 to 1911.
T1354	1.50	Tightener Sleeve, $1\frac{1}{8}$ Bore, takes place of No. 1177, Header Counter Shaft Tightener, Holt Holley, 1908 to 1913; Baby Holt Special, 1909 to 1913.
T1355	25.00	Hub, $2\frac{7}{8}$ , 24-inch Wheel.
T1356	3.00	Box Bottom, $2\frac{7}{8}$ Shaft, goes with No. 1357, Main Wheel, Both Sides, Holt Holley, 1908 to 1913; Baby Holt Special, 1909 to 1913.
T1357	3.00	Box Cap, $2\frac{7}{8}$ Shaft, goes with No. 1356.
T1358	1.00	Tightener Box Bracket, Both Sides Main Wheel, Baby Holt Special, 1909 to 1913.
T1359	....	Obsolete.

T1360	.50	Segment for Cylinder, Junior, 1908 to 1913; Senior, 1908 to 1913.
T1361	1.00	Collar, $1\frac{1}{8}$ Bore, Main Counter Shaft, Junior, 1908.
T1362	1.00	Collar, $2\frac{3}{8}$ Bore, Main Counter Shaft, Senior, 1908.
T1363	1.50	Eight Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, drives Feeder Shaft, Baby Holt Special, Holt Holley, 1908 to 1913.
T1364	3.25	Seventeen Tooth Sprocket, 62 Chain, $1\frac{1}{8}$ Bore, drives Header, Gasoline Harvester, 1908.
T1365	3.00	Twenty-one Tooth Sprocket, 44 Chain, $1\frac{3}{8}$ Bore, drives Feeder and Leveling Device, Gasoline Harvester, No. 1838.
T1366	1.00	Box Bottom, $1\frac{1}{8}$ Shaft, goes with No. 1367, Back Beater, Left Hand, Main Side, Holt Holley, 1908 to 1913; Baby Holt Special, 1909 to 1913.
T1367	.75	Box Cap, $1\frac{1}{8}$ Shaft, for No. 1366.
T1368	.50	Segment for Cylinder, Holt Holley, 1908.
T1369	7.00	Twenty-two Tooth Sprocket, 78 Chain, $1\frac{1}{8}$ Bore, Gasoline Harvester, No. 1838.
T1370	15.00	Thirty-four Tooth Sprocket, $2\frac{3}{8}$ Bore, 88 Chain, drives Cylinder Counter, Senior, 1908 to 1913.
T1371	15.00	Friction, Gasoline Harvester, 1908.
T1372	....	Obsolete.
T1373	....	Obsolete.
T1374	....	Obsolete.
T1375	....	Obsolete.
T1376	....	Obsolete.
T1377	5.50	Fourteen Tooth Clutch Sprocket, $1\frac{1}{8}$ Bore, 78 Chain, drives Sprocket Grain Side, Gasoline Harvester, 1908.
T1378	5.00	Eight Tooth Clutch Sprocket, drives Sprocket Main Side, $1\frac{1}{8}$ Bore, 103 Chain, Gasoline Harvester, 1908.
T1379	2.50	Twenty-two Tooth Sprocket, $1\frac{3}{8}$ Bore, 44 Chain, Gasoline Harvester, 1908.
T1380	3.25	Twenty-eight Tooth Sprocket, $1\frac{1}{8}$ Bore, 44 Chain, Separator Counter Shaft drives Front Beater, Gasoline Harvester, 1908.
T1381	3.75	Six Tooth Sprocket, $1\frac{1}{8}$ Bore, 88 Chain, drives Header Counter, Gasoline Harvester, 1908.
T1382	2.00	Cylinder Box Bottom, $1\frac{3}{8}$ Bore, Babbitted Holt Holley, 1908.
T1383	2.00	Cap, for No. 1382.



T1384	6.00	Pillow Block, $2\frac{7}{8}$ Bore, Gasoline Harvester, 1908.
T1385	3.00	Pillow Block Cap, used with No. 1394.
T1386	60.00	Fly Wheel, $2\frac{1}{2}$ Bore, 50-inch Diam., 8-inch Face, Steam Harvester, No. 577.
T1387	.75	Concave Lever Segment, Outside Holt Holley, 1908 and 1910 to 1913; Baby Holt Special, 1911 and 1913.
T1388	20.00	Hub, $3\frac{1}{8}$ Bore, 20-inch Tire, Harvester No. 1047, 1908.
T1389	4.50	Box Bottom, $3\frac{7}{8}$ Shaft, Harvester No. 1047, 1908.
T1390	4.50	Cap for No. 1389.
T1391	15.00	Sixty-three Tooth Ring Gear, Harvester Box, to take place of Roller Bearing Box No. 1047.
T1392	20.00	Seventy-three Tooth Ring Gear, Harvester No. 1047.
T1393	16.00	Hub, $3\frac{7}{8}$ Shaft, 16-inch Tire, Harvester No. 1047.
T1394	....	Obsolete.
T1395	17.50	Fifty-six Tooth Gear, $2\frac{7}{8}$ Bore, Harvester No. 1047.
T1396	20.00	Fifty-six Tooth Gear, $4\frac{1}{4}$ Bore, Harvester No. 1047.
T1397	....	Obsolete.
T1398	....	Obsolete.
T1399	....	Obsolete.
T1400	....	Obsolete.
T1401	....	Obsolete.
T1402	....	Obsolete.
T1403	....	Obsolete.
T1404	....	Obsolete.
T1405	....	Obsolete.
T1406	....	Obsolete.
T1407	....	Obsolete.
T1408	3.25	Box Bottom, $2\frac{1}{8}$ Shaft, Grain and Main Wheel, Both Sides, Harvester No. 1047, and Junior and Senior, 1909 to 1913.
T1409	3.25	Box Cap, for 1408 Bottom.
T1410	....	Obsolete.
T1411	....	Obsolete.
T1412	1.50	Nine Tooth Sprocket, Outside Return Auger, $1\frac{1}{8}$ Shaft, 44 Chain, Harvester No. 1047; Baby Holt Special, 1909 to 1913; Holt Holley, 1908 to 1913.
T1413	3.25	Nineteen Tooth Sprocket, $1\frac{1}{2}$ Bore, 62 Chain, Gasoline Harvester, 1908.
T1414	....	Obsolete.

---

T1415	....	Obsolete.
T1416	1.50	Seven Tooth Sprocket, $1\frac{1}{8}$ Bore, 44 Chain, Gasoline Harvester, 1908.
T1417	....	Obsolete.
T1418	....	Obsolete.
T1419	....	Obsolete.
T1420	....	Obsolete.
T1421	....	Obsolete.
T1422	....	Obsolete.
T1423	....	Obsolete.
T1424	5.25	Fifteen Tooth Sprocket, $1\frac{1}{8}$ Bore, 78 Chain, Platform Wheel, Harvester, 1908.
T1425	20.00	Twenty Tooth Sprocket, $2\frac{7}{8}$ Bore, 118 Spe- cial Chain, Platform Wheel, Harvester, 1908.
T1426	....	Obsolete.
T1427	....	Obsolete.
T1428	30.00	Ninety Tooth Gear, $2\frac{3}{8}$ Bore, Platform Wheel, Harvester, 1908.
T1429	....	Obsolete.
T1430	....	Obsolete.
T1431	....	Obsolete.
T1432	....	Obsolete.
T1433	....	Obsolete.
T1434	....	Obsolete.
T1435	....	Obsolete.
T1436	....	Obsolete.
T1437	....	Obsolete.
T1438	....	Obsolete.
T1439	....	Obsolete.
T1440	50.00	Fly Wheel, 34-inch Diameter, $6\frac{1}{4}$ -inch Face, Platform Wheel, Harvester, 1908.
T1441	6.00	Twenty-eight Tooth Sprocket, $2\frac{3}{8}$ Bore, 62 Chain, drives Separator Fan, Left Hand. Platform Wheel, Harvester, 1908.
T1442	....	Obsolete.
T1443	....	Obsolete.
T1444	....	Obsolete.
T1445	....	Obsolete.
T1446	....	Obsolete.
T1447	....	Obsolete.
T1448	....	Obsolete.
T1449	....	Obsolete.
T1450	....	Obsolete.
T1451	....	Obsolete.
T1452	....	Obsolete.
T1453	....	Obsolete.
T1454	....	Obsolete.
T1455	....	Obsolete.



T1456	....	Obsolete.
T1457	....	Obsolete.
T1458	....	Obsolete.
T1459	....	Obsolete.
T1460	....	Obsolete.
T1461	....	Obsolete.
T1462	....	Obsolete.
T1463	....	Obsolete.
T1463	....	Obsolete.
T1465	....	Obsolete.
T1466	....	Obsolete.
T1467	....	Obsolete.
T1468	2.50	Sixteen Tooth Sprocket, $1\frac{3}{8}$ Bore, 44 Chain, drives Grain Elevator, Right Side, Steel Harvester, 1908.
T1469	....	Obsolete.
T1470	5.00	Eighteen Tooth Crank Sprocket, $1\frac{3}{8}$ Bore, 44 Chain, Front Beater Shaft and Shake Shoe, Steel Harvester, 1908.
T1471	....	Obsolete.
T1472	....	Obsolete.
T1473	1.50	Ten Tooth Sprocket, $1\frac{3}{4}$ Bore, 44 Chain, Steel Harvester, 1908.
T1474	....	Obsolete.
T1475	....	Obsolete.
T1476	....	Obsolete.
T1477	1.00	Segment, all Sheet Iron Elevators, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.
T1478	2.00	Head, all Sheet Iron Elevators, Baby Holt Special, Holt Holley, Junior and Senior, 1909 and 1910. Large and Small Gear Standard, 1910.
T1479	2.00	Head Cap for No. 1478.
T1480	1.75	Return Elbow, all Sheet Iron Elevators, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913; Large and Small Gear Standard, 1912 and 1913.
T1481	1.75	Auger Box End, all Auger Boxes except Cheat, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
T1482	1.75	Tightener Box Frame, all Sheet Iron Elevators, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.

T1483	1.50	Tightener Box, used with 1482. All Sheet Iron Elevators, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.
T1484	1.00	Box, Solid, bolts to No. 1478 and No. 1598 on all Sheet Iron Elevators, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.
T1485	1.25	Seven Tooth Sprocket, $1\frac{1}{8}$ Bore, 52 Chain, Inside, all Sheet Iron Elevators, Baby Holt Special, Holt Holley Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.
T1486	3.50	Box Holder, Header Counter Shaft, Junior and Senior Harvesters, 1909 to 1913.
T1486	3.50	Box Holder, $1\frac{1}{8}$ Shaft, Right Hand, Special Stationary Attachment. Baby Holt Special, Holt Holley, 1912 and 1913.
T1487	1.50	Bottom and End Elevator Support for all Sheet Iron Elevators. Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.
T1488	1.25	Five Tooth Rack, Junior and Senior, 1909 to 1913; Baby Holt Special, 1909. Extension to No. 2124.
T1489	.75	Eccentric Latch for Wind Board, Baby Holt Special, Holt Holley, Junior and Senior, 1909 to 1913. Large and Small Gear Standard, 1910 to 1913.
T1490	1.50	Crank Pin, $1\frac{1}{8}$ Bore, Front Beater Shaft, Shakes Shoe, Junior, 1909 to 1913.
T1491	1.50	Crank Pin, $1\frac{3}{8}$ Bore, Front Beater Shaft, Shakes Shoe, Senior Harvester, 1909 to 1913.
T1492	7.50	End Cylinder Head, $1\frac{3}{8}$ Bore, Baby Holt Special, 1908 to 1910, inclusive.
T1493	7.50	Center Cylinder Head, $1\frac{3}{8}$ Bore, Baby Holt Special, 1908 to 1910, inclusive.
T1494	6.50	Front Concave, 20-inch, Baby Holt Special, 1908 to 1913.
T1495	5.00	Middle Concave, 20-inch, Baby Holt Special, 1908 to 1913.
T1496	4.50	Blank Concave, 20-inch, Baby Holt Special, 1908 to 1913.
T1497	5.00	Back Concave, 20-inch, Baby Holt Special, 1908 to 1913.



T1498	2.50	Eight Tooth Sprocket and Disc, $1\frac{1}{8}$ Bore, 44 Chain, Cleaner Fan, Baby Holt Special and Holt Holley, 1909 to 1912; Extra to run Fan Faster, Junior and Senior, 1909 to 1913.
T1499	8.50	Five Box Bracket, Leveling Device, use Cap Nos. 1068, 1069, 1067, 1066A and 1066B. Holt Holley and Baby Holt Special, 1909 to 1913.
T1500	3.00	Sliding Box Bracket for Box No. 45, Header Counter Shaft, Baby Holt Special, 1909 to 1912.
T1501	1.00	Cleaner Shake, Single Crank, Baby Holt Special, 1909 to 1913.
T1502	3.50	Fourteen Tooth Crank Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, Front Beater Shaft, Junior, Holt Holley and Baby Holt Special, 1909 to 1913; takes place of No. 534.
T1503	2.75	Box Bottom, $2\frac{3}{8}$ Shaft for Cap No. 1504, Grain Wheel, Left Side, Holt Holley and Baby Holt Special, 1909 to 1913.
T1504	2.50	Box Cap, $2\frac{3}{8}$ Shaft, for No. 1503.
T1505	1.25	Bracket Box, $\frac{1}{8}$ , takes Jigger Board Shaft, Baby Holt Special and Holt Holley, 1909 to 1911.
T1506	16.00	Forty-five Tooth Ring Sprocket, 115 Chain, Main Wheel, Baby Holt Special, 1909.
T1507	16.00	Eight Spoke Hub, $2\frac{3}{8}$ Bore, $17\frac{1}{4}$ inches over all, Grain Wheel, Holt Holley, 1909 to 1913.
T1508	1.25	Bell Crank Shafts Leveling Device, Baby Holt Special, Holt Holley, 1909 to 1913.
T1509	14.00	Eight Spoke Hub, $2\frac{3}{8}$ , Grain Wheel, 12-inch, Baby Holt Special, 1909 to 1913.
T1510	1.50	Split Collar, $1\frac{3}{4}$ Wide, $2\frac{3}{8}$ Shaft, Baby Holt Special, Holt Holley, 1909 to 1913.
T1511	2.00	Saddle for Box No. 1285, Cylinder Shaft, used in place of T1233, Both Sides, Baby Holt Special and Holt Holley, 1909 to 1913; Junior and Senior, 1909 to 1913.
T1512	5.00	Cylinder Roller Bearing Box, $1\frac{3}{8}$ Shaft. Takes place of 1239. Baby Holt Special, Holt Holley and Junior, 1909 and 1910.
T1513	1.75	Same as 1513, Ten Tooth Sprocket, $1\frac{1}{8}$ Bore, 44 Chain. Sacking Elevator Top Shaft, Baby Holt Special, Holt Holley, 1911 to 1913. Grain Elevator Top Shaft, Junior and Senior, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913. Return Auger, Senior and Junior, 1909 only; Large and Small Gear Standard, 1910 and 1911.

T1514	5.00	Cylinder Roller Bearing Box, $1\frac{1}{8}$ Bore. Takes place of 2123; Both Sides, Senior, 1909 and 1910.
T1515	1.25	Yoke for Return Elevator Spout, Holt Holley, 1909 to 1913; Baby Holt Special, 1911 to 1913; Bean Harvester.
T1516	8.50	Fifty-two Inch Concave, Bean Machine.
T1517	5.00	Nineteen Tooth Face Sprocket, $1\frac{5}{8}$ Bore, 075 Chain.
T1518	3.25	Ten Tooth Sprocket, 075 Chain, $1\frac{3}{8}$ Bore.
T1519	....	Obsolete.
T1520	1.00	Box for end of Straw Agitator Roller, $1\frac{1}{2}$ -inch Gas Pipe Bean Harvester.
T1521	9.00	Fifty-two Inch Front Concave for C. & K. Bean Harvester.
T1522	8.00	Front Concave Bean Harvester.
T1523	....	Obsolete.
T1524	10.00	Nineteen and one-half Inch Fly Wheel, 2-inch Face, $1\frac{1}{8}$ Bore, Bean Harvester.
T1525	....	Obsolete.
T1526	4.00	Seventeen Tooth Sprocket, $1\frac{1}{8}$ Bore, 075 Chain, Bean Harvester.
T1527	....	Obsolete.
T1528	3.00	Beater Head, $1\frac{5}{8}$ Bore, Bean Harvester.
T1529	....	Obsolete.
T1530	5.50	Twenty Tooth Crank Sprocket, $1\frac{5}{8}$ Bore, 52 Chain, Bean Harvester.
T1531	1.25	Eight Tooth Sprocket, $2\frac{3}{8}$ Bore, 52 Chain.
T1532	25.00	Double Bevel Gear, 61 and 90 Tooth, $2\frac{3}{8}$ Bore, S. P. Harvester.
T1533	....	Obsolete.
T1534	....	Obsolete.
T1535	1.25	Collar on Cylinder Shaft, $1\frac{9}{8}$ Bore, takes place of 1240 on Junior, Holt Holley and Baby Holt Special, 1909 and 1910.
T1536	3.00	Twelve Tooth Sprocket, $1\frac{1}{8}$ Bore, 075 Chain, S. P. Harvester.
T1537	2.00	Thirty-nine Tooth Gear, $\frac{1}{8}$ Bore, S. P. Harvester.
T1538	....	Obsolete.
T1539	....	Obsolete.
T1540	....	Obsolete.
T1541	....	Obsolete.
T1542	....	Obsolete.
T1543	....	Obsolete.
T1544	1.25	Six Tooth Sprocket, $1\frac{5}{8}$ Bore, J. F. Chain.
T1545	2.00	Stud with Flange, Bean Harvester.
T1546	5.00	Ten Tooth Sprocket, 103 Chain, $1\frac{1}{8}$ Bore, with Long Teeth. Special for Washington, takes place of 865.



T1547	....	Obsolete.
T1548	....	Obsolete.
T1549	....	Obsolete.
T1550	....	Obsolete.
T1551	3.50	Seven Tooth Double Clutch Sprocket, takes place of 621, 103 Chain.
T1552	6.00	Twelve Tooth Sprocket, takes place of 937, $1\frac{1}{8}$ Bore, Steam Harvester, 103 Chain.
T1553	6.00	Twelve Tooth Sprocket, takes place of 587, Steam Harvester, $1\frac{1}{8}$ Bore, 103 Chain.
T1554	6.00	Fourteen Tooth Sprocket, $1\frac{1}{8}$ Bore, Steam Harvester, 103 Chain, takes place of 937.
T1555	5.00	Twenty-one Tooth Sprocket, 075 Chain, $1\frac{1}{8}$ Bore, use on Header Counter, Drive Separator, Gasoline Harvester.
T1556	2.25	Thirteen Tooth Sprocket, $1\frac{1}{8}$ Bore, 62 Chain on Header Bevel Gear Counter, Gasoline Harvester.
T1557	....	Obsolete.
T1558	....	Obsolete.
T1559	....	Obsolete.
T1560	....	Obsolete.
T1561	....	Obsolete.
T1562	.50	Same as 1562. Shoe Shake Lug, takes place of 1241-1242; Main Side, Baby Holt Special, Holt Holley, Junior and Senior.
T1563	.50	Same as 1563. Shoe Shake Lug, $1\frac{1}{8}$ Bore, Takes place of 1241-1242; Grain Side, Baby Holt Special, Holt Holley, Junior 1910 to 1913; Large and Small Gear Standard, 1912 and 1913.
T1564	....	Obsolete.
T1565	2.50	Three Box Bracket for Bulk Grain Elevating Device.
T1566	1.00	Cap for 1565.
T1567	1.50	Sixteen Tooth Mitre Gear, $1\frac{1}{8}$ Bore, used with 1565.
T1568	1.25	Eight Tooth Clutch Sprocket, $1\frac{1}{8}$ Bore, 44 Chain.
T1569	1.25	Clutch, $1\frac{1}{8}$ Bore, used with 1568.
T1570	1.50	Same as 1570. Nine Tooth Sprocket, $1\frac{1}{8}$ Bore, 44 Chain, Return Auger, Outside, takes place of No. 1513. Senior and Junior, 1910 to 1913; Large and Small Gear Standard, 1912 and 1913.
T1571	2.00	Fifteen Tooth Pinion, $2\frac{1}{8}$ Bore, Auto Harvester.
T1572	....	Obsolete.
T1573	....	Obsolete.

T1574	....	Obsolete.
T1575	....	Obsolete.
T1576	....	Obsolete.
T1577	17.50	Twenty-four Inch Disc, Auto Harvester.
T1578	1.75	Eleven Tooth Sprocket, $1\frac{1}{8}$ Bore, 62 Chain, for Auto Harvester.
T1579	.50	Cylinder End Segment on Holt Holley and Baby Holt Special, 1911 to 1913.
T1580	2.50	Bottom Roller Bearing Main Counter, $1\frac{1}{8}$ Shaft. Special Holley Jr., 1910.
T1581	2.50	Cap for No. 1580.
T1582	2.50	Fifteen Tooth Sprocket, 62 Chain, $1\frac{1}{8}$ Bore, Counter Shaft Gasoline Harvester, 1910.
T1583	3.00	Eighteen Tooth Face Sprocket, 62 Chain, $1\frac{3}{8}$ Bore, Back Beater Shaft, Gasoline Harvester, 1910.
T1584	6.00	Thirty-four Tooth Sprocket, 62 Chain, $1\frac{3}{8}$ Grain Carrier Shaft, Gasoline Harvester, 1910.
T1585	3.50	Seventeen Tooth Pinion, $1\frac{1}{8}$ Bore, used with No. 1586 on Cylinder Shaft, Gasoline Harvester, 1910.
T1585A	7.50	Steel Pinion, same as T1585.
T1586	10.00	Sixty-five Tooth Gear, $1\frac{1}{8}$ Bore, Gasoline Harvester, 1910, Cylinder Counter Shaft.
T1587	5.00	Ten Tooth Sprocket, 103 Chain, $1\frac{5}{8}$ Bore, takes place of No. 1553, Cook & Kennedy Harvester, 1910.
T1588	1.75	Twelve Tooth Sprocket, 52 Chain, $\frac{3}{8}$ Bore, Gasoline Harvester, 1910.
T1589	10.00	Double Pulley, drives Cooler on Gasoline Harvester, 1910. Bolts on.
T1590	2.50	Bottom Roller Bearing Box Cylinder Counter Shaft, $1\frac{1}{8}$ . Special Holley Jr., 1910.
T1591	2.50	Cap for 1590.
T1592	12.00	Twenty-six Tooth Sprocket, 88 Chain, $1\frac{1}{8}$ Bore, Gasoline Harvester, 1910.....48 lbs.
T1593	5.25	Fifteen Tooth Sprocket, 78 Chain, $1\frac{5}{8}$ Bore, Gasoline Harvester, 1910.....26 lbs.
T1594	4.00	Ten Tooth Sprocket, 78 Chain, $1\frac{1}{8}$ Bore, Gasoline Harvester, 1910 .....13 lbs. 2 ozs.
T1595	3.75	Eight Tooth Sprocket, 78 Chain, $1\frac{3}{8}$ Bore, Gasoline Harvester, 1910 ..... 8 lbs. 12 ozs.



T1597	5.00	Cylinder Roller Bearing Box, Top and Bottom of Box only, Both Sides, $1\frac{1}{8}$ Shaft. Senior and Junior, 1911 to 1913; Holt Holley and Baby Holt Special, 1911 to 1913.
T1598	2.00	Same as 1598. Cast Iron Head for Sheet Iron Elevator. Holt Holley and Baby Holt Special, 1911 to 1913; Junior and Senior, 1911 to 1913; Large and Small Gear Standard, 1911 to 1913.
T1599	2.00	Same as 1599. Head Cap for No. 1598. Holt Holley and Baby Holt Special, 1911 to 1913; Junior and Senior, 1911 to 1913; Large and Small Gear Standard, 1911 to 1913.
T1600	2.50	Sixteen Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, Gasoline Harvester, 1910.
T1601	1.75	Twelve Tooth Sprocket, 44 Chain, $\frac{1}{8}$ Bore, Gasoline Harvester, 1910.
T1602	1.25	Same as 1602. Collar, $1\frac{1}{4} \times 3\frac{3}{4}$ , $1\frac{1}{8}$ Bore, Senior and Junior, 1911 to 1913; Large and Small Gear Standard, 1911 to 1913; Holt Holley and Baby Holt Special, 1911 to 1913.
T1603	7.50	End Cylinder Head, $1\frac{1}{8}$ , Cylinder Shaft, Baby Holt Special, 1911 to 1913.
T1604	7.50	Center Cylinder Head, $1\frac{1}{8}$ , Cylinder Shaft, Baby Holt Special, 1911 to 1913.
T1605	1.50	Ten Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, Cylinder Counter Shaft. Drives Top Feeder Shaft. Takes place of No. 1257. Holt Holley and Baby Holt Special, 1911 to 1913.
T1606	3.50	Sixteen Tooth Pinion, $1\frac{1}{8}$ Bore, Cylinder Shaft, Baby Holt Special, 1911 and 1913; Argentine Harvester.
T1607	30.00	Fifteen Tooth Sprocket, $3\frac{7}{8}$ Bore, Cast Steel, Self-Propelled Harvester.
T1610	1.00	Collar, $3\frac{3}{4}$ Diameter, $\frac{5}{8}$ Thick, $1\frac{1}{8}$ Bore, Cylinder Shaft, Junior and Senior, 1911 to 1913.
T1611	....	Obsolete.
T1612	5.00	Roller Bearing Box, $1\frac{1}{8}$ Bore, Both Sides, Cylinder Shaft, Self-Propelled Harvester and Senior Gasoline and Junior Gasoline.
T1613	2.00	Roller Bearing Box Saddle, Self-Propelled Harvester and Senior Gasoline and Junior Gasoline.

T1614	2.00	Eleven Tooth Sprocket, $\frac{7}{8}$ Bore, 075 Chain, Separator Chain Tightener, Senior and Junior Gasoline.
T1615	2.00	Box Bottom, $2\frac{3}{8}$ Shaft, $6\frac{1}{2}$ Long, Both Sides, Main Drive Shaft, Self-Propelled Harvester.
T1616	1.50	Cap, $2\frac{3}{8}$ Shaft, $6\frac{1}{2}$ Long, Main Drive Shaft, Self-Propelled Harvester.
T1617	1.25	Collar for Roller Bearing Box T1612 Cylinder Shaft. Standard Gas Harvester, 1911-13.
T1618	3.00	Box Bottom, $2\frac{1}{2}$ Shaft, Rear Shaft Track Wheel, Self-Propelled Harvester.
T1619	2.00	Cap for 1618, Self-Propelled Harvester.
T1620	16.00	Hub, 16 Spokes, $2\frac{1}{2}$ Bore, Self-Propelled Harvester.
T1621	....	Obsolete.
T1622	....	Obsolete.
T1623	....	Obsolete.
T1624	....	Obsolete.
T1625	....	Obsolete.
T1626	....	Obsolete.
T1627	....	Obsolete.
T1628	....	Obsolete.
T1629	....	Obsolete.
T1630	1.00	Star Box, $1\frac{1}{8}$ Bore, Divided Straw Carrier, Front Top Shaft, Self-Propelled Harvester.
T1631	10.00	Reverse Clutch, Self-Propelled Harvester.
T1632	1.50	Spring Collar, Self-Propelled Harvester.
T1634	3.00	Float Ring Roller, Self-Propelled Harvester.
T1635	1.00	Cleaner Shake, Double Crank, Self-Propelled Harvester.
T1636	1.75	Sliding Box Bracket, Cylinder Counter Shaft, Both Sides, Argentine Harvester.
T1637	6.00	Thirty-four Tooth Sprocket, $1\frac{3}{8}$ Bore, 62 Chain, Grain Carrier Shaft, Self-Propelled Harvester.
T1638	2.50	Twenty Tooth Sprocket, $1\frac{3}{8}$ Bore, 52 Chain, Grain Carrier Shaft, Self-Propelled.
T1639	3.00	Eighteen Tooth Sprocket, Face $1\frac{3}{8}$ Bore, 62 Chain, Self-Propelled.
T1640	2.50	Fifteen Tooth Sprocket, $1\frac{1}{2}$ Bore, 62 Chain, Cylinder Counter Shaft, Self-Propelled.
T1641	2.50	Twenty-four Tooth Ring Sprocket, 52 Chain, Back Beater Shaft, drives Cleaner Fan, Grain Carrier Shaft, Self-Propelled.
T1642	....	Obsolete.
T1643	2.00	Spring Collar, $1\frac{1}{2}$ Bore, Self-Propelled.



T1644	1.00	Star Box, $1\frac{1}{8}$ Bore, Divided Straw Carrier Front Top Shaft, Self-Propelled.
T1645	12.00	Six Spoke Wheel Hub, $1\frac{1}{8}$ Bore, Self-Propelled.
T1646	2.50	Pinion, 12 Tooth, $1\frac{1}{8}$ Bore, Steering Shaft, Self-Propelled.
T1647	27.50	Forty-five Tooth Sprocket, 103 Chain, $2\frac{3}{8}$ Bore, Main Drive Shaft, Self-Propelled.
T1648	7.50	Spring Clutch, $2\frac{3}{8}$ Bore, Main Drive Shaft, Self-Propelled.
T1649	1.25	Six Tooth Sprocket, 44 Chain, $1\frac{1}{8}$ Bore, Self-Propelled.
T1650	1.75	Eleven Tooth Clutch Sprocket, $1\frac{1}{8}$ Bore, 62 Chain, Header Gear Bracket Shaft, Self-Propelled.
T1651	1.25	Clutch used with 1650.
T1652	15.00	Blank Sprocket, $3\frac{1}{8}$ Bore, Self-Propelled.
T1653	4.25	Seventeen Tooth Crank Sprocket, $1\frac{1}{8}$ Bore, 52 Chain, Self-Propelled.
T1654	4.00	Sixteen Tooth Crank Sprocket, $1\frac{1}{8}$ Bore, 52 Chain, Divided Straw Carrier, Front Top Rear Shaft, Self-Propelled.
T1655	20.00	Twenty Tooth Sprocket, $2\frac{1}{8}$ Bore, 118 Sp. Chain, Track Wheel, Self-Propelled.
T1656	7.50	Bracket, $3\frac{1}{8}$ Shaft.
T1657	2.25	Cap for 1656, Self-Propelled.
T1658	7.50	Ten Bar Cylinder Head, $1\frac{1}{8}$ , End, Self-Propelled.
T1659	7.50	Ten Bar Cylinder Head, $1\frac{1}{8}$ , Center, Self-Propelled.
T1660	6.00	Ten Tooth Clutch Sprocket, $2\frac{3}{8}$ Bore, 118 Sp. Chain, Main Drive Shaft, Self-Propelled.
T1661	5.00	Six Tooth Clutch Sprocket, $2\frac{3}{8}$ Bore, 118 Sp. Chain, Main Drive Shaft, Self-Propelled.
T1662	2.50	Axle Support, $2\frac{1}{8}$ Shaft, Cast Steel, Self-Propelled.
T1663	2.50	Axle Support, $2\frac{1}{8}$ Shaft, Cast Steel, Self-Propelled.
T1664	2.50	Axle Support, $2\frac{1}{8}$ Shaft, Cast Steel, Self-Propelled.
T1665	2.50	Axle Support, $2\frac{1}{8}$ Shaft, Cast Steel, Self-Propelled.
T1666	20.00	Twenty Tooth Sprocket, $3\frac{7}{8}$ Bore, 118 Sp. Chain, Self-Propelled.
T1667	1.50	Clutch Sprocket, 9 Tooth, $1\frac{1}{8}$ Bore, Bulk Attach., Self-Propelled and Senior and Junior.

T1668	3.00	Friction Ring (male), Cylinder Shaft, Self-Propelled.
T1669	5.00	Double End Clutch, $2\frac{3}{8}$ Bore, Main Drive Shaft, Self-Propelled.
T1673	3.00	Cap, $3\frac{7}{8}$ Shaft, Self-Propelled.
T1674	3.00	Cap, $3\frac{7}{8}$ Shaft, Rear Shaft, Platform Wheel, Self-Propelled.
T1675	1.75	Twelve Tooth Sprocket, $1\frac{1}{8}$ Bore, 52 Chain, Cylinder Counter Shaft, drives Leveling Device, Self-Propelled.
T1676	27.50	Fifty-seven Tooth Internal Gear, Argentine.
T1677	6.50	Eleven Tooth Pinion, $2\frac{3}{8}$ Bore, Argentine.
T1678	6.00	Thirty-four Tooth Sprocket, Clutch, $2\frac{3}{8}$ , 88 Chain, Main Counter Shaft, Argentine.
T1679	4.00	Ten Tooth Sprocket, $1\frac{1}{8}$ Bore, 88 Chain, Argentine.
T1680	4.50	Eleven Tooth Sprocket, $1\frac{1}{8}$ Bore, 88 Chain, Argentine.
T1681	2.50	Box, $2\frac{7}{8}$ Bore, Main Wheel Shaft, Grain Wheel Shaft, Argentine.
T1682	2.50	Cap for 1681, Argentine.
T1683	1.25	Bottom Plate for 1681, Argentine.
T1684	3.50	Sliding Box Plate, Argentine.
T1685	2.50	Fifteen Tooth Sprocket Ring, Self-Propelled.
T1686	1.25	Bell Crank, Self-Propelled.
T1687	1.50	Nine Tooth Clutch Sprocket, $1\frac{1}{8}$ , 44 Chain, Bulk Attach., Junior and Senior.
T1688	1.25	Clutch, $1\frac{1}{8}$ Bore, Bulk Attach., Junior and Senior.
T1689	6.00	Thirty-four Tooth Sprocket, $2\frac{3}{8}$ Bore, 62 Main Drive Shaft, drives Header, Self-Propelled.
T1690	2.50	Fourteen Tooth Face Sprocket, $1\frac{5}{8}$ Bore, Main Chain Tightener, Self-Propelled.
T1691	1.75	Twelve Tooth Sprocket, $1\frac{5}{8}$ Bore, 52 Chain, Return Auger.
T1692	3.50	Sliding Box Plate, Main Counter Shaft, Self-Propelled.
T1693	....	Obsolete.
T1694	4.00	Twenty-five Tooth Pinion, $1\frac{1}{8}$ Bore, Header Gear, Self-Propelled.
T1695	12.50	Planetary Reverse, Self-Propelled.
T1696	15.00	Planetary Reverse with 9 Tooth Sprocket, $1\frac{1}{8}$ Bore, Self-Propelled.
T1697	4.50	Forty-seven Tooth Internal Ring Gear (Cast Steel), Self-Propelled.
T1698	7.50	Forty-nine Tooth Gear, $1\frac{1}{8}$ Bore, $2\frac{1}{4}$ Face, Self-Propelled.



T1699	6.00	Twenty-eight Tooth Sprocket, $1\frac{1}{8}$ Bore, 62 Chain, Header Counter Shaft, Argentine.
T1700	....	Obsolete.
T1701	4.00	Nine Tooth Sprocket, $1\frac{1}{8}$ Bore, 89 Chain, Main Counter Shaft or 159, Self-Propelled.
T1702	2.25	Collar, $2\frac{1}{8}$ Bore, (P. W. Front Shaft), Self-Propelled.
T1703	....	Obsolete.
T1704	1.00	Collar, $2\frac{1}{8}$ Bore, $1\frac{1}{2}$ wide, Argentine.
T1705	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ Bore, 62 Chain, Cylinder Counter Shaft, Argentine.
T1706	2.75	Seventeen Tooth Sprocket, $1\frac{1}{8}$ Bore, 52 Self-Propelled.
T1707	1.25	Draper Drum Head, $1\frac{1}{8}$ Bore, Argentine.
T1708	40.00	Pulley, 34 Diameter, 7 Face, $12\frac{1}{4}$ Bore, Self-Propelled.
T1709	10.00	Male Friction, Self-Propelled.
T1710	10.00	Female Friction, Inner Disc, Self-Propelled.
T1711	....	Obsolete.
T1712	....	Obsolete.
T1713	....	Obsolete.
T1714	....	Obsolete.
T1715	....	Obsolete.
T1716	....	Obsolete.
T1717	....	Obsolete.
T1718	....	Obsolete.
T1719	1.50	Spring Clamp, Self-Propelled.
T1720	1.50	Tightener Box, $2\frac{1}{8}$ Bore, Self-Propelled.
T1721	3.00	Clutch, $1\frac{1}{8}$ Bore, Self-Propelled.
T1722	3.00	Fourteen Tooth Sprocket, $3\frac{1}{8}$ Bore, S. M. Chain, Self-Propelled.
T1723	8.00	Forty Tooth Sprocket, $1\frac{1}{8}$ Bore, S. M. Chain, Self-Propelled.
T1724	7.50	Nineteen Tooth Pinion, 4-inch Face, $2\frac{3}{8}$ Bore, Main Counter Shaft, Argentine.
T1725	2.50	Five Tooth Sprocket, $2\frac{3}{8}$ Bore, 103 Chain, Argentine.
T1726	3.50	Sliding Box Plate, Self-Propelled.
T1727	2.25	Fifteen Tooth Sprocket, $1\frac{1}{8}$ Bore, 52 Chain, Front Beater Shaft, Argentine.
T1728	1.00	Clamp for Brace Rod, Self-Propelled.
T1729	....	Obsolete.
T1730	5.00	Nine Tooth Sprocket, $1\frac{1}{8}$ Bore, 103 Chain, Self-Propelled.
T1731	....	Obsolete.
T1732	1.50	8 Tooth Sprocket, $1\frac{1}{8}$ Bore, 62 Chain, drives Back Beater Shaft, Argentine.
T1733	....	Obsolete.
T1734	....	Obsolete.

T1735	12.50	Inside Friction Ring, 2 $\frac{3}{8}$ Bore, Self-Propelled.
T1736	....	Obsolete.
T1737	....	Obsolete.
T1739	....	Obsolete.
T1740	....	Obsolete.
T1741	....	Obsolete.
T1742	....	Obsolete.
T1743	....	Obsolete.
T1744	3.50	Worm Gear Bracket, 1 $\frac{1}{2}$ Shaft, Leveling Device, Main Shaft, Senior, 1912 and 1913.
T1745	.75	Cap for 1744, Senior only.
T1746	.50	Shoe Hanger Arm, Special Automatic Leveling Shoe, Baby Holt Special and Holt Holley, 1912 and 1913.
T1747	.50	Hinge for Shoe (Male), Automatic Leveling Shoe, Baby Holt Special and Holt Holley, 1912 and 1913.
T1748	.50	Hinge for Shoe (Female), Automatic Leveling Shoe, Baby Holt Special and Holt Holley, 1912 and 1913.
T1749	.75	Shoe Hanger Arm, Automatic Leveling Shoe, Baby Holt Special and Holt Holley, 1912 and 1913.
T1750	2.75	Socket Bracket Hinge on Swing Frame for 1 $\frac{1}{2}$ Round Iron Post, supporting rear of Header, Baby Holt Special, 1912 and 1913.
T1751	3.00	Socket Bracket Hinge on Swing Frame for 1 $\frac{1}{2}$ Round Iron Post, supporting rear of Header, Holt Holley, 1912 and 1913.
T1752	12.50	Fourteen Tooth Sprocket, 1 $\frac{1}{2}$ Bore, 103 Chain on Pulley Counter Shaft, Special Stationary Attachment, Baby Holt Special and Holt Holley, 1912 and 1913.
T1753	5.00	Eight Tooth Sprocket, 1 $\frac{1}{2}$ Bore, 103 Chain on Cylinder Counter Shaft, Special Stationary Attachment, Baby Holt Special and Holt Holley, 1912 and 1913.
T1754	1.25	Header Axle Box, Inside, Senior and Junior, 1912 and 1913.
T1755A	15.00	Steel Sprocket, 55 Tooth, S. M. Chain, Bolts to T1122.
T1756	....	Obsolete.
T1757	....	Obsolete.
T1758	....	Obsolete.
T1759	....	Obsolete.
T1760	20.00	One Hundred six Tooth Internal Gear, 1 $\frac{1}{2}$ Bore, Self-Propelled.



T1761	7.50	Roller Bearing Box, $2\frac{7}{8}$ Shaft, Self-Propelled.
T1762	2.50	Saddle for 1761, Self-Propelled.
T1763	3.00	Box Bottom, $2\frac{1}{2}$ Shaft, Self-Propelled.
T1764	2.75	Cap for 1763, Self-Propelled.
T1765	2.50	Bracket, Self-Propelled.
T1765A	....	Steel Bracket, same as T1765.
T1766	1.75	Cap for 1765, Self-Propelled.
T1767	5.50	Eleven Tooth Sprocket, $1\frac{1}{2}$ Bore, 101 Chain, Self-Propelled.
T1768	3.00	Sixteen Tooth Sprocket, $3\frac{3}{8}$ Bore, Self-Propelled.
T1769	1.00	Collar, $2\frac{7}{8}$ Bore, Self-Propelled.
T1770	1.50	Double Shoe Shake, Self-Propelled.
T1771	25.00	Twenty-four Tooth Sprocket, $2\frac{1}{2}$ Bore, 118 Sp. Chain, Self-Propelled.
T1772	....	Obsolete.
T1773	....	Obsolete.
T1774	1.00	Shoe Shake Arm, Self-Propelled.
T1775	....	Obsolete.
T1776	6.00	Six Tooth Sprocket, $1\frac{1}{2}$ Bore, 118 Sp. Chain, Self-Propelled.
T1777	17.50	Seventy-six Tooth Spur Gear, $1\frac{1}{2}$ Bore, Self-Propelled.
T1778	4.50	Twenty-one Tooth Pinion, $2\frac{7}{8}$ Bore, Self-Propelled.
T1779	....	Obsolete.
T1780	....	Obsolete.
T1781	3.50	Twenty-two Tooth Sprocket, 5-inch Bore, S. M. Chain, Self-Propelled.
T1782	....	Obsolete.
T1783	2.75	Sixteen Tooth Sprocket, 4-inch Bore, S. M. Chain, Self-Propelled.
T1784	15.00	Thirty-four Tooth Sprocket, $2\frac{3}{8}$ Bore, 88 Chain, Self-Propelled.
T1785	5.00	Clutch used with 1784.
T1786	1.00	Star Box, $1\frac{1}{8}$ Shaft, Self-Propelled.
T1787	....	Obsolete.
T1788	....	Obsolete.
T1789	3.00	Eleven Tooth Sprocket, $1\frac{1}{2}$ Bore, 075 Chain, Self-Propelled.
T1790	2.00	Flange Clutch, Self-Propelled.
T1791	2.25	Seventeen Tooth Pinion, $1\frac{3}{8}$ Bore, Self-Propelled.
T1792	.75	Shoe Shaker Arm, Self-Propelled.
T1793	2.75	Pulley, 6-inch Diameter, 3-inch Face, $1\frac{1}{2}$ Bore, Senior and Junior Gasoline.
T1794	15.00	Fifty-five Tooth Sprocket, $1\frac{1}{2}$ Bore, Self-Propelled.

T1795	17.50	Sixteen Tooth Sprocket, $2\frac{1}{8}$ Bore, 118 Sp. Chain, Self-Propelled.
T1795A	....	Steel Sprocket, same as T1795.
T1796	6.00	Ten Tooth Sprocket, $1\frac{1}{8}$ Bore, 118 Sp. Chain, Self-Propelled.
T1797	....	Obsolete.
T1798	....	Obsolete.
T1799	1.00	Yoke Block, Self-Propelled.
T1800	5.00	Clutch, $2\frac{1}{8}$ Bore, Self-Propelled.
T1801	7.00	Six Tooth Clutch Sprocket, $2\frac{3}{8}$ Bore, Self-Propelled.
T1802	17.50	Thirteen Tooth Sprocket, $3\frac{7}{8}$ Bore, Self-Propelled.
T1803	....	Obsolete.
T1804	2.50	Concave Hanger, Self-Propelled.
T1805	7.00	Front Concave, Self-Propelled.
T1806	2.00	Twenty-eight Tooth Sprocket. Bolts to 1802.
T1807	....	Obsolete.
T1808	....	Obsolete.
T1809	4.00	Push Rod Box, $2\frac{1}{8}$ Shaft, Self-Propelled.
T1810	3.00	Push Rod Box, $2\frac{3}{8}$ Shaft, Self-Propelled.
T1811	3.25	Agitator Disc for 1-inch Shaft, Self-Propelled.
T1812	7.00	Eight Tooth Sprocket, 118 Sp. Chain, Self-Propelled.
T1813	....	Obsolete.
T1814	....	Obsolete.
T1815	7.50	Cylinder Head, Center 10 Bar, $1\frac{1}{8}$ Bore, Self-Propelled.
T1816	7.50	Cylinder Head, End, 10 Bar, $1\frac{1}{8}$ Bore, Self-Propelled.
T1817	25.00	Blank Sprocket, Cast Steel, $2\frac{1}{8}$ Bore, Self-Propelled.
T1818	17.50	Fourteen Tooth Sprocket, $2\frac{1}{8}$ Bore, Self-Propelled.
T1818A	....	Steel Sprocket, same as T1818.
T1819	1.25	Box, Grain Carrier, $\frac{1}{8}$ Bore, Self-Propelled.
T1820	1.75	Flange Pulley, $2\frac{1}{4} \times 4\frac{1}{2}$ , $\frac{1}{8}$ Bore, Self-Propelled.
T1821	2.50	Sixteen Tooth Sprocket, $1\frac{5}{8}$ Bore, S. M. Chain, Self-Propelled.
T1822	1.50	Nine Tooth Sprocket, $1\frac{1}{8}$ Bore, S. M. Chain, Self-Propelled.
T1823	2.50	Sixteen Tooth Sprocket, $1\frac{1}{8}$ Bore, S. M. Chain, Self-Propelled.
T1824	4.00	Ten Tooth Sprocket, 118 Chain, in place of 179.
T1825	15.00	Twenty-six Tooth Sprocket, $1\frac{1}{8}$ -inch Bore, 103 Chain,



T1827	4.00	Nine Tooth Double End Clutch, $1\frac{5}{8}$ -inch Bore.
T1828	4.00	Twenty Tooth Sprocket, 62 Chain, $1\frac{7}{8}$ -inch Bore.
T1829	1.00	Box, $1\frac{5}{8}$ -inch Shaft.
T1830	1.00	Cap for 1829.
T1831	1.25	$1\frac{1}{8}$ -inch Push Box (solid).
T1832	1.75	Fan Hub.
T1833	4.00	Box, $2\frac{1}{8}$ -inch Shaft.
T1834	2.50	Cap for 1833.
T1835	1.00	Cap used on 1226.
T1836	4.00	Thirty-four Tooth Face Sprocket, $1\frac{3}{8}$ -inch Bore, No. 62 Chain.
T1837	3.00	Eighteen Tooth Sprocket, $1\frac{1}{8}$ -inch Bore, No. 62 Chain.
T1838	1.50	Channel Iron for $2\frac{7}{8}$ -inch Shaft.
T1839	1.00	Cap for 1838.
T1840	1.00	Truck Wheel.
T1841	2.00	Twenty Tooth Mitre Gear, $1\frac{7}{8}$ -inch Bore.
T1842	2.00	Twenty Tooth Mitre Gear, $1\frac{3}{8}$ -inch Bore.
T1843	2.50	Two Box Brackets.
T1844	.75	Cap for $1\frac{7}{8}$ -inch Shaft.
T1845	.75	Cap for $1\frac{3}{8}$ -inch Shaft.
T1846	5.00	Four Box Bracket.
T1847	.75	Cap for 1846, $1\frac{7}{8}$ -inch Shaft.
T1848	.75	Cap for 1846, $1\frac{3}{8}$ -inch Shaft.
T1849	1.50	Box Brackets, $1\frac{7}{8}$ -inch Shaft.
T1850	.50	Cap for 1849
T1851	1.50	Box Bracket.
T1852	.50	Cap for 1851.
T1853	1.75	Twelve Tooth Sprocket, $1\frac{7}{8}$ -inch Bore, No. 62 Chain.
T1854	2.25	Fourteen Tooth Sprocket, $1\frac{1}{8}$ -inch Bore, No. 62 Chain.
T1855	1.25	Hinge.
T1856	1.25	Eight Tooth Sprocket, $1\frac{5}{8}$ -inch Bore, No. 62 Chain.
T1857	30.00	Double Gear, Internal and External, $2\frac{3}{8}$ -inch Bore.
T1858	7.50	Thirteen Tooth Pinion, $1\frac{1}{8}$ -inch Bore, Steel.
T1858	3.00	Thirteen Tooth Pinion, $1\frac{1}{8}$ -inch Bore, Cast Iron.
T1859	2.50	Box for Roller Bearing.
T1860	1.50	Cap for 1869.
T1861	5.00	Friction Flange with Brace.
T1862	2.75	Thirteen Tooth Sprocket with 1861.
T1863	4.00	Sixteen Tooth Sprocket with 1261 (see 1881).
T1864	.50	Spring Supporting Block.
T1865	3.50	Seven Tooth Sprocket, $2\frac{3}{8}$ -inch Bore.

T1866	17.50	Front Steering Wheel.
T1867	2.50	Pivot Box.
T1868	2.00	Cap for 1867.
T1869	2.50	Twenty Tooth Sprocket, 2 $\frac{3}{8}$ -inch Bore.
T1870	1.25	Seven Tooth Sprocket, 1 $\frac{7}{8}$ -inch Bore.
T1871	1.00	Cap used on Bracket 1226.
T1872	2.50	Guide Rollers for Track.
T1873	.75	Journal for Guide Roller.
T1874	3.00	Twenty-eight Tooth Sprocket, S. M. Chain for Chain Tightener.
T1875	4.00	Turn Bracket for Wheel.
T1876	2.00	Elevator Head.
T1877	1.00	Solid Box for Elevator Head.
T1878	1.50	Box. Use Cap No. 63.
T1879	.50	Clamp for Tightener.
T1880	.50	Cap for 1779.
T1881	3.00	Seventeen Tooth Sprocket. Used with 1862.
T1882	1.00	Eighteen Tooth Rack for Steering Wheel.
T1883	1.50	Ten Tooth Sprocket, drives Header Wheel, Bore 1 $\frac{1}{4}$ -inch Pipe.
T1884	1.50	Box for 1 $\frac{1}{4}$ -inch Pipe.
T1885	1.00	Cap for 1884.
T1886	5.00	Nine Tooth Sprocket, .88 Chain, 1 $\frac{1}{8}$ -inch Bore.
T1887	3.00	Thirty Tooth Sprocket, S. M. Chain, 1 $\frac{1}{8}$ -inch Bore.
T1888	3.50	Thirty-four Tooth Sprocket, S. M. Chain, bolts to 1887.
T1889	5.50	Thirteen Tooth Sprocket, 103 Chain in place of X817.
T1890	4.00	Ten Tooth Sprocket, 78 Chain, Knuckle Comb.
T1891	3.00	Solid Box for 1 $\frac{7}{8}$ -inch Shaft.
T1892	1.50	Ten Tooth Sprocket, 44 Chain, 1 $\frac{1}{8}$ -inch Bore.
T1893	2.50	Eight Tooth Sprocket, 075 Chain, 1 $\frac{3}{8}$ -inch Bore, Oregon Special.
T1894	22.50	24-inch Har. Hub, 2 $\frac{7}{8}$ -inch Bore.
T1895	1.50	Steady Box for 1 $\frac{1}{2}$ -inch Cylinder Shaft.
T1896	5.00	Bracket for Self-Propelled Harvester.
T1897	5.00	Twelve Tooth Sprocket, 103 Chain, 1 $\frac{1}{8}$ -inch Bore.
T1898	1.25	$\frac{1}{2}$ Box for 1 $\frac{7}{8}$ -inch Shaft, bolts to Sprocket, No. 1902.
T1899	6.25	Ten Tooth Sprocket, same as X954 with Reverse Clutch.
T1900	5.00	Clutch Hub.
T1901	1.00	Collar, 1 $\frac{1}{2}$ -inch Shaft.
T1902	2.25	Fourteen Tooth Sprocket, 62 Chain, 1 $\frac{7}{8}$ -inch Bore.



T1903	1.75	Pivot Cylinder Box, Babbitted for $1\frac{1}{8}$ -inch Shaft.
T1904	1.50	Cap for 1903.
T1905	1.25	Box for $1\frac{7}{8}$ -inch Shaft.
T1906	1.00	Cap for 1905.
T1907	.75	Draper Roll End.
T1908	2.50	Fifteen Tooth Sprocket, 62 Chain, $1\frac{1}{8}$ -inch Bore.
T1909	2.50	Fifteen Tooth Sprocket, 62 Chain, $1\frac{3}{8}$ -inch Bore.
T1910	2.75	Seventeen Tooth Sprocket, 62 Chain, $1\frac{3}{8}$ -inch Bore.
T1911	1.50	Collar for $3\frac{3}{8}$ -inch Shaft, Self-Propelled.
T1912	25.00	6-in. x 24-in. Wheel.
T1913	2.25	Fourteen Tooth Sprocket, 62 Chain, $1\frac{7}{8}$ -inch Bore.
T1914	6.50	Six Tooth Sprocket, 118 Chain, Spec., $2\frac{3}{8}$ -inch Bore.
T1915	3.00	Box, $3\frac{7}{8}$ -in. x 6-in.
T1916	4.00	Cap for 1915.
T1917	1.45	Sixteen Tooth Segment of 96 Tooth Internal Gear.
T1918	3.00	Thirteen Tooth Spur Pinion, used with 1917, $1\frac{7}{8}$ -inch Bore.
T1919	3.50	Sixteen Tooth Sprocket, 62 Chain, $1\frac{3}{8}$ -inch Bore.
T1920	2.50	Fifteen Tooth Sprocket, 62 Chain, $1\frac{1}{8}$ -inch Bore.
T1921	10.00	Front Wheel Hub, 4 inches larger in Barrel than N. M.
T1922	6.00	Twenty-six Tooth Sprocket, S. M. Chain, $1\frac{7}{8}$ -inch Bore.
T1923	5.00	Combination Sprockets, 22 Tooth, 52 Chain, and 8 Tooth, 075 Chain.
T1924	1.75	Twelve Tooth Sprocket, Face, 52 Chain, $\frac{1}{8}$ -inch Bore.
T1925	1.00	Star Box, $1\frac{1}{8}$ -inch Bore.
T1926	10.00	Four Box Bracket for Holley Harvester.
T1927	1.00	Cap for 1926.
T1928	2.25	Twenty-one Tooth Bevel Gear, $1\frac{7}{8}$ -inch Bore.
T1929	2.50	Twenty-seven Tooth Bevel Gear, $1\frac{7}{8}$ -inch Bore.
T1930	3.50	Two Box Bracket for Gears 1928 and 1929, use Cap 1844.
T1931	1.50	Channel Iron Bracket.
T1932	1.00	One Box Bracket, use Cap 1844.
T1933	2.75	Eighteen Tooth Sprocket, 44 Chain, $1\frac{3}{8}$ -inch Bore.

T1934	2.50	Fifteen Tooth Face Sprocket, 62 Chain, $1\frac{3}{8}$ -inch Bore.
T1935	2.50	Fourteen Tooth Sprocket, 072 Chain, $1\frac{7}{8}$ -inch Bore.
T1936	1.25	Plate over Cylinder Box.
T1937	1.75	Twelve Tooth Sprocket, 072 Chain, $1\frac{7}{8}$ -inch Bore.
T1938	1.00	$1\frac{7}{8}$ -in. x $4\frac{1}{2}$ -in. Box.
T1939	1.25	Cap for 1938.
T1940	1.50	Box and Bracket for $1\frac{3}{8}$ -inch Shaft, 50-inch Sep.
T1941	1.00	Cap for 1940.
T1942	7.00	Double Box, $2\frac{1}{8}$ -inch Shaft, 50-inch Sep.
T1943	4.00	Cap for 1942.
T1944	4.00	Single Box, $2\frac{1}{8}$ -inch Shaft, 50-inch Sep.
T1945	2.50	Cap for 1944.
T1946	1.75	Straw Carrier Box, $1\frac{1}{8}$ -inch Shaft, 50-inch Sep.
T1947	1.75	Straw Carrier Box, $1\frac{1}{8}$ -inch Shaft, 50-inch Sep.
T1948	3.25	Sprocket, 8 Tooth, 075 Chain, $1\frac{1}{8}$ inches.
T1949	1.50	Sprocket, 8 Tooth, 44 Chain, $1\frac{1}{8}$ inches.
T1950	1.00	Sprocket, 8 Tooth, J. F., $1\frac{1}{8}$ inches.
T1951	1.75	Beater Arm, $1\frac{5}{8}$ inches, 50-inch Sep.
T1952	7.50	Back Concave, 50-inch Sep.
T1953	.75	Split Collar, $2\frac{1}{8}$ inches, 50-inch Sep.
T1954	25.00	Main Wheel Hub, $2\frac{1}{8}$ inches, 50-inch Sep.
T1955	2.25	Header Axle Box, Outside, 50-inch Sep.
T1956	1.75	Header Axle Box, Inside, 50-inch Sep.
T1957	15.00	Bevel Gear, 35 Tooth, $1\frac{1}{8}$ inches, 50-inch Sep.
T1958	8.50	Pinion, 21 Tooth, $1\frac{1}{8}$ inches, 50-inch Sep.
T1959	6.00	Sprocket, 26 Tooth, 62 Chain, $1\frac{5}{8}$ inches.
T1960	2.00	Sprocket, 18 Tooth, 62 Chain, Bolts to 1959.
T1961	5.25	Crank Sprocket, 24 Tooth, 52 Chain, $1\frac{5}{8}$ inches.
T1962	6.00	Sprocket, 34 Tooth, S. M. Chain, $1\frac{5}{8}$ inches.
T1963	12.00	Rear Bracket for Bevel Gear, 50-inch Sep.
T1964	2.50	Cap for 1963.
T1965	7.00	Front Bracket for Bevel Gear.
T1966	3.00	Cap for 1965.
T1967	1.50	Crank Disc, $1\frac{5}{8}$ -inch Bore.
T1968	2.25	Sprocket, 13 Tooth, 62 Chain, $1\frac{1}{8}$ inches.
T1969	3.00	Sprocket Face, 18 Tooth, 62 Chain, $1\frac{5}{8}$ inches.
T1970	7.50	Female Friction Inner Disc.
T1971	2.50	Female Friction Outer Disc.
T1972	4.00	Male Friction.
T1973	4.00	Clutch, $3\frac{3}{4}$ -inch Bore.
T1974	7.00	Clutch Shifter.



T1975	7.50	Balance Wheel, 15½-inch Dia., 1 $\frac{5}{8}$ -inch Bore.
T1976	4.50	Sprocket, 16 Tooth, 075 Chain, 1 $\frac{1}{8}$ inches.
T1977	4.00	Ring Pulley for Fan on Motors.
T1978	3.65	20th Sprocket, 1 $\frac{1}{8}$ -inch Bore.
T1979	.20	Collar for 1 $\frac{1}{8}$ -inch Shaft.
T1980	12.50	Hub for 22-inch Tire, 2 $\frac{1}{8}$ -inch Bore.
T1981	2.10	10th Sprocket No. 62 Ch.
T1982	2.10	10th Sprocket No. 62 Ch., 1 $\frac{1}{8}$ -inch Bore.
T1983	6.00	26th Ring Sprocket.
T1984	6.00	30th Sprocket.
T1985	6.00	16th Sprocket Double Clutch D75 Ch.
T1986	14.25	Female Friction Inner Disc.
T1988	5.75	Box for Roller Bearings 2 $\frac{3}{8}$ -inch Shaft.
T1989	2.15	Collar 2 $\frac{3}{8}$ -inch Bore.
T1990	5.25	Double Track Rollers.
T1991	1.75	10th Sprocket 1 $\frac{1}{8}$ -inch Bore.
T1992	4.85	30th Sprocket with Clutch 1 $\frac{1}{8}$ -inch Bore.
T1993	...	Obsolete.
T1994	17.75	18 Spoke Hub 2 $\frac{1}{8}$ -inch Bore.
T1995	1.10	Cleaner Shake Disc.
T1997	1.70	10th Sprocket No. 52 Ch. Double Sprocket 1 $\frac{1}{8}$ -inch Bore.
T1998	5.75	3 Box Bracket.
T2000	2.25	One Box Bracket.
T2001	1.55	Cap for 2000.
T2002	1.25	6th Sprocket No. 62 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2003	5.75	Intermediate Truck Collar Without Flange.
T2004	7.00	7th Sprocket No. 118 Special Chain.
T2005	1.95	Truck Rollers.
T2006	2.90	Bracket for 2005.
T2007	12.25	¾-inch Round Spoke Hub 2 $\frac{3}{8}$ inches.
T2008	3.25	Box for 3 $\frac{1}{8}$ -inch Journal.
T2009	2.50	12th Sprocket, 3¾-inch Bore.
T2010	6.00	7th Sprocket No. 118 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2011	6.00	28th Face Sprocket No. 62 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2012	8.00	36th Internal Gear.
T2013	3.90	26th Sprocket, 2 $\frac{7}{8}$ -inch Bore.
T2014	1.70	10th Double Sprocket No. 52 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2015	12.00	26th Sprocket No. 88 Ch. 1 $\frac{7}{8}$ -inch Bore.
T2016	4.50	34th Sprocket No. 52 Ch. 2 $\frac{3}{8}$ -inch Bore.
T2018	6.00	14th Sprocket No. 103 Ch.
T2019	1.10	Trunnion Box for Gudgeon 2 $\frac{3}{8}$ -inch Bore.
T2020	1.20	Half of Trunnion Box 2019.
T2021	4.35	22th Pinion.
T2022	.15	Top Guard for Sickle.
T2023	1.25	8th Sprocket No. 62 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2024	2.50	16th Sprocket S. M. C 1 $\frac{1}{8}$ -inch Bore.
T2025	1.65	Tightener Pulley 2½-in. x 5-in.

T2026	5.75	Tightener Pulley 8-inch Face, 2 $\frac{7}{8}$ -inch Bore.
T2027	1.00	Shaker Arm.
T2028	2.85	15th Ring Sprocket 5-inch Bore.
T2029	2.80	Box.
T2030	6.00	Friction Flange with Barrel.
T2031	4.00	32th Sprocket.
T2032	2.25	C. I. Head for Elevators.
T2033	3.05	Cap for 2032.
T2034	1.10	Bottom and Elevator Support.
T2035	1.65	Chaff Elevator Elbow.
T2036	12.50	Front Wheel Hub.
T2037	5.75	Front Wheel Box.
T2038	1.80	Box 1 $\frac{1}{8}$ -in. x 6-in.
T2039	1.55	Cap for 2038.
T2040	.75	Chain Sheave for Raise and Lower Screens.
T2041	1.45	Sliding Box Frame for Draper Roller.
T2042	5.00	9th Clutch Sprocket No. 101 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2043	1.50	Hinge for Weight Lever on Header.
T2044	1.95	Hinge for Weight Lever on Header.
T2045	2.80	Rear Hingle on Harvester for Header Frame.
T2047	.25	Right Hand Header Weight for Stirrup.
T2048	.25	Left Hand Weight for Stirrup Header Weight.
T2049	2.45	Cylinder Box for 1 $\frac{1}{8}$ -inch Shaft Babbitt.
T2050	1.55	Cap for 2049, 1 $\frac{1}{8}$ inches.
T2051	.80	Box $\frac{1}{8}$ -inch Shaft Supports Out End Feeder Shaft.
T2052	2.15	Box 2 $\frac{3}{16}$ -inch Shaft.
T2053	1.85	Cap for 2052.
T2054	3.85	Box 3 $\frac{3}{16}$ -inch Shaft.
T2055	2.90	Cap for 2054.
T2056	1.50	8th Sprocket No. 62 Ch. 1 $\frac{5}{16}$ -inch Bore.
T2057	1.35	Header Axle Clamp.
T2058	1.35	Header Clamp for Inner End of Header.
T2059	2.50	Hinge, Cast Iron.
T2059	3.50	Hinge, Steel.
T2060	.20	Washer.
T2061	2.55	Blank Wheel for Sickle Shaft.
T2062	1.05	Box and Bracket, Sickle Countershaft.
T2063	.85	Cap for 2062.
T2064	1.35	12th Clutch Sprocket on Sickle Disc Countershaft.
T2065	2.30	12th Clutch Sprocket on Sickle Disc Countershaft.
T2066	2.25	12th Clutch Sprocket No. 52 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2067	1.75	12th Clutch Sprocket Sickle Disc Countershaft.



T2068	2.40	12th Clutch Sprocket Sickle Disc Counter-shaft.
T2069	2.55	Sickle Disc Shaft $1\frac{3}{8}$ -inch Bore, $1\frac{5}{8}$ -inch Pin.
T2070	2.00	Back Beater Heads $1\frac{5}{8}$ -inch Bore.
T2071	1.95	Auger Box End.
T2072	10.25	Bracket.
T2073	4.05	Worm Gear Cover.
T2074	2.35	Worm Gear Cover.
T2075	4.50	Worm Gear 32th $1\frac{1}{8}$ inches.
T2076	2.75	Worm Single Thread R. H. $1\frac{3}{8}$ inches.
T2077	1.10	Cap for Pinion Shaft.
T2078	1.55	Cap for Pinion Shaft.
T2079	1.80	Box and Bracket, $1\frac{5}{8}$ -inch Shaft.
T2080	1.20	Cap for 2079.
T2081	3.50	36th Sprocket No. 52 Ch. $1\frac{5}{8}$ -inch Bore.
T2082	16.50	Hub for Large Std. Har.
T2083	3.25	19th Sprocket, $1\frac{5}{8}$ -inch Bore.
T2084	.90	Segment.
T2085	1.35	Cap for Header Axle.
T2086	17.50	80th Internal Gear $2\frac{3}{8}$ inches.
T2087	1.50	9th Sprocket $1\frac{5}{8}$ -inch Bore.
T2088	1.50	Bracket for Header Socket Block.
T2089	3.05	Bracket for Header Socket Block $1\frac{1}{8}$ inches.
T2090	25.00	14th Track Sprocket, $3\frac{3}{8}$ -inch Bore.
T2091	20.00	Blank Sprocket, $3\frac{3}{8}$ -inch Bore.
T2092	4.00	Box Bottom for $3\frac{3}{8}$ -inch.
T2093	3.00	Box Cap for $3\frac{3}{8}$ -inch.
T2094	8.00	16-inch Idler.
T2095	25.00	(Steel) 13th Sprocket $1\frac{1}{8}$ -inch Pin Chain $3\frac{3}{8}$ inches.
T2095	10.00	(Iron) 13th Sprocket $1\frac{1}{8}$ -inch Pin Chain $3\frac{3}{8}$ inches.
T2096	12.25	14th Sprocket $7\frac{1}{2}$ Track Chain $2\frac{1}{8}$ inches.
T2097	12.00	6th Sprocket $1\frac{1}{8}$ -inch Pin Chain $2\frac{1}{8}$ inches.
T2099	.90	Crank for Cleaner Shake.
T2101	1.50	Beater Head.
T2102	1.75	Beater Head 9-inch Outside Diam. $1\frac{1}{8}$ -inch.
T2103	2.50	Beater Head for Top Feeder $1\frac{1}{8}$ -inch.
T2104	3.45	Knuckle.
T2105	2.45	Knuckle, Square Hole.
T2106	.65	Knuckle, Block.
T2107	3.90	Header Hinge.
T2108	7.50	13th Pinion Bore $1\frac{3}{8}$ -inch Face 3-inch.
T2109	1.60	Cap for Gear Case $1\frac{1}{8}$ -inch.
T2110	2.45	Box for Gear Case $1\frac{1}{8}$ -inch.
T2111	8.50	Truck Wheel $1\frac{1}{8}$ -inch, 25-inch Diam.
T2112	2.50	Main Wheel Box $3\frac{5}{8}$ -inch.
T2113	2.20	Grain Wheel Cap $2\frac{1}{8}$ -inch Shaft.
T2114	4.40	Double Sprocket.

T2115	1.70	9th Sprocket.
T2116	2.70	Cap for 2117 2 $\frac{3}{8}$ -inch Shaft.
T2117	3.15	Box for 2 $\frac{3}{8}$ -inch Header Countershaft.
T2118	9.00	Hub 1 $\frac{1}{2}$ -inch Bore.
T2119	.60	Sickle Bar Bracket.
T2120	.25	Sheave for Straw Dump Rope. Same as No. 120 and Header Drum Tightener Weight.
T2121	3.50	Seventeen Tooth Pinion, 1 $\frac{1}{2}$ Bore, Cylinder Shaft. Large and Small Gear Standard, 1910 to 1913. Junior and Senior, 1907 to 1913. Holt Holley, 1911 to 1913.
T2122	17.50	Ninety-two Tooth Internal Gear, 1 $\frac{1}{2}$ , Cylinder Counter Shaft. Junior, 1911 to 1913; Senior, 1907 to 1913; Baby Holt Special, Holt Holley, 1911 to 1913.
T2123	5.00	Roller Bearing Box, Top and Bottom only, 1 $\frac{1}{2}$ , Both Sides, Senior, 1907 and 1908; Large and Small Gear Standard, 1910 to 1913.
T2124	3.00	Twenty-seven Tooth Rack, Leveling Device. Same as No. 723. Baby Holt Special, 1909 and 1911 to 1913; Holt Holley, 1909 and 1911 to 1913; Junior and Senior, 1907 to 1913.
T2125	.50	Separator Shoe Hanger, Both Sides. Same as No. 1288, Baby Holt Special. Holt Holley, Junior and Senior, 1907 to 1913; Large and Small Gear Standard, 1910 to 1913.
T2126	1.75	Fan Hub, Same as No. 1.
T2127	1.50	Nine Tooth Sprocket, $\frac{3}{8}$ Bore, 62 Chain. Takes place of No. 467 Top Shaft, Inside, Grain Elevator. Holt Holley, Junior and Senior, 1908.
T2128	2.50	Concave Hanger, Right Hand. Baby Holt Special, 1909 to 1913; Holt Holley, Junior and Senior, 1908 to 1913.
T2129	2.50	Concave Hanger, Left Hand. Baby Holt Special, 1909 to 1913; Junior and Senior, 1908 to 1913.
T2131	2.00	Hitch Shifter, Hitch Chain Guide. Senior, 1908 to 1913.
T2132	.75	Chain Sheave for Hitch Shifter. Senior, 1908 to 1913. Baby Holt Special, 1910 to 1913.
T2133	16.00	Main Wheel Hub, 2 $\frac{7}{8}$ Bore. Senior and Junior, 1909 to 1913; Holt Holley, 1909 to 1913; Baby Holt Special, 1912 and 1913. Grain Wheel Shaft. Junior and Senior, 1909 to 1913.



T2134	16.00	Main Wheel Hub, 2 $\frac{7}{8}$ Bore, 1910 Baby Holt Special; Junior, 1909 to 1913.
T2135	16.00	Main Wheel Hub, 2 $\frac{7}{8}$ Bore, 20-inch Tire, Senior and Junior Gasoline Harvester, 1910.
T2136	5.75	2 $\frac{7}{8}$ -inch Box.
T2137	1.50	Cap for 2136.
T2138	2.75	Right Hand Concave Hanger.
T2139	1.60	Left Hand Concave Hanger.
T2140	.40	Lug for Concave Hanger.
T2141	1.00	Star Box $1\frac{1}{8}$ -inch Shaft.
T2142	.80	Cleaner Shake, Single.
T2143	16.00	Hub.
T2144	1.05	Bearing for Sickie Countershaft 1 $\frac{5}{8}$ -inch Bore.
T2145	.85	Cap for 2144.
T2146	3.70	Header Sprocket 72 $\frac{1}{2}$ -inch Ch.
T2147	10.75	Fric. Clutch Sprocket 72 $\frac{1}{2}$ -inch Ch.
T2148	1.50	8th Sprocket No. 62 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2149	2.45	10th Clutch Sprocket No. 117 Ch.
T2150	1.50	8th Sprocket Inside Elevator.
T2151	11.75	Header Truck Wheel with Tire 21 $\frac{1}{2}$ -inch Diam.
T2152	21.00	Midget Trans. Case 3 speed.
T2153	6.75	Midget Trans. Case 3 speed.
T2154	15.50	Cut Gear Transmission.
T2155	5.25	Trans. Change Speed Gear.
T2156	9.75	Trans. Change Speed Gear.
T2157	8.50	Trans. Change Speed Gear.
T2158	6.50	Trans. 2 Speed and Reverse.
T2159	7.50	Harvester Trans. Gear.
T2160	7.50	10th Sprocket No. 117 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2161	4.75	Clutch Used with 2160.
T2162	2.75	Bracket for Outside Box Main Countershaft.
T2163	3.80	C. I. Sprocket 30 H. P.
T2164	3.50	C. I. Sprocket 45 H. P.
T2165	3.15	C. I. Sprocket 18 H. P.
T2166	1.25	Shifting Fork for Sprocket.
T2167	7.00	11th Sprocket Clutch No. 117 Ch.
T2168	3.45	Clutch Main Counter 2 $\frac{3}{8}$ -inch Bore.
T2169	2.15	Transmission Shifting Lever.
T2170	2.15	Transmission Shifting Lever.
T2171	2.30	Transmission Bearing Cap.
T2172	2.65	Transmission Bearing Cap.
T2173	2.40	Transmission Bearing Cap.
T2174	6.00	Fan Driving Ring.
T2175	5.25	Transmission 3 Jaw Clutch.
T2176	2.75	Cleaner Shake Disc.
T2177	1.25	Cat. Harvester Gear Shifting Levers.

T2178	2.60	Cat. Harvester Gear Shifting Levers.
T2179	1.35	Cat. Harvester Gear Shifting Levers.
T2180	15.00	34th Sprocket 101 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2183	2.15	21th Idler Sprocket $\frac{7}{8}$ -inch Bore.
T2184	2.50	24th Ring Sprocket 52 Ch.
T2185	3.85	16th Sprocket 1 $\frac{1}{8}$ -inch Bore.
T2186	3.00	20th Sprocket 62 Ch. 1 $\frac{1}{8}$ -inch Bore.
T2187	6.00	30th Sprocket 1 $\frac{1}{8}$ -inch Bore.
T2188	5.75	26th Sprocket 1 $\frac{5}{8}$ -inch Bore.
T2189	2.20	Socket for Header Wheel Shaft Outside.
T2190	.50	Socket for Header Wheel Shaft Inside.
T2191	1.45	Box 1 $\frac{1}{8}$ -inch Shaft 3 $\frac{5}{8}$ -inch long.
T2192	1.25	Cap T2191.
T2193	7.25	Bracket and Box for Motor.
T2194	1.80	Cap for T2193.
T2195	3.95	Box for Header Wheel Shaft 1 $\frac{1}{8}$ -inch Not Bored.
T2196	3.05	25th Sprocket S. M. Chain 1 $\frac{1}{8}$ -inch Bore.
T2197	1.05	5th Jack Feeder Sprocket 1 $\frac{1}{8}$ -inch Bore.
T2198	2.10	14th Sprocket S. M. Chain 1 $\frac{1}{8}$ -inch Bore.
T2199	1.85	11th Sprocket Fan Shaft 62 Chain.
T2200	6.75	Ring Sprocket 55th Cyl. Countershaft.
T2201	3.05	Hub. Straw Scatterer.
T2202	3.60	C. S. Bracket Truck.
T2203	3.80	C. S. Bracket Truck.
T2204	5.25	Draper Drum Head Flanged.
T2205	4.45	Draper Drum Head.
T2207	5.00	Box Cap 3 $\frac{7}{8}$ inches.
T2208	6.25	Box Bottom 3 $\frac{7}{8}$ inches.
T2209	5.25	Hand Wheel 2 $\frac{7}{8}$ -inch Bore.
T2210	5.25	Box Cap 3 $\frac{7}{8}$ inches.
T2211	7.25	Box Bottom 3 $\frac{7}{8}$ -inch Truck.
T2212	14.00	Spider 6 Arm.
T2213	2.75	16th Idler Sprocket S. M. Chain.
T2214	1.70	Header Draper Clutch Shifter.
T2215	4.10	28th Sprocket.
T2216	.30	Sickle Head Guide.
T2217	.80	Sickle Head Guide.
T2219	10.25	Blank Sprocket.
T2220	.55	Sliding Collar.
T2221	3.00	Sprocket.
T2222	3.75	19th Sprocket Tire Place 2121.
T2223	3.70	Draper Drum.
T2224	2.05	Draper Drum.
T2227	3.15	Hinge Bracket Header Lifting Device.
T2228	2.20	2 $\frac{1}{2}$ -inch Pipe Truss End.
T2229	3.00	2 $\frac{1}{2}$ -inch Truss Saddle.
T2230	1.30	Header Draper Clutch Shifter.
T2231	2.75	Worm for Leveling Device.



T2232	3.80	18th Sprocket 62 Chain.
T2233	1.05	Cylinder Belt Tightener Box.
T2234	.70	Cylinder Belt Tightener Nut.
T2235	1.00	Cylinder Belt Tightener Bracket.
T2236	1.80	8th Flange Sprocket.
T2237	2.15	Flange Box $1\frac{1}{8}$ -inch Bore.
T2238	....	Obsolete.
T2239	2.05	12th Sprocket 44C $1\frac{1}{8}$ -inch Bore.
T2240	.30	Sickle Bar Guide.
T2241	2.55	20th Sprocket $1\frac{3}{8}$ -inch Bore.
T2242	2.35	12th Sprocket $1\frac{5}{8}$ -inch Bore.
T2248	1.30	Oiler for Chain.
T2249	.90	Cap for Above.
T2250	7.00	F. F. Outer Disc.
T2251	10.00	F. F. Inner Disc.
T2252	7.50	Double Friction Ring.
T2253	10.75	Friction Hub.
T2254	5.75	Friction Hub.
T2255	6.75	Bracket.
T2256	2.30	Cap.
T2257	.40	Socket for Cleaner Screen Shake.
T2258	.40	Socket for Cleaner Screen Shake.
T2259	2.50	Clutch Sprocket.
T2260	9.00	Jaw Clutch Sprocket 44th.
T2261	22.50	Gear Case.
T2262	7.75	Gear Case Cover.
T2263	2.40	Gear Case Cap.
T2264	6.00	Friction Sprocket.
T2265	5.00	Hinge.
T2266	3.90	Sprocket.
T2267	4.50	Sprocket 9th.
T2268	10.75	Double Flange Friction Sprocket.
T2269	30.50	Side Wheel Hub.
T2270	11.00	43th Ring Sprocket.
T2271	.20	Foot Rest.
T2272	1.80	Collar for Swing Frame Hinge.
T2273	11.50	Male Friction Disc.
T2274	6.00	Clutch Shifter Sleeve.
T2275	7.00	Clamp Box.
T2276	5.75	Clamp Box.
T2277	4.40	Bracket for Track Roller.
T2278	2.05	12th Sprocket.
T2279	1.05	End Roller Flange.
T2280	5.75	Double Sprocket 22th and 10th.
T2300	1.50	Collar.
T2301	3.95	8th Clutch Sprocket.
T2302	3.10	6 Jaw Clutch.
T2303	4.50	18th Sprocket for Grain Carrier.
T2304	1.80	6th Sprocket.

T2306	1.00	Dog for Friction Clutch, Steel.
T2308	3.10	Sprocket, 15 Teeth, 1 $\frac{1}{8}$ -inch Bore, 62 Chain.
T2309	9.25	Ring Sprocket, 63 Teeth, 48 $\frac{5}{16}$ ss Chain.
T2310	6.50	Sprocket, 40 Teeth, 62 Chain.
T2311	2.85	Sprocket, 20 Teeth.
T2312	1.70	Sprocket, 10 Teeth.
T2313	2.65	Sprocket, 17 Teeth.
T2314	1.70	Sprocket, 11 Teeth.
T2315	6.00	Clutch Hub on Jack Wheel.
T2316	18.00	Blank Sprocket, Steel.
T2317	17.25	Drive Sprocket, Steel.
T2318	.55	Truss Cap on Track Frame.
T2319	1.05	Front Shaker.
T2320	6.90	Sprocket, 38 Teeth, 1 $\frac{7}{8}$ -inch Bore.
T2321	1.70	Sprocket, 7 Teeth, 1 $\frac{7}{8}$ -inch Bore.
T2323	5.80	Eccentric Upper Strap.
T2324	4.95	Eccentric Lower Strap.
T2325	10.55	Eccentric Inner Disc.
T2330	15.25	Sprocket, 17 Teeth, 2 $\frac{7}{8}$ -inch Bore, Steel.
T2332	3.95	Roller Bearing Box for Cylinder Shaft.
T2335	.80	Shoe Shaker.
T2349	4.65	Sprocket, 8 Teeth.
T2350	1.05	Shaker.
T2351	1.80	Gear Change Bracket.
T2352	4.35	Shifter Strap, Brass.
T2355	8.00	Clutch Drum, 10-inch.
T2356	.90	Gear Change Block.
T2357	4.40	Pivot Box.
T2358	4.95	Fan Hub, Steel.
T2359	39.00	Pulley, Lagged.
T2360	16.25	Internal Gear and Sprocket.
T2361	2.95	Sprocket, 26 Teeth.
T2363	11.25	Clutch Drum, 15-inch.
T2367	4.30	Sprocket, 8 Teeth, 103 Chain.
T2368	2.80	Truss Pipe Base.
T2370	.25	Rear Shoe Hanger Box.
T2371	17.75	Side Wheel Hub.
T2372	6.75	Sprocket, 38 Teeth.
T2373	3.30	Sprocket, 22 Teeth, 1 $\frac{7}{8}$ -inch Bore.
T2374	.50	Angle Washer for Side Wheel Sprocket.
T2375	9.00	Ring Sprocket for Side Wheel.
T2376	4.60	Swing Frame Bearing, Steel.
T2377	2.25	Sprocket, 18 Teeth, 1 $\frac{1}{4}$ -inch Bore.
T2378	2.60	Sprocket, 18 Teeth, 1 $\frac{1}{4}$ -inch Bore.
T2379	2.05	Jaw Clutch.
T2381	4.70	Sprocket, 34 Teeth.
T2383	5.75	Sprocket, 18 Teeth.
T2384	9.50	Concave, 41-inch Back.
T2385	7.75	Concave, 41-inch Back.



T2386	8.50	Sprocket, 1 $\frac{1}{8}$ -inch Bore.
T2388	3.90	Sprocket, 1 $\frac{1}{8}$ -inch Bore.
T2389	3.90	Sprocket, 1 $\frac{1}{8}$ -inch Bore.
T2390	9.75	Sprocket, 1 $\frac{1}{8}$ -inch Bore.
T2391	4.95	Sprocket, 26 Teeth, 2 $\frac{1}{8}$ -inch Bore.
T2392	1.95	Box for Grain Drag Shaft.
T2393	.75	Sprocket, 1 $\frac{3}{8}$ -inch Bore.
T2394	4.90	Flanged Pulley, Lagged.
T2395	6.25	Flanged Pulley, Lagged.
T2396	4.25	Sprocket, 8 Teeth.
T2397	2.20	Sprocket, 9 Teeth. Replaces T2382.
T2409	1.15	Wrist Pin Plate.
T2430	13.00	Flanged Gear, 76 Teeth, 1 $\frac{1}{8}$ -inch Bore, 2 $\frac{3}{4}$ -inch Face.
T2452	4.00	Sprocket, 17 Teeth.
T2453	.20	Wind Board Adjusting Segment.
T2458	1.80	Pulley for Drag Tightener.
U	....	Obsolete.
V	1.00	Flange Box, 1 $\frac{1}{8}$ , for lower end of Straw Carrier, both sides, Senior to 1905, Standard to 1909.
W	1.25	Box, 1 $\frac{1}{8}$ , Cleaner Fan Shaft, 1888, and Cleaner Pitman Shaft, 1889 to 1909; Standard Harvester.
XO	.75	Segment for Concave Lever, 1889 to 1909; Harvester.
X	....	Obsolete.
X17A	2.50	Twenty Tooth Sprocket, 52 Chain, 1 $\frac{3}{8}$ Shaft, Front Beater Shaft, Grain Side, drives Separator Fan; Main Side drives Grain Elevator, Picker, Agitator, Straw Carrier and Cheat Auger; Large and Small Gear Standard, 1910 to 1913.
X23	3.50	Box Plate for Box Bottom No. X24, Both Sides, 1910 and 1911, Large and Small Gear, Standard, 1912 and 1913, Left Hand only.
X24	4.00	Box Bottom, 2 $\frac{1}{8}$ Shaft, Main Wheel Shaft, Large and Small Gear Standard, Both Sides, 1910 and 1911, Left Hand only, 1912 and 1913.
X25	4.00	Box Cap for No. X24 Box Bottom.
X26	1.75	Plate under Timber, Both Sides, for Box Bottom No. X24; Large and Small Gear Standard, 1910 and 1911; Left Hand, 1912, 1913.
X48	1.00	Box Bottom, 1 $\frac{3}{8}$ Shaft, Front and Back, Beater, Both Sides; Grain Carrier Shaft, Both Sides; Large and Small Gear Standard, 1910 to 1913.
X49	.75	Box Cap X48.

X56	1.00	Star Box, $1\frac{3}{8}$ Shaft, Straw Carrier Beater Shaft, Both Sides; Large and Small Gear Standard, 1910.
X76	10.00	Hub, Header Wheel, $1\frac{1}{2}$ , Large and Small Gear Standard, 1910 to 1913.
X79	1.75	Square Hinge for Angle Lever Header Balance Levers; Large and Small Gear Standard, 1910 to 1913.
X84	1.00	Box Bottom, Back, $1\frac{3}{8}$ Shaft, Header Bevel Pinion Shaft. Large and Small Standard, 1910 to 1913.
X85	1.00	Box Cap, for No. X84 Box Bottom.
X86	1.75	Fan Hub, $1\frac{1}{4}$ -in. Bore, Separator Fan.
X87	1.25	End Reel Hub, Eight Arm, 1908 to 1913; all Harvesters except Steam.
X88	1.25	Center Reel Hub, Eight Arm, 1908 to 1913; all Harvesters except Steam.
X97	2.00	Square Clutch Sprocket, 15 Teeth, 52 Chain, Header Bevel Pinion Shaft, $1\frac{3}{8}$ , drives Side Shaft, Large and Small Gear Standard, 1910 to 1913.
X102	1.75	Sprocket, 12 Tooth, 52 Chain, $\frac{7}{8}$ -in. Bore; Top Beater Shaft; Large and Small Gear; Standard, 1910 to 1913. Drives Draper Drum. Baby Holt Special, 1909 to 1913; Holt Holley, Junior and Senior, 1909 to 1913; Large and Small Gear Standard, 1910 to 1913.
X110	2.50	Pulley, flanged, lagged, $1\frac{3}{8}$ Bore, $2\frac{1}{2}$ x6, Grain Carrier Shaft; Large and Small Gear Standard, 1910 to 1913.
X120	1.00	Collar, 2-inch Bore, $1\frac{1}{2}$ Wide.
X121	1.00	Collar, $1\frac{3}{8}$ Bore, Header Bevel Pinion Shaft; Large and Small Gear Standard, 1910 to 1913.
X123	1.25	Collar, $2\frac{7}{8}$ Bore, Main Countershaft; Large and Small Gear Standard, 1910 to 1913.
X148	2.25	Box Bottom, $1\frac{1}{2}$ -inch Shaft, Cylinder Countershaft. Standard Gas Harvester, 1911-13.
X149	2.25	Cap for Box X148.
X163B	7.00	Front Concave, 24 inches long, Junior and Holt Holley, 1908 to 1913; Baby Holt Special, 1911, without Teeth.
X164B	5.50	Middle Concave, 24 inches long, Holt Holley and Junior Side Hill, 1908 to 1913, Baby Holt Special, 1911, without Teeth.
X164BB	4.75	Blank Concave, 24 inches long, Holt Holley and Junior Side Hill, 1908 to 1913, Baby Holt Special, 1911.



X165B	5.00	Back Concave, 24 inches long, Holt Holley and Junior Side Hill, 1908 to 1913, Baby Holt Special, 1911.
X175	1.00	Box Bottom, Back, $1\frac{1}{8}$ Shaft, Sickle Disc Shaft, Large and Small Gear Standard, 1910 to 1913.
X176	1.00	Box Cap for No. X175 Bottom.
X181	.50	Segment in Front of Cylinder. Large and Small Gear Standard, 1910 to 1913.
X181½	.50	Segment in Front of Cylinder. Large and Small Gear Standard, 1910 to 1913.
X182	.50	Segment in Front of Cylinder. Large and Small Gear Standard, 1910 to 1913.
X182½	.50	Segment in Front of Cylinder. Large and Small Gear Standard, 1910 to 1913.
X184	.20	Sickle Button. Large and Small Gear Standard, 1910 to 1913.
X188	.30	Sickle Head Guide, Top. Large and Small Gear Standard, 1910 to 1913.
X189	2.75	Sickle Head Guide, Bottom. Large and Small Gear Standard, 1910 to 1913.
X197	2.50	Square Clutch Sprocket, 17 Teeth, 52 Chain, Header Bevel Pinion Shaft, $1\frac{3}{8}$ . drives Sickle Shaft, Large and Small Gear Standard, 1910 to 1913.
X198	1.75	Sprocket, 13 Teeth, 52 Chain, Sickle Disc Shaft, $1\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X199	2.75	Sprocket, 22 Teeth, 52 Chain, $1\frac{1}{2}$ Bore, Cleaner Grain Auger, Large and Small Gear Standard, 1910 to 1913.
X219	1.00	Grain Carrier Roller, $2\frac{1}{4} \times 2\frac{1}{2}$ , Large and Small Gear Standard, 1910 to 1913.
X224	.50	Tightener Box, Draper Roller, Large and Small Gear Standard, 1910 to 1913.
X225	1.00	Bracket for Dividing Board. Large and Small Gear Standard, 1910 to 1913.
X226	.80	Plate for Tightener Box No. X224.
X311A	7.00	End Cylinder Head 10 Bar, Cylinder Shaft, $1\frac{1}{8}$ , Large and Small Standard, 1910 to 1913.
X311B	7.00	End Cylinder Head, $1\frac{1}{8}$ -inch Bore. 10 Bar Standard Gas Harvester, 1911-13.
X312A	7.00	Center Cylinder Head, 10 Bar, Cylinder Shaft, $1\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X312B	7.00	Center Cylinder Head, $1\frac{1}{8}$ -inch Bore. 10 Bar Standard Gas Harvester, 1911-13.
X330	3.25	Crank Sprocket, 12 Teeth, 62 Chain, $1\frac{3}{8}$ Shaft, Front Beater Shaft, Main Side. Large and Small Gear Standard, 1911 to 1913.

X330A	3.25	Crank Sprocket, 12 Teeth, 62 Chain, $1\frac{3}{8}$ -inch Shaft, Front Beater Shaft, Main Side. Large and Small Gear Standard, 1910.
X386A	6.00	Bevel Gear, 49 Teeth, $2\frac{1}{2}$ Face, $1\frac{7}{8}$ Shaft. Header Gear Shaft. Large and Small Gear Standard, 1910 to 1913.
X387A	2.75	Bevel Pinion, 17 Teeth, $2\frac{1}{2}$ Face, Header Pinion Shaft, $1\frac{3}{8}$ . Large and Small Gear Standard, 1910 to 1913.
X391	1.50	Nine Tooth Sprocket, 52 Chain, $\frac{1}{8}$ Bore, drives Distributing Auger, Left Hand, Holt Holley, 1908; drives Chain, Grain Elevator, Outside, Holt Holley, Junior and Senior, 1908; drives Top Feeder Shaft, Large and Small Gear Standard, 1910 to 1913.
X395	1.75	Sprocket, 12 Tooth, 52 Chain, $1\frac{1}{8}$ Shaft, drives Separator Fan; Large and Small Gear Standard, 1910 to 1913.
X401	.75	Shoe Shake Arm, Right Hand, Shoe Shake Shaft, $1\frac{3}{8}$ , Large and Small Gear Standard, 1910 to 1911.
X402	.75	Shoe Shake Arm, Left Hand, Shoe Shake Shaft, $1\frac{3}{8}$ , Large and Small Gear Standard, 1910 to 1911.
X404	6.00	Bracket Gear, Box, use Cap No. X422, Header Gear Shaft, $1\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X407	1.70	Sprocket, 10 Teeth, 52 Chain, $1\frac{1}{8}$ Bore.
X408	1.75	Twelve Tooth Sprocket, 52 Chain, $\frac{1}{8}$ Bore, drives Grain Elevator Top Shaft; Holt Holley, Junior and Senior, 1908.
X415	3.00	Face Sprocket, 18 Teeth, 62 Chain, $1\frac{3}{8}$ Shaft, drives Grain Carrier Shaft, Grain Side, Large and Small Gear Standard, 1910 to 1913.
X421	1.00	Box Cap for No. X424 Box Bottom.
X422	1.25	Box Cap for No. X404 Gear Bracket Box.
X424	1.00	Box Bottom Back, $1\frac{3}{8}$ Shaft; use Cap No. X421, Header Board Pinion Shaft, Large and Small Gear Standard, 1910 to 1913.
X425	.75	Bracket for Saddle Board, Right Hand. Large and Small Gear Standard, 1910 to 1913.
X426	.75	Bracket for Saddle Board, Left hand. Large and Small Gear Standard, 1910 to 1913.
X429A	2.00	Box Saddle for Roller Bearing Cylinder, Shaft Box No. 2123.
X443	5.00	Blank Concave, 28-inch; Senior Side Hill, 1908; Small Gear Standard, 1910 to 1913.
X444	5.50	Middle Concave, Senior Side Hill, 1908 to 1913; Small Gear Standard, 1910 to 1913.



X444½	5.50	Back Concave, Senior Side Hill, 1908 to 1913; Small Gear Standard, 1910 to 1913.
X445	7.00	Front Concave, Senior Side Hill, 1908 to 1913; Small Gear Standard, 1910 to 1913.
X460	1.00	Lever Segments, Front of Cylinder; Large and Small Gear Standard, 1910 to 1913. Cleaner Screen Adjusting Lever Segment; Junior and Senior, 1901.
X464	1.00	Half Sheave, 1½ Bore, for adjusting Cleaner Screens. Large and Small Gear Standard, 1910 to 1913. Junior and Senior, 1901.
X471	1.50	Box Bottom, Both Sides, Cleaner Fan Shaft, 1½. Large and Small Gear Standard, 1910 to 1913.
X471	1.00	Cap for X471 Box.
X487	1.50	Round Auger Box End, 1½; Holt Holley, Junior and Senior Machines, 1908, only.
X492	2.25	Box Bottom, Front Wheel Shaft, 1½, Both Sides, Large and Small Standard, 1910; Main Side, 1911 to 1913.
X493	2.25	Box Cap for No. X492 Bottom.
X498	1.50	Box Bottom, 1½ Shaft, Header Gear Shaft, Large and Small Gear Standard, 1910 to 1913.
X499	1.50	Box Cap for No. X498 Bottom.
X524	.50	Cap for Shoe Shake Arms No. X401 and X402. Large and Small Gear Standard, 1910 to 1911.
X529	1.75	Hand Wheel Hub, 5 Arm, Baby Holt Special, 1909 to 1913; Holt Holley, Junior and Senior, 1908 to 1913; Large and Small Gear Standard, 1910 to 1913.
X540	.75	Separator Pitman Slide Pin, Large and Small Gear Standard, 1910 to 1913.
X567A	1.25	Collar, 1½ Bore, Both Sides, Cylinder Shaft, Large and Small Gear Standard, 1910 and 1911.
X570	5.25	Blank Concave, 30-inch. Large Gear Standard, 1910 to 1913.
X571	5.75	Center Concave, 30-inch, Large Gear Standard, 1910 to 1913.
X571½	5.75	Back Concave, 30-inch. Large Gear Standard, 1910 to 1913.
X572	7.25	Front Concave, 30-inch, Large Geared Standard, 1910 to 1913.
X587	23.00	Ring Sprocket, 58 Teeth, 114 Chain, Grain Wheel, Large and Small Gear Standard, 1910 to 1913.

X591A	1.50	Crank Casting, bolts to X1063, Cleaner Fan Shaft, drives Cleaner Shakes, Baby Holt Special, Holt Holley, Junior and Senior, 1908 to 1913; Large and Small Gear Standard, 1910 to 1913.
X612	1.25	Chain Tightener Pulley, Flanged, $3\frac{3}{4}$ diameter, $\frac{7}{8}$ Bore; Header Chain. Large and Small Gear Standard, 1910 to 1913; Separator Fan and Feeder Drive Chain Tightener; Baby Holt Special and Holt Holley, 1909 to 1913. Feeder, Sickle Countershaft, Picker, Cleaner Fan, Return Elevator, Divided Straw Carrier, Grain Elevator and Cheat Elevator, Junior and Senior, 1909 to 1913; Junior and Senior, 1901 to 1906; Standard to 1909; Large and Small Gear Standard, 1910 to 1913.
X625	2.50	Sprocket 12 Th. $1\frac{5}{8}$ -inch Bore, 60 Chain.
X635	24.00	Ring Sprocket, 50 Th., 130 Chain.
X639	1.25	Collar, $1\frac{3}{8}$ inches wide, $1\frac{1}{2}$ Bore, Header Countershaft; Junior and Senior, 1908 to 1913; Large and Small Gear Standard, 1910 to 1913.
X642	2.50	Concave Hanger, Grain Side, Large and Small Gear Standard, 1910 to 1913.
X643	2.50	Concave Hanger, Main Side, Large and Small Gear Standard, 1910 to 1913.
X644	1.25	Lug to raise and lower Concave; Both Sides; Baby Holt Special, 1909 to 1913; Holt Holley, Junior, 1908 to 1913; Senior, 1908 to 1913; Standard, 1912, Large and Small Gear Standard, 1910 to 1913.
X649	1.75	Box Bottom Front, $1\frac{1}{8}$ Shaft, Sickle Disc Shaft, Large and Small Gear Standard, 1910 to 1913.
X649½	1.00	Box Cap for X649.
X653	.75	Bracket Pivot Box, Top, Cleaner Shake; Baby Holt Special, 1909 to 1913; Holt Holley, Junior, Senior, 1908 to 1913; Standard to 1913; Large and Small Gear Standard, 1910 to 1913.
X665	35.00	Ninety-nine Tooth Internal Gear, 4-inch Face, Harvester 1047.
X704A	9.50	Sprocket, 50 Teeth, 62 Chain, Header Countershaft, $1\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X706B	22.00	Hub, 22-inch Main Wheel Shaft, $2\frac{7}{8}$ , Large and Small Gear Standard, 1910 to 1913.



X708	2.50	Sprocket, 8 Th., $1\frac{1}{8}$ Bore, 78 Chain, takes place of T216.
X709	1.75	Ring Sprocket, 16 Th., 44 Chain, takes place of T21, bolts to Sprocket X708, Standard, Regular Side Hill and Steam Harvesters.
X716	6.25	Slip Clutch, Main Countershaft, $2\frac{7}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X719	9.00	Pinion, 25 Teeth, $3\frac{1}{2}$ Face, $2\frac{7}{8}$ Bore, drives Main Countershaft, Large and Small Gear Standard, 1910 to 1913.
X720	37.00	Internal Gear, 118 Teeth, $3\frac{1}{2}$ Face, Main Wheel Shaft $2\frac{7}{8}$ , Large and Small Geared Standard, 1910 and 1913.
X735	1.75	Square Clutch Sprocket, 10 Teeth, 62 Chain, $1\frac{3}{8}$ Shaft. Back Beater Shaft, Grain Side. Large and Small Gear Standard, 1910 to 1913.
X736	1.50	Face Sprocket, 10 Teeth, 52 Chain, $\frac{1}{8}$ Shaft, drives Feeder. Large and Small Gear Standard, 1910 to 1913.
X784	1.00	Truss Rod Bracket, for Header Frame, Large and Small Gear Standard, 1910 to 1913.
X786A	6.00	Sprocket, 28 Teeth, 62 Chain, $1\frac{7}{8}$ Shaft, used in place of X786, drives Header Gear Shaft, Large and Small Gear Standard, 1910 to 1913.
X797	1.50	Sprocket, 10 Tooth, 52 Chain, Header Gear Shaft, $1\frac{7}{8}$ , drives Reel. Large and Small Gear Standard, 1910 to 1913.
X800	2.50	Sprocket, 14 Teeth, $1\frac{1}{4}$ -inch Bore, 62 Chain.
X808	3.50	Box Bottom, Main Countershaft, $2\frac{7}{8}$ , Outside and Inside, Large and Small Gear Standard, 1910 to 1912.
X809	3.00	Box Cap for No. X808 Bottom.
X814B	24.00	Internal Gear, 119 Teeth, $2\frac{1}{2}$ Face; Cylinder Countershaft, $1\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X815	2.25	Ten Tooth Ring Sprocket, 103 Chain, bolts to Hub X839, Senior and Junior, 1908 and 1913; interchangeable with X816 or X817, Large and Small Gear Standard, 1910 to 1913.
X816	2.50	Eleven Tooth Ring Sprocket, 103 Chain, bolts to Hub X839, extra; interchangeable with X815 or X817. Large and Small Gear Standard, 1910 to 1913.

X817	2.75	Twelve Tooth Ring Sprocket, 103 Chain, extra; bolts to Hub X839; interchangeable with X815 or X816, Large and Small Gear Standard, 1910 to 1913.
X822	15.00	Slip Clutch Sprocket, 32 Teeth, 103 Chain, Main Countershaft, $2\frac{7}{8}$ , drives Cylinder Countershaft, Large and Small Gear Standard, 1910 to 1913.
X833	1.25	Split Collar, $2\frac{7}{8}$ Bore; Main Wheel Shaft, Large and Small Gear Standard, 1910 to 1913.
X834	10.00	Bracket Box-Leveling Shaft, Babbitted, $1\frac{11}{16}$ -inch Bore.
X834A	10.00	Bracket Box-Top Leveling Shaft, Babbitted, $1\frac{9}{16}$ and $1\frac{3}{8}$ Bore.
X835	3.25	Double Cap and Housing, for Leveling Device, Main Shaft, Babbitted, $1\frac{11}{16}$ -inch Bore.
X838	6.50	Sprocket, 28 Teeth, 62 Chain, Cylinder Countershaft, $1\frac{11}{16}$ , drives Front Beater, Large and Small Gear Standard, 1910 to 1913.
X839	3.50	Clutch Hub, Header Countershaft, takes Sprockets X1058, X992, X993, X815, X816, X817, Junior and Senior, 1908 to 1913; Large and Small Gear Standard, 1910 to 1913.
X846	2.50	Sprocket, 17 Teeth, 52 Chain, $1\frac{3}{8}$ Shaft, Front Beater Shaft, Grain Side, drives Cleaner, Large and Small Standard, 1910 to 1913.
X855	3.00	Box Plate for Box Bottom No. X889 and X992, Header Counter Shaft, Both Sides, Large and Small Gear Standard, 1910 to 1913.
X859	3.00	Box Bottom, $2\frac{7}{8}$ , Main Wheel, Left Hand, Junior and Senior, 1908 only; Left Hand Main and Grain Wheel, Senior, 1908 only; Main and Grain Wheel, Right Hand, Junior, 1908 only.
X860	2.00	Box Cap, $2\frac{7}{8}$ , for X859.
X869	5.00	Clutch, $2\frac{3}{8}$ , for X952 and X953, Main Countershaft, Senior, 1908 to 1913.
X877	3.50	Sixteen Tooth Pinion, $2\frac{1}{2}$ -inch Face, $1\frac{3}{8}$ Bore, Cylinder Shaft 1909 to 1910, Holt Baby Special.
X881	1.50	Box Bottom, takes Cap X471, $1\frac{1}{8}$ Shaft, both sides, Separator Fan Shaft, Large and Small Gear Standard, 1910 to 1913.



X882	6.00	Thirty-four Tooth Sprocket, 62 Chain, 1 $\frac{1}{8}$ Bore, Header Countershaft, drives Header, Junior and Senior, 1908 to 1913, Large and Small Gear Standard, 1910 to 1913.
X883	2.00	Sleeve for Header Chain Tightener, Header Countershaft 1 $\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X889	1.75	Box Bottom, Header Countershaft, Shaft 1 $\frac{1}{8}$ , both sides, Large and Small Gear Standard, 1910 to 1913.
X889	1.75	Box Cap for No. X889 Box Bottom.
X890	4.50	Left Hand Clutch, Header Countershaft, for Hub, X839, Junior and Senior, 1908 to 1913; Large and Small Standard, 1910 to 1913.
X894	1.75	Four Arm, Separator and Cleaner Fan Hub, both sides, 1 $\frac{1}{8}$ , Junior, Senior, Holt Holley and Baby Holt Special, 1908 to 1913; Large and Small Gear Standard, 1910 to 1913.
X895	4.00	Worm Gear, 1 $\frac{1}{8}$ Bore, Leveling Device Main Shaft, Senior, 1912 and 1913.
X897	3.25	Box and Cap, 1 $\frac{1}{8}$ Shaft, Inside Main Countershaft, 1908 only.
X903	15.00	Thirty-four Tooth Sprocket, 1 $\frac{1}{8}$ Bore, 88 Chain, Main Countershaft, drives Cylinder Counter, Holt Holley, Baby Holt Special, 1909 to 1913, and Junior 1908 to 1913.
X907	2.75	Disc with Pin, Sickle Shaft 1 $\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X912	5.00	Six Tooth Clutch, 1 $\frac{1}{8}$ Bore, drives X955.
X919	1.50	Nine Tooth Sprocket, 52 Chain, 1 $\frac{1}{8}$ Bore, Inside Sprocket, Grain Hopper Elevator, Return Elevator, Top, Holt Holley, Junior and Senior, 1908 only.
X920	1.50	Nine Tooth Sprocket, 52 Chain, 1 $\frac{1}{8}$ Bore, Inside Cleaner, Grain Auger and Return Auger, Holt Holley, Junior and Senior, 1908 only.
X928	2.00	Weight, Header Chain Tightener, Large and Small Gear Standard, 1910 to 1913.
X940	1.00	Truss Rod Standard on Inside Main Wheel, Swing Frame, Junior and Senior, 1908 only.
X941	1.50	Bracket Box, 1 $\frac{3}{8}$ , Shoe Shake Shaft, Main Side, Large or Small Gear Standard, 1910 and 1911.
X942	1.50	Bracket Box, 1 $\frac{3}{8}$ , Shoe Shake Shaft, Grain Side, Large or Small Gear Standard, 1910 and 1911.
X948	2.00	Box Cap for No. X948 Bottom.

X948	2.00	Box Bottom, $1\frac{1}{8}$ Bore, Cylinder Countershaft, both sides, Large and Small Gear Standard, 1910 to 1913.
X952	6.25	Ten Tooth Clutch Sprocket, 117 Chain, $2\frac{3}{16}$ Bore, Main Countershaft, takes place of X953, Senior, 1908 to 1913.
X953	6.25	Eleven Tooth Clutch Sprocket, 117 Chain, $2\frac{3}{16}$ Bore, Main Countershaft, takes place of X952, Senior, 1908 to 1913.
X954	6.25	Ten Tooth Clutch Sprocket, 115 or 117 Chain, $1\frac{1}{8}$ Bore, Main Countershaft, takes place of X955, Holt Holley and Baby Holt Special, 1909 to 1913; Junior, 1908 to 1913.
X955	6.25	Eleven Tooth Clutch Sprocket, 115 or 117 Chain, $1\frac{1}{8}$ Bore, Main Countershaft, takes place of X954, Holt Holley, 1908 only, Junior 1908 to 1913; Baby Holt Special, 1909 to 1913.
X957	3.00	Ring Sprocket, 32 Teeth, 52 Chain, Cylinder Countershaft, Large and Small Gear Standard, 1910 to 1913.
X965	1.25	Draper Drum Head, $\frac{1}{8}$ Shaft, Baby Holt Special, 1909 to 1913, Holt Holley, Junior and Senior, 1908 to 1913; Large and Small Gear Standard, 1910 to 1913.
X982	3.25	Twenty-eight Tooth Sprocket, $1\frac{5}{8}$ inches, 52 Chain, Reel Shaft. Large and Small Geared Standards, 1910-13.
X985	1.00	Truss Rod Bracket, Header Brace; Large and Small Gear Standard, 1910 to 1913.
X986	3.50	Box Bottom, $2\frac{7}{8}$ Shaft, Main Wheel, Right Hand. Large and Small Gear Standard, 1912 and 1913.
X987	3.50	Box Cap for X986 Box Bottom.
X988	1.25	Plate used under Timber, Right Hand, Main Wheel Shaft, Large and Small Gear Standard, 1912 and 1913.
X989	3.50	Box Plate for Box Bottom No. X986.
X992	3.75	Ring Sprocket, 12 Tooth, 114 Chain, Bolts to No. 839, interchangeable with X993. Large and Small Gear Standard, 1910 to 1913.
X993	4.00	Ring Sprocket, 13 Teeth, 114 Chain, bolts to No. X839, interchangeable with X992. Header Countershaft. Large and Small Gear Standard, 1910 to 1913.
X994	1.50	Sprocket, 9 Teeth, 62 Chain, Straw Carrier Beater Shaft. Large and Small Gear Standard 1910.



X995	1.25	Split Collar, used in place of No. 833, Grain Wheel Shaft, $2\frac{7}{8}$ . Large and Small Gear Standard, 1910 to 1913.
X1005	2.50	Box Bottom, $2\frac{7}{8}$ Shaft, for X1006, Grain and Main Wheel, Junior and Senior, 1908.
X1006	3.00	Box Cap, $2\frac{7}{8}$ Shaft, for X1005.
X1042	2.75	Box Bottom, Both Sides, Grain Wheel Shaft, $2\frac{7}{8}$ , Large and Small Standard. 1910 to 1913.
X1043	2.75	Box Cap, for No. X1042 Bottom.
X1053	4.50	Babbitted Cylinder Box, takes place Roller Bearing Boxes, Junior Side Hill.
X1054	2.75	Sprocket, 22 Teeth, 52 Chain, Cleaner Cheat Auger, Large and Small Standard, 1910 to 1913.
X1059	2.25	Nine Tooth Ring Sprocket, 103 Chain, Header Countershaft, bolts to Hub X839, Junior and Senior, 1909 to 1913.
X1060	1.50	Double Crank Casting, Cleaner Shake, Large and Small Gear Standard, 1910 to 1912.
X1063	2.50	Nine Tooth Sprocket with Disc, 52 Chain, $1\frac{1}{8}$ Bore, runs Cleaner Fan and drives Cleaner Shake, Holt Holley, 1908 only; Junior and Senior, 1908 to 1911, inclusive, Large and Small Gear Standard, 1910 to 1913.
X1067	1.50	Hinge for Angle Iron on Header Balance Levers, Large and Small Gear Standard, 1910 to 1913.
X1068	1.50	Hinge for Angle Iron on Header Balance Levers, Large and Small Gear Standard, Special, 1909 to 1913.
X1070	1.50	Ten Tooth Sprocket, 52 Chain, $1\frac{1}{8}$ Bore, runs Return Auger, Outside, Junior and Senior, 1908; Large and Small Gear Standard, 1910 and 1911.
X1073	1.25	Shaker Arm Cheat Screen Shake Shaft, $1\frac{1}{8}$ , Large and Small Gear Standard, 1910 to 1913.
X1115	2.50	Ten Tooth Sprocket and Disc, 52 Chain, Shake, takes place of X1063; runs Fan and Shake slower.
X1139	1.75	Eleven Tooth Sprocket, runs Separator Fan place No. 1158, Holt Holley, 1909 to 1911, inclusive.
X1177	1.25	Lever Arm, Lower End of Sack Chute, $1\frac{1}{8}$ Bore for 1-inch Pipe, Large and Small Gear Standard, 1912 and 1913.

X1182	16.00	Hub Grain Wheel, $2\frac{7}{8}$ Bore, Large and Small Gear Standard, 1910 to 1913.
X1187	1.75	Box Bottom, $1\frac{1}{8}$ , Grain Side, Front Wheel Shaft, Large and Small Gear Standard, 1911 to 1913.
X1190	7.00	Twenty-one Tooth Sprocket, $1\frac{1}{8}$ -inch Bore, 88 Chain. Header Countershaft. Standard Gas Harvester 1911-13.
X1191	3.50	Seven Tooth Sprocket, $1\frac{1}{8}$ -inch Bore, 88 Chain. Cylinder Countershaft. Standard Gas Harvester 1911-13.
X1192	3.50	Seventeen Tooth Pinion, $1\frac{1}{8}$ -inch Bore. Cylinder Shaft. Standard Gas Harvester 1911-13.
X1192B	5.25	Steel Pinion, 17 Teeth, $2\frac{7}{8}$ -inch Bore. Cylinder Shaft. Special Argentine Harvester 1912.
X1212	4.50	Box Bottom, $2\frac{1}{8}$ -inch Shaft. Main Wheel Shaft. Special Argentine Harvester 1912.
X1213	4.50	Cap for X1212.
X1214	8.00	Front Concave. Special Argentine Harvester 1912.
Y	1.50	Box, $1\frac{1}{8}$ , Separator Fan Shaft; Standard to 1909.
Z	....	Obsolete.
ZZ	.20	Sickle Button, same as No. 497.
Z1	....	Obsolete.

## SHAFTING

## STANDARD MACHINE, 1889

Agitator Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{3}{4}$ in., R. I.....	\$ 1.00
Beater Shaft, $1\frac{1}{8}$ in. x 5 ft. $\frac{3}{8}$ in., R. I.....	5.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.25
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., R. I.....	4.25
Cylinder Shaft, $1\frac{1}{8}$ in. x. 4 ft. $1\frac{3}{4}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x $10\frac{3}{4}$ in., C. R.....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. $10\frac{3}{8}$ in., C. R.....	3.00
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $11\frac{1}{4}$ in., R. I.....	2.50
Feeder Counter Shaft, $\frac{1}{8}$ in. x $10\frac{1}{2}$ in., C. R.....	.75
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $10\frac{1}{4}$ in., R. I.....	2.00
Grain Wheel Shaft, 12 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R. ....	6.50
Grain Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50



Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $5\frac{3}{4}$ in., R. I.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{4}$ in., R. I.....	2.25
Header Driving Shaft, $1\frac{1}{8}$ in. x 1 ft. $10\frac{7}{8}$ in., R. I.....	4.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. $7\frac{7}{8}$ in., C. R.....	2.75
Main Counter Shaft, 16 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R. ....	7.00
Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R. ....	7.00
Main Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. 3 in., C. R. ....	8.00
Main Wheel Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. 7 in., C. R. ....	8.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.50
Sickle Shaft, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I.....	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R.....	2.50
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. 5 in., R. I.....	2.50
Straw Elevator Shaft, $\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., R. I.....	2.25
Top Feeder Shaft, Top, $\frac{1}{8}$ in. x 2 ft. $6\frac{1}{4}$ in., R. I.....	2.50
Top Feeder Shaft, Bottom, $\frac{1}{8}$ in. x 2 ft. $4\frac{1}{2}$ in., R. I.....	2.50
T Bracket Shaft, $1\frac{3}{8}$ in. x $11\frac{1}{8}$ in., C. R.....	1.00

## STANDARD MACHINE, 1890

Agitator Shaft, $\frac{1}{8}$ in. x 4 ft. $2\frac{3}{4}$ in., R. I.....	\$ 2.50
Beater Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{3}{4}$ in., C. R.....	4.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.00
Cleaner Pitman Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., R. I. ....	4.25
Cleaner Pitman Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{2}$ in., R. I. ....	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{3}{4}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x $10\frac{3}{4}$ in., C. R.....	.75
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $11\frac{1}{4}$ in., R. I.....	2.50
Feeder Counter Shaft, $1\frac{1}{8}$ in. x $10\frac{1}{2}$ in., C. R.....	.75
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. $10\frac{3}{8}$ in., C. R.....	3.00
Grain Wheel Shaft, 12 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R. ....	6.50
Grain Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $7\frac{1}{2}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{4}$ in., R. I.....	2.25
Header Driving Shaft, $1\frac{1}{8}$ in. x 1 ft. 9 in., C. R.....	4.00

Header Drum Shaft, 40 in. Draper, $1\frac{3}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I. ....	3.25
Header Drum Shaft, 46 in. Draper, $1\frac{3}{8}$ in. x 4 ft. $7\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R. ....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft., C. R. ....	3.25
Jigger Board Shaft, $1\frac{1}{8}$ in. x 1 ft. 1 in., R. I. ....	1.75
Main Counter Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R. ....	6.75
Main Counter Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R. ....	6.75
Main Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ x 3 ft. 3 in., C. R. ...	7.00
Main Wheel Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. 7 in., C. R. ...	7.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R. ....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I. ....	3.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., R. I. ....	2.50
Sickle Shaft, 40 in. Draper, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I. ....	5.00
Sickle Shaft, 46 in. Draper, $1\frac{3}{8}$ in. x 5 ft. $3\frac{3}{4}$ in., R. I. ...	5.25
Shoe Shaker Shaft, R. I. ....	3.50
Straw Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., R. I. ....	2.50
Straw Elevator Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., R. I. ....	2.25
Top Feeder Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{1}{2}$ in., R. I. ....	2.50
T Bracket Shaft, $1\frac{3}{8}$ in. x $11\frac{3}{8}$ in., C. R. ....	1.00

## STANDARD MACHINE, 1891

Agitator Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{3}{4}$ in., C. R. ....	\$1.00
Beater Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{3}{4}$ in., C. R. ....	4.00
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R. ....	1.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{2}$ in., R. I. ....	4.25
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I. ....	3.00
Concave Raising Shaft, R. I. ....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{3}{4}$ in., C. R. ....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{1}{4}$ in., C. R. ....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x $10\frac{3}{4}$ in., C. R. ....	1.00
Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{4}$ in., C. R. ....	2.50
Feeder Counter Shaft, $1\frac{1}{8}$ in. x $10\frac{1}{2}$ in., C. R. ....	.75
Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I. ....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R. ....	3.00
Grain Wheel Shaft, 12 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R. ....	6.50
Grain Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{4}$ in., R. I. ...	2.25
Header Drum Shaft, 40 in. Draper, $1\frac{3}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I. ....	3.25
Header Drum Shaft, 44 in. Draper, $1\frac{3}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., R. I. ....	3.25



Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. 2 in., C. R.....	3.50
Header Driving Shaft, $1\frac{1}{8}$ in. x 1 ft. 9 in., C. R.....	4.00
Jigger Board Shaft, $\frac{1}{8}$ in. x 1 ft. 1 in., R. I.....	1.75
Main Counter Shaft, 16 in. Wheel, $2\frac{3}{8}$ in. x 3 ft., $3\frac{3}{8}$ in., C. R. ....	7.00
Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $7\frac{3}{8}$ in., C. R. ....	7.00
Main Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 3 ft. 3 in., C. R. ....	7.00
Main Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 3 ft. 7 in., C. R. ....	7.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.50
Sickle Shaft, 40 in. Draper, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I....	5.00
Sickle Shaft, 44 in. Draper, $1\frac{1}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., R. I....	5.25
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. 5 in., R. I.....	2.50
Straw Elevator Shaft, $\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., R. I.....	2.25
Shoe Shaker Shaft, R. I.....	3.50
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R.....	2.50
Top Feeder Shaft, $\frac{1}{8}$ in. x 2 ft. $11\frac{1}{2}$ in., R. I.....	2.50
T Bracket Shaft, $1\frac{3}{8}$ in. x $11\frac{3}{8}$ in., C. R.....	1.00

## STANDARD MACHINE, 1892

Agitator Shaft, $\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	\$ 1.00
Beater Shaft, $1\frac{3}{8}$ in. x 5 ft. $2\frac{1}{4}$ in., C. R.....	4.00
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{3}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, 42 in., $\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.00
Cleaner Fan Shaft, 46 in., $\frac{1}{8}$ in. x 5 ft. $\frac{1}{2}$ in., R. I.....	3.00
Cleaner Pitman Shaft, 42 in., $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{2}$ in., R. I...	4.25
Cleaner Pitman Shaft, 46 in., $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{2}$ in., R. I...	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{1}{2}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x $10\frac{3}{4}$ in., C. R.....	1.00
Feeder Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{2}$ in., C. R.....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, Single Drive, $1\frac{1}{8}$ in. x 5 ft. $10\frac{1}{4}$ in., C. R. ....	5.00
Grain Carrier Shaft, Double Drive, $1\frac{3}{8}$ in. x 6 ft. 7 in., C. R. ....	5.25
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., R. I..	2.25
Grain Wheel Shaft, 16 in., $2\frac{7}{8}$ in. x 2 ft. $6\frac{1}{4}$ in., C. R...	6.50
Grain Wheel Shaft, 20 in., $2\frac{7}{8}$ in. x 2 ft. $10\frac{1}{4}$ in., C. R...	6.50
Header Counter Shaft, Single Drive, $1\frac{1}{8}$ in. x 1 ft. 9 in., C. R. ....	4.00

Header Counter Shaft, Double Drive, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R. ....	6.00
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R. ....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. 2 in., C. R. ....	3.50
Jigger Board Shaft, $\frac{1}{8}$ in. x 1 ft. 1 in., R. I. ....	1.75
Main Counter Shaft, $2\frac{1}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., C. R. ....	7.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R. ....	7.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R. ....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., C. R. ....	2.75
Sickle Shaft, 44 in. Header, $1\frac{1}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., R. I. ....	5.25
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R. ....	2.50
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R. ....	1.00
Straw Elevator Shaft, $\frac{1}{8}$ in. x 4 ft. $3\frac{1}{4}$ in., R. I. ....	2.50
Shoe Shaker Shaft, R. I. ....	3.50
T Bracket Shaft, $1\frac{1}{8}$ in. x $11\frac{3}{8}$ in., C. R. ....	1.00
Top Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{1}{2}$ in., R. I. ....	2.50
207 Bracket Shaft, $1\frac{1}{8}$ in. x $8\frac{3}{4}$ in., C. R. ....	1.00

## STANDARD MACHINE, 1893

Agitator Shaft, $\frac{1}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., C. R. ....	\$ 1.00
Beater Shaft, $1\frac{1}{8}$ in. x 5 ft. $2\frac{3}{8}$ in., C. R. ....	4.00
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{1}{2}$ in., C. R. ....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $10\frac{3}{8}$ in., R. I. ....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in. ....	4.25
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R. ....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., C. R. ....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x $10\frac{3}{4}$ in., C. R. ....	1.00
Feeder Shaft, $\frac{1}{8}$ in. x 4 ft. 9 in., C. R. ....	2.75
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I. ....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R. ....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 6 ft. $2\frac{7}{8}$ in., C. R. ....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., R. I. ....	2.25
Grain Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 10 in., C. R. ....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R. ....	6.00
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R. ....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. 1 in., C. R. ....	3.50
Jigger Board Shaft, $\frac{1}{8}$ in. x 1 ft. 1 in., R. I. ....	1.75
Main Counter Shaft, $2\frac{1}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., C. R. ....	7.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R. ....	7.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R. ....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R. ....	2.75



Sickle Shaft, 44 in Draper, $1\frac{3}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., R. I....	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R.....	2.50
Straw Carrier Shaft, $\frac{11}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., C. R.....	1.00
Straw Elevator Shaft, $\frac{11}{8}$ in. x 4 ft. $3\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
T Bracket Shaft, $1\frac{3}{8}$ in. x 11 in., C. R.....	1.00
Top Feeder Shaft, $\frac{11}{8}$ in. x 3 ft. $1\frac{1}{2}$ in., R. I.....	2.50
207 Bracket Shaft, $1\frac{3}{8}$ in. x $8\frac{3}{4}$ in., C. R.....	1.00

## STANDARD MACHINE, 1894 AND 1895

Agitator Shaft, $\frac{11}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	\$ 1.00
Beater Shaft, $1\frac{3}{8}$ in. x 5 ft. $2\frac{3}{8}$ in., C. R.....	4.00
Chaff Carrier Shaft, $\frac{11}{8}$ in. x 4 ft. $6\frac{1}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{11}{8}$ in. x 4 ft. $10\frac{3}{8}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{3}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{11}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., R. I....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $\frac{11}{8}$ in. x 4 ft. 9 in., C. R.....	2.75
Feeder Tightener Shaft, $\frac{11}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{11}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 6 ft. $3\frac{1}{2}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{11}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., R. I.	2.25
Grain Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 10 in., C. R. ....	6.50
Header Counter Shaft, $1\frac{11}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	6.00
Header Drum Shaft, 44 in. Draper, $\frac{11}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{11}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	3.50
Jigger Board Shaft, $\frac{11}{8}$ in. x 1 ft., R. I.....	1.75
Main Counter Shaft, $2\frac{1}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R.....	7.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{5}{8}$ in., C. R.....	2.75
Sickle Shaft, 44 in. Draper, $1\frac{3}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., R. I....	5.25
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R.....	2.75
Straw Carrier Shaft, $\frac{11}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	1.00
Straw Elevator Shaft, $\frac{11}{8}$ in. x 4 ft. $3\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
T Bracket Shaft, $1\frac{3}{8}$ in. x $10\frac{7}{8}$ in., C. R.....	1.00
Top Feeder Shaft, $\frac{11}{8}$ in. x 3 ft. $1\frac{1}{2}$ in., R. I.....	2.50
207 Bracket Shaft, $1\frac{3}{8}$ in. x $8\frac{3}{4}$ in., C. R.....	1.00

## STANDARD MACHINE, 1896, 1897 AND 1898

Agitator Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	\$ 1.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 5 ft. $2\frac{3}{8}$ in., C. R.....	4.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 5 ft. $6\frac{1}{4}$ in., C. R.....	5.50
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{8}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., R. I.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $1\frac{1}{8}$ in. x 4 ft. 9 in., C. R.....	2.75
Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. 6 in., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., R. I.....	2.25
Grain Elevator Shaft, Top, $1\frac{1}{2}$ in. x 1 ft. $2\frac{5}{8}$ in., R. I...	1.75
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 10 in., C. R. ....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	6.00
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	3.50
Jigger Board Shaft, $1\frac{1}{8}$ in. x 1 ft. 1 in., R. I.....	1.75
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R.....	7.00
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{5}{8}$ in., C. R.....	2.75
Sickle Shaft, 44 in. Draper, $1\frac{3}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., R. I...	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R.....	2.75
Straw Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	1.00
Straw Elevator Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft.....	3.50
Top Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.50
384 Bracket Shaft, $1\frac{1}{8}$ in. x $11\frac{3}{8}$ in., C. R.....	1.00

## STANDARD MACHINE, 1899

Agitator Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	\$ 1.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 5 ft. $2\frac{3}{8}$ in., C. R.....	4.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 5 ft. $6\frac{1}{4}$ in., C. R.....	5.50
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{8}$ in., R. I.....	3.25
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50



Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $\frac{1}{8}$ in. x 4 ft. 9 in., C. R.....	2.75
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. 6 in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., R. I.....	2.25
Grain Elevator Shaft, Top, $1\frac{1}{2}$ in. x 1 ft. $2\frac{5}{8}$ in., C. R....	1.75
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 10 in., C. R. ....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	6.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	3.50
Jigger Board Shaft, $\frac{1}{8}$ in. x 1 ft. 1 in., R. I.....	1.75
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., C. R.....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R.....	7.00
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{5}{8}$ in., C. R.....	2.75
Sickle Shaft, 44 in. Draper, $1\frac{3}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., R. I....	5.25
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., C. R.....	2.75
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	1.50
Straw Elevator Shaft, $\frac{1}{8}$ in. x 4 ft. $3\frac{1}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft.....	3.50
Top Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.50
384 Bracket Shaft, $1\frac{1}{8}$ in. x $11\frac{3}{8}$ in., C. R.....	1.00

### STANDARD MACHINE, 44 INCH SEPARATOR, 1900 TO 1910

Agitator Shaft, $\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	\$ 1.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 5 ft. $2\frac{7}{8}$ in., C. R.....	4.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 5 ft. $6\frac{1}{4}$ in., C. R.....	5.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., C. R.....	1.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., R. I.....	4.25
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $10\frac{3}{8}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft, R. I.....	3.00
Cleaner Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., C. R....	6.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $\frac{1}{8}$ in. x 4 ft. $9\frac{1}{2}$ in., C. R.....	2.75
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $8\frac{1}{8}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., R. I.....	2.25

Grain Elevator Shaft, Top, $1\frac{5}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R...	1.75
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 6 in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 10 in., C. R. ....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	6.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., C. R.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jigger Board Shaft, $\frac{1}{8}$ in. x 1 ft. 1 in., R. I.....	1.75
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., C. R., 20 inch Wheels.....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R., 16 inch Wheels .....	7.00
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 1 in., C. R.....	1.00
Return Elevator Bottom Shaft, $1\frac{1}{4}$ in. x 1 ft. $2\frac{1}{2}$ in., R. I.....	1.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{1}{2}$ in., C. R.....	2.75
Sickle Shaft, 44 in. Draper, $1\frac{1}{8}$ in. x 5 ft. $1\frac{7}{8}$ in., R. I..	5.25
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. $9\frac{1}{2}$ in., C. R.....	2.75
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., C. R.....	1.50
Straw Elevator Shaft, $\frac{1}{8}$ in. x 4 ft. $3\frac{1}{4}$ in., C. R.....	2.50
Shoe Shaker Shaft.....	3.50
Top Feeder Shaft, $\frac{1}{8}$ in. x 2 ft. $1\frac{3}{4}$ in., R. I.....	2.50
384 Bracket Shaft, $1\frac{1}{8}$ in. x $11\frac{3}{8}$ in., C. R.....	1.00

### STEAM HARVESTER, 1903 AND 1904

Auxiliary Wheel Shaft, Cleaner Side, $2\frac{7}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., 14 in. Wheel, C. R.....	\$ 6.00
Auxiliary Wheel Shaft, Grain Side, $2\frac{7}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., 14 in. Wheel, C. R.....	6.00
Beater Shaft, Front, $1\frac{5}{8}$ in. x 5 ft. $1\frac{7}{8}$ in., C. R.....	5.00
Beater Shaft, Back, $1\frac{5}{8}$ in. x 5 ft. $1\frac{7}{8}$ in., C. R.....	6.00
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. 11 in., C. R.....	1.25
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 6 ft. $1\frac{1}{2}$ in., C. R.....	4.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. $6\frac{1}{4}$ in., C. R.....	1.75
Cleaner Counter Shaft, $1\frac{1}{4}$ in. x 5 ft. $2\frac{7}{8}$ in., R. I....	5.00
Concave Raising Shaft, R. I.....	4.00
Cylinder Shaft, $2\frac{3}{8}$ in. x 5 ft. $9\frac{3}{8}$ in., C. R.....	12.00
Cylinder Tightener Shaft, $1\frac{3}{8}$ in. x 9 in., C. R.....	1.00
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 3 ft. $2\frac{1}{2}$ in., C. R. ....	7.00
Grain Carrier Shaft, $1\frac{5}{8}$ in. x 5 ft. 4 in., C. R.....	5.50
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{1}{2}$ in., C. R.	1.00
Grain Elevator Shaft, Top, 2 Used, $1\frac{5}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R. ....	1.75
Grain Elevator Hopper Shaft, $1\frac{5}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R.	1.75



Header Counter Shaft, 14 in. Wheel, $1\frac{1}{8}$ in. x 4 ft. $6\frac{5}{8}$ in., C. R.....	7.00
Header Drum Shaft, $\frac{1}{8}$ in. x 5 ft. $1\frac{1}{8}$ in., C. R.....	4.00
Header Gear Shaft, $1\frac{1}{8}$ in. x 2 ft. $2\frac{3}{4}$ in., C. R.....	2.50
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $8\frac{3}{4}$ in., C. R.....	5.00
Header Extension Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R. ....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 5 ft. $2\frac{1}{4}$ in., C. R.....	3.00
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{3}{4}$ in., C. R.....	1.00
Jackson Feeder Counter Shaft, $1\frac{1}{8}$ in. x 6 ft. $7\frac{1}{4}$ in., C. R. ....	3.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $9\frac{1}{2}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 2 in., C. R.....	1.00
Separator Bevel Gear Counter Shaft, $1\frac{1}{8}$ in. x 5 ft. $8\frac{1}{2}$ in., C. R.....	8.00
Separator Counter Shaft, Long, $1\frac{9}{8}$ in. x 19 ft. $\frac{3}{4}$ in., C. R.....	17.50
Separator Fan Shaft, Front Fan, $1\frac{1}{8}$ in. x 4 ft. $11\frac{3}{8}$ in., C. R.....	3.50
Separator Fan Shaft, Back Fan, $1\frac{1}{8}$ in. x 5 ft. $2\frac{1}{4}$ in., C. R.....	4.00
Straw Carrier Fan Shaft, $1\frac{1}{8}$ in. x 5 ft. $3\frac{3}{8}$ in., C. R..	4.00
Sickle Shaft, $1\frac{5}{8}$ in. x 5 ft. 11 in., C. R.....	5.00
Sickle Counter Shaft, $1\frac{5}{8}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	2.25
Shoe Shake Shaft, R. I.....	5.00
Straw Carrier Shaft, Long, $1\frac{5}{8}$ in. x 5 ft. $1\frac{1}{8}$ in.....	2.50
Straw Carrier Shaft, Short, $1\frac{5}{8}$ in. x 4 ft. $10\frac{9}{8}$ in., C. R.	4.50
Straw Dump Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $9\frac{1}{2}$ in., C. R..	1.25

## STEAM HARVESTER, 1905 AND 1906

Auxiliary Wheel Shaft, Cleaner Side, $2\frac{7}{8}$ in. x 2 ft. $7\frac{1}{4}$ in., 20 in. Wheel, C. R.....	\$ 6.50
Auxiliary Wheel Shaft, Grain Side, $2\frac{7}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., 20 in. Wheel, C. R.....	6.50
Beater Shaft, Straw Carrier, $1\frac{5}{8}$ in. x 5 ft. $\frac{5}{8}$ in., C. R..	6.00
Beater Shaft, Front, $1\frac{5}{8}$ in. x 5 ft. $5\frac{1}{2}$ in., C. R.....	5.00
Beater Shaft, Top, $\frac{1}{8}$ in. x 4 ft. $5\frac{1}{8}$ in., C. R.....	2.50
Beater Shaft, Back, $1\frac{5}{8}$ in. x 5 ft. 9 in., C. R.....	6.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 6 ft. $1\frac{1}{2}$ in., C. R.....	4.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. $6\frac{1}{4}$ in., C. R.....	1.75
Cleaner Counter Shaft, $1\frac{1}{4}$ in. x 5 ft. $2\frac{7}{8}$ in., C. R.....	5.00
Cylinder Shaft, $2\frac{7}{8}$ in. x 5 ft. $9\frac{3}{8}$ in., C. R.....	12.00
Cylinder Tightener Shaft, $1\frac{5}{8}$ in. x 9 in., C. R.....	1.00
Concave Raising Shaft, R. I.....	4.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $9\frac{5}{8}$ in., C. R.....	8.00
Grain Carrier Shaft, $1\frac{5}{8}$ in. x 5 ft. $6\frac{1}{8}$ in., C. R.....	5.50
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 4 ft. 7 in., C. R..	1.00

Grain Elevator Shaft, $1\frac{5}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R.....	1.75
Grain Elevator Hopper Shaft, $1\frac{5}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R.....	1.75
Header Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $4\frac{7}{8}$ in., C. R.....	5.00
Header Drum Shaft, $\frac{1}{8}$ in. x 5 ft. $1\frac{1}{4}$ in., C. R.....	4.00
Header Gear Shaft, $1\frac{1}{8}$ in. x 6 ft. $2\frac{7}{8}$ in., C. R.....	6.50
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Main Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $8\frac{1}{2}$ in., C. R..	5.00
Header Outside Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 5 ft. $2\frac{1}{4}$ in., C. R.....	3.00
Jackson Feeder Counter Shaft, $1\frac{1}{8}$ in. x 6 ft. $7\frac{3}{8}$ in., C. R.....	3.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $11\frac{5}{8}$ in., C. R.....	1.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $9\frac{5}{8}$ in., C. R.....	8.00
Rear Straw Carrier, Main Shaft, $1\frac{1}{8}$ in. x 5 ft. 8 in., C. R.....	5.00
Rear Straw Carrier, Back Shaft, $\frac{1}{8}$ in. x 4 ft. $7\frac{7}{8}$ in., C. R.....	1.25
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Bevel Gear Counter Shaft, $1\frac{1}{8}$ in. x 5 ft. $8\frac{1}{2}$ in., C. R.....	8.00
Separator Main Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. 10 in., C. R.	3.50
Separator Back Shoe Fan Shaft, $1\frac{1}{8}$ in. x 5 ft. $1\frac{3}{4}$ in., C. R.....	4.00
Separator Top Straw Carrier Fan Shaft, $1\frac{1}{8}$ in. x 5 ft. $4\frac{1}{8}$ in., C. R.....	4.00
Separator, Long Counter Shaft, $1\frac{1}{8}$ in. x 18 ft. $10\frac{1}{2}$ in., C. R. ....	17.50
Sickle Shaft, $1\frac{1}{8}$ in. x 5 ft. 11 in., C. R.....	5.00
Straw Carrier Fan Shaft, $1\frac{1}{8}$ in. x 5 ft. $4\frac{7}{8}$ in.....	4.00
Straw Carrier Shaft, Top, $1\frac{5}{8}$ in. x 4 ft. $10\frac{1}{2}$ in., C. R.	4.50
Straw Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. 1 in., C. R.....	5.00
Straw Dump Carrier Shaft, Bottom, $\frac{1}{8}$ in. x 4 ft. 10 in., C. R.....	1.25
Straw Dump Carrier Shaft, Top, $\frac{1}{8}$ in. x 4 ft. 7 in., C. R. ....	1.25

### ONE WHEEL SIDE HILL MACHINE, 1897 AND 1898

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $3\frac{1}{8}$ in., C. R.....	\$1.00
Beater Back Shaft, $1\frac{3}{8}$ in. x 4 ft. $3\frac{3}{4}$ in., C. R.....	4.50
Beater Front Shaft, $1\frac{3}{8}$ in. x 3 ft. $9\frac{1}{4}$ in., C. R.....	3.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., R. I.....	2.75
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{3}{8}$ in., R. I.....	4.25
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 5 in., C. R.....	1.75
Clutch Shaft, on Header, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., C. R....	3.00
Concave Raising Shaft, R. I.....	3.00



Cross Shaft, $2\frac{3}{8}$ in. x 5 ft. $7\frac{1}{8}$ in., C. R.....	9.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{1}{2}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. $8\frac{3}{4}$ in., C. R....	2.25
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	3.00
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $9\frac{3}{8}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{3}{4}$ in., C. R.....	4.75
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $3\frac{1}{4}$ in., R. I.....	2.25
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. 5 in., C. R.....	1.75
Header Drum Shaft, 40 in. Draper, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	3.50
Main Wheel Shaft, $3\frac{3}{8}$ in. x 4 ft. $1\frac{7}{8}$ in., C. R.....	12.50
Rack and Pinion Shaft, $1\frac{1}{8}$ in. x 1 ft. $10\frac{3}{4}$ in., C. R....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{2}$ in., C. R.....	1.00
Screw Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{8}$ in., C. R.....	4.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{5}{8}$ in., C. R.....	2.50
Shoe Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 8 ft. $4\frac{1}{4}$ in., C. R.....	8.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $4\frac{1}{2}$ in., C. R.....	3.25
Straw Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	1.00
Straw Elevator Shaft, $\frac{1}{8}$ in. x 3 ft. $6\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft, R. I.....	3.50

## REGULAR SIDE HILL MACHINE, 1891

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., C. R.....	\$1.00
Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{4}$ in., C. R.....	3.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., R. I.....	4.75
Concave Raising Shaft, R. I.....	3.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{4}$ in., C. R....	6.50
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $6\frac{1}{4}$ in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{4}$ in., C. R.....	3.00
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch and Top Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in. ....	3.50
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $4\frac{3}{4}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. 3 in., R. I...	2.25

Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $2\frac{1}{8}$ in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. 7 in., C. R.....	6.00
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 11 in., C. R.....	3.25
Main Counter Shaft, $2\frac{1}{8}$ in. x 3 ft. $4\frac{1}{4}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $5\frac{1}{8}$ in., C. R.....	6.25
Q bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Reverse Cross Shaft, $1\frac{1}{8}$ in. x 9 ft. 9 in., C. R.....	15.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.50
Sickle Shaft, 40 in. Header, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. $9\frac{1}{2}$ in., C. R.....	2.50
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft., R. I.....	2.50
Straw Elevator Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{2}$ in., R. I.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. 5 in., C. R.....	4.00
Screw Shaft, Harvester No. 292 only, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., C. R.....	4.50
T Bracket Shaft, $1\frac{3}{8}$ in. x $11\frac{3}{8}$ in., C. R.....	1.00
207 Bracket Shaft, $1\frac{3}{8}$ in. x $8\frac{3}{4}$ in., C. R.....	1.00

## REGULAR SIDE HILL MACHINE, 1892

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	\$1.00
Beater Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	3.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $8\frac{1}{2}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{1}{2}$ in., R. I.....	4.75
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 4 in., C. R.....	6.50
Cylinder Tightener Shaft, $\frac{1}{8}$ in. x $8\frac{1}{8}$ in., C. R.....	.75
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R.....	3.00
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{3}{8}$ in., C. R.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $7\frac{1}{2}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $5\frac{1}{4}$ in., R. I. ....	2.25
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $1\frac{7}{8}$ in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R.....	6.00
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 11 in., C. R.....	3.25
Main Counter Shaft, $2\frac{1}{8}$ in. x 3 ft. $4\frac{1}{4}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $5\frac{1}{8}$ in., C. R.....	6.25



Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Reverse Cross Shaft, $1\frac{1}{8}$ in. x 9 ft. 11 in., C. R.....	15.00
Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{5}{8}$ in., C. R.....	2.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{4}$ in., C. R.....	2.50
Sickle Shaft, 40 in. Header, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I....	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. $9\frac{3}{4}$ in., C. R.....	2.50
Straw Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	1.00
Straw Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
T Bracket Shaft, $1\frac{1}{8}$ in. x 11 in., C. R.....	1.00
207 Bracket Shaft, $1\frac{1}{8}$ in. x $8\frac{3}{4}$ in., C. R.....	1.00

## REGULAR SIDE HILL MACHINE, 1893

Agitator Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	\$ 1.00
Beater Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R.....	3.50
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R. ....	3.00
Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{3}{8}$ in., C. R.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $7\frac{3}{4}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{1}{4}$ in., R. I.	2.25
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 4 in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	6.00
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x 9 $\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 11 in., C. R.....	3.25
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $5\frac{1}{2}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $6\frac{3}{4}$ in., C. R.....	6.50
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Reverse Cross Shaft, $1\frac{1}{8}$ in. x 9 ft. 11 in., C. R.....	15.00
Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{5}{8}$ in., C. R.....	2.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	2.50
Sickle Shaft, 40 in. Header, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I....	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. $9\frac{3}{4}$ in., C. R.....	2.50
Straw Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R.....	1.00
Straw Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft.....	3.50

T Bracket Shaft, $1\frac{3}{8}$ in. x 11 in., C. R.....	1.00
207 Bracket Shaft, $1\frac{3}{8}$ in. x $8\frac{3}{4}$ in., C. R.....	1.00

### REGULAR SIDE HILL MACHINE, 1894 AND 1895

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{4}$ in., C. R.....	\$ 1.00
Beater Shaft, $1\frac{3}{8}$ in. x 4 ft., C. R.....	3.50
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft.....	3.00
Cylinder Shaft, $1\frac{3}{8}$ in. x 4 ft. 5 in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., R. I....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R. ....	3.00
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	1.75
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $7\frac{3}{4}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $5\frac{1}{4}$ in., R. I.	2.25
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $4\frac{1}{4}$ in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R....	6.50
Header Drum Shaft, $1\frac{3}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	3.50
Main Counter Shaft, $2\frac{7}{8}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 7 in., C. R.....	6.00
Q Bracket Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Reverse Cross Shaft, $1\frac{3}{8}$ in. x 9 ft. 11 in., C. R.....	15.00
Screw Shaft, $\frac{1}{8}$ in. x 1 ft. $4\frac{7}{8}$ in., C. R.....	2.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	2.50
Sickle Shaft, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I.....	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. $9\frac{3}{4}$ in., C. R.....	2.50
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R.....	1.00
Straw Elevator Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
T Bracket Shaft, $1\frac{3}{8}$ in. x $10\frac{7}{8}$ in., C. R.....	1.00
207 Bracket Shaft, $1\frac{3}{8}$ in. x $8\frac{3}{4}$ in., C. R.....	1.00

### REGULAR SIDE HILL MACHINE, 1896 AND 1897

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{7}{8}$ in., C. R.....	\$ 1.00
Beater Shaft, Front, $1\frac{3}{8}$ in. x 4 ft. $8\frac{5}{8}$ in., C. R.....	3.50
Beater Shaft, Back, $1\frac{3}{8}$ in. x 4 ft. $9\frac{5}{8}$ in., C. R.....	4.50
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 4 ft. $6\frac{3}{8}$ in., R. I.....	3.00



Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{4}$ in., C. R. ....	3.00
Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $1\frac{7}{8}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 3 ft. $5\frac{1}{4}$ in., R. I. ....	2.25
Grain Elevator Shaft, Top, $1\frac{1}{2}$ in. x 1 ft. $4\frac{5}{8}$ in., R. I....	1.75
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $4\frac{1}{4}$ in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	6.50
Header Drum Shaft, 40 in. Draper, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	3.50
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	7.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 7 in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 6 in., C. R.....	1.00
Reverse Cross Shaft, $1\frac{1}{8}$ in. x 9 ft. 11 in., C. R.....	15.00
Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $4\frac{7}{8}$ in., C. R.....	2.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{4}$ in.....	2.50
Sickle Shaft, 40 in. Header, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I....	5.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. $9\frac{3}{4}$ in., C. R.....	2.50
Straw Carrier Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	1.00
Straw Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $9\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft.....	3.50
384 Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{3}{8}$ in., C. R.....	1.00

## REGULAR SIDE HILL MACHINE, 1898

Agitator Shaft, $\frac{1}{2}$ in. x 3 ft. $10\frac{7}{8}$ in., C. R.....	\$ 1.00
Beater Shaft, Front, $1\frac{3}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R.....	3.50
Beater Shaft, Back, $1\frac{3}{8}$ in. x 4 ft. $9\frac{5}{8}$ in., C. R.....	4.50
Chaff Carrier Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	1.00
Chain Wheel Shaft, $1\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R.....	.75
Cleaner Fan Shaft, $\frac{1}{2}$ in. x 4 ft. $6\frac{3}{8}$ in., R. I.....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I.....	4.25
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 5 in., C. R.....	1.75
Concave Raising Shaft, R. I.....	3.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.50

Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R. ....	3.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R. ....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., R. I. ....	1.75
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. 2 in., C. R. ....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 3 ft. $5\frac{1}{4}$ in., R. I. ....	2.25
Grain Elevator Shaft, Top, $\frac{1}{2}$ in. x 1 ft. 5 in., C. R. ....	1.75
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $7\frac{1}{2}$ in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $11\frac{1}{2}$ in., C. R. ....	6.50
Header Counter Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. 8 in., C. R. ....	6.50
Header Counter Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 4 ft., C. R. ....	6.50
Header Drum Shaft, 40 in. Draper, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R. ....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. $8\frac{1}{2}$ in., C. R. ....	3.00
Main Counter Shaft, 16 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $\frac{3}{8}$ in., C. R. ....	7.00
Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $4\frac{3}{8}$ in., C. R. ....	7.00
Main Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $7\frac{1}{2}$ in., C. R. ....	6.50
Main Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $11\frac{1}{2}$ in., C. R. ....	6.50
Pinion and Sprocket Shaft, $1\frac{1}{8}$ in. x $11\frac{5}{8}$ in., C. R. ....	1.00
Pinion and Worm Gear Shaft, $1\frac{3}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R. ....	2.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 1 in., C. R. ....	1.00
Screw Shaft, $1\frac{5}{8}$ in. x 2 ft. $7\frac{7}{8}$ in., C. R. ....	2.75
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{4}$ in., C. R. ....	2.50
Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I. ....	2.00
Sickle Shaft, 40 in. Header, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., R. I. ....	5.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $4\frac{7}{8}$ in., C. R. ....	3.25
Straw Carrier Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R. ....	1.00
Straw Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $9\frac{3}{4}$ in., R. I. ....	2.50
Shoe Shaker Shaft. ....	3.50
384 Bracket Shaft, $1\frac{1}{8}$ in. x $11\frac{3}{8}$ in., C. R. ....	1.00

### REGULAR SIDE HILL MACHINE, 1899 AND 1900

Agitator Shaft, $\frac{1}{2}$ in. x 3 ft. $10\frac{5}{8}$ in., C. R. ....	\$ 1.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R. ....	3.50
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. 4 in., C. R. ....	4.00
Chaff Carrier Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R. ....	1.00
Chain Wheel Shaft, $1\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R. ....	.75
Cleaner Fan Shaft, $\frac{1}{2}$ in. x 4 ft. $6\frac{3}{8}$ in., R. I. ....	3.00
Cleaner Pitman Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., R. I. ....	4.25
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 5 in., C. R. ....	1.75



Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. 4 $\frac{7}{8}$ in., C. R.....	3.25
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 $\frac{1}{2}$ in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 $\frac{1}{4}$ in., C. R. ....	3.00
Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 $\frac{3}{4}$ in., R. I.....	2.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. 2 $\frac{1}{4}$ in., R. I.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. 2 in., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. 5 $\frac{1}{4}$ in., R. I.	2.25
Grain Elevator Shaft, Top, $1\frac{1}{2}$ in. x 1 ft. 5 in., C. R....	1.75
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 7 $\frac{1}{2}$ in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 11 $\frac{1}{2}$ in., C. R. ....	6.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Gear and Clutch Shaft, $1\frac{1}{8}$ in. x 1 ft. 2 $\frac{1}{4}$ in., R. I.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. 2 in., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. 5 $\frac{1}{4}$ in., R. I.	2.25
Grain Elevator Shaft, Top, $1\frac{1}{2}$ in. x 1 ft. 3 $\frac{1}{2}$ in., C. R....	1.75
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 7 $\frac{3}{8}$ in., C. R. ....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 11 $\frac{3}{8}$ in., C. R. ....	6.50
Header Counter Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. 7 $\frac{7}{8}$ in., C. R.....	6.50
Header Counter Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 3 ft., 11 $\frac{7}{8}$ in., C. R.....	6.50
Header Drum Shaft, 40 in. Draper, $1\frac{1}{8}$ in. x 4 ft. 1 $\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Shaft, $1\frac{1}{8}$ in. x 9 $\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. 1 $\frac{1}{2}$ in., C. R.....	3.50
Main Counter Shaft, 16 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. 1 $\frac{1}{2}$ in., C. R. ....	6.50
Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. 5 $\frac{1}{2}$ in., C. R. ....	6.50
Main Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. 7 $\frac{7}{8}$ in., C. R. ....	6.50
Main Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. 2 ft. 11 $\frac{7}{8}$ in., C. R. ....	6.50
Pinion and Sprocket Shaft, $1\frac{1}{8}$ in. x 11 $\frac{5}{8}$ in., C. R.....	1.00
Pinion and Worm Gear Shaft, $1\frac{1}{8}$ in. x 1 ft. 3 $\frac{1}{2}$ in., C. R.	2.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 1 in., C. R.....	1.00
Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. 7 $\frac{7}{8}$ in., C. R.....	2.75
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 $\frac{1}{4}$ in., C. R.....	2.50
Sickle Shaft, 40 in. Header, $1\frac{3}{8}$ in. x 4 ft. 9 $\frac{3}{4}$ in., R. I...	5.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. 4 $\frac{7}{8}$ in., C. R.....	3.25

Straw Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	1.50
Straw Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{3}{4}$ in., R. I.....	2.50
Shoe Shaker Shaft.....	3.50
384 Bracket Shaft, $1\frac{1}{8}$ in. x $11\frac{3}{8}$ in., C. R.....	1.00

### SENIOR OR REGULAR SIDE HILL MACHINE, 1901

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	\$ 1.00
Back Beater Shaft, $1\frac{3}{8}$ in. x 4 ft. 4 in., C. R.....	4.00
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{1}{2}$ in., R. I.....	2.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{5}{8}$ in., R. I.....	6.50
Concave Raising Shaft, R. I.....	3.00
Front Beater Shaft, $1\frac{3}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R.....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{1}{4}$ in., R. I.....	1.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $1\frac{7}{8}$ in., C. R.....	5.00
Grain Elevator Shaft, Top, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R.....	1.75
Grain Hopper Shaft, 1 in. Gas Pipe x $9\frac{5}{8}$ in.....	.50
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., for 20 in. Tires, C. R.....	6.50
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $7\frac{3}{8}$ in., for 16 in. Tire, C. R.....	6.50
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{7}{8}$ in., C. R.....	6.50
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{4}$ in., R. I.....	1.00
Jackson Feeder Counter Shaft and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.00
Leveling Device, Main Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 10 ft. $5\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Main Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 11 ft. $\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 2 ft. $2\frac{1}{4}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $7\frac{7}{8}$ in., for 16 in. Tires, C. R.....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $11\frac{7}{8}$ in., for 20 in. Tires, C. R.....	6.50



Main Counter Shaft, 16 in. Wheel, 2 $\frac{3}{8}$ in. x 3 ft. $\frac{5}{8}$ in., C. R. ....	7.00
Main Counter Shaft, 20 in. Wheel, 2 $\frac{3}{8}$ in. x 3 ft. 4 $\frac{1}{2}$ in., C. R. ....	7.00
Reel Counter Shaft, 1 $\frac{1}{8}$ in. x 2 ft. 1 in., C. R. ....	1.00
Separator Fan Shaft, 1 $\frac{1}{8}$ in. x 3 ft. 11 $\frac{1}{4}$ in., C. R. ....	2.50
Sickle Shaft, 1 $\frac{3}{8}$ in. x 4 ft. 9 $\frac{3}{4}$ in., C. R. ....	4.00
Sickle Counter Shaft, 1 $\frac{3}{8}$ in. x 2 ft. 4 $\frac{7}{8}$ in., C. R. ....	2.00
Straw Carrier Beater Shaft, $\frac{1}{8}$ in. x 3 ft. 6 $\frac{7}{8}$ in., C. R. ....	1.00
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. 1 $\frac{1}{8}$ in., C. R. ....	1.50
Straw Dump Elevator Shaft, Bottom, $\frac{1}{8}$ in. x 3 ft. 9 $\frac{3}{4}$ in., C. R. ....	1.00
Shoe Shaker Shaft, R. I. ....	3.50
Top Beater Shaft, $\frac{1}{8}$ in. x 3 ft. 2 in., R. I. ....	2.50

## REGULAR SIDE HILL MACHINE, 1902

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. 10 $\frac{5}{8}$ in., C. R. ....	\$ 1.00
Back Beater Shaft, 1 $\frac{3}{8}$ in. x 4 ft. 2 $\frac{1}{2}$ in., C. R. ....	4.00
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. 9 $\frac{3}{4}$ in., C. R. ....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 3 ft. 10 $\frac{1}{2}$ in., C. R. ....	2.00
Cylinder Shaft, 1 $\frac{1}{8}$ in. x 4 ft. 7 $\frac{1}{4}$ in., C. R. ....	6.50
Cylinder Tightener Shaft, 1 $\frac{1}{8}$ in. x 9 in., C. R. ....	.75
Cylinder Counter Shaft, 1 $\frac{1}{8}$ in. x 4 ft. 6 $\frac{5}{8}$ in., C. R. ....	6.50
Concave Raising Shaft, R. I. ....	3.00
Front Beater Shaft, 1 $\frac{3}{8}$ in. x 3 ft. 9 $\frac{1}{8}$ in., C. R. ....	2.50
Front Wheel Shaft, 1 $\frac{1}{8}$ in. x 1 ft. 10 in., C. R. ....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. 7 $\frac{1}{4}$ in., C. R. ....	1.00
Grain Carrier Shaft, 1 $\frac{3}{8}$ in. x 5 ft. $\frac{3}{4}$ in., C. R. ....	5.00
Grain Elevator Shaft, Top, 1 $\frac{5}{8}$ in. x 1 ft. 3 $\frac{1}{2}$ in., C. R. ....	1.75
Grain Hopper Shaft, 1 in. Gas Pipe x 9 $\frac{5}{8}$ in. ....	.50
Grain Wheel Shaft, 2 $\frac{1}{8}$ in. x 2 ft. 7 in., 16 inch Tire, C. R. ....	6.50
Grain Wheel Shaft, 2 $\frac{1}{8}$ in. x 2 ft. 11 in., 20 inch Tire, C. R. ....	6.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. 1 $\frac{1}{4}$ in., R. I. ....	3.25
Header Raising Wheel Shaft, 1 $\frac{1}{8}$ in. x 9 $\frac{1}{2}$ in., C. R. ....	.75
Header Counter Shaft, 1 $\frac{1}{8}$ in. x 3 ft. 11 $\frac{1}{2}$ in., 16 inch Wheels, C. R. ....	6.50
Header Counter Shaft, 1 $\frac{1}{8}$ in. x 4 ft. 3 $\frac{1}{2}$ in., 20 inch Tire, C. R. ....	6.50
Header Wheel Shaft, 1 $\frac{1}{8}$ in. x 2 ft. 1 $\frac{1}{2}$ in., C. R. ....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 4 ft. 2 $\frac{5}{8}$ in., C. R. ....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{7}{8}$ in., C. R. ....	1.00
Jackson Feeder Counter and Jigger Shaft, 1 $\frac{1}{8}$ in. x 4 ft. 3 in., C. R. ....	3.00
Leveling Device, Main Shaft, 16 in. Wheel, 1 $\frac{3}{8}$ in. x 10 ft. 5 $\frac{3}{4}$ in., C. R. ....	15.00
Leveling Device, Main Shaft, 20 in. Wheel, 1 $\frac{3}{8}$ in. x 11 ft. $\frac{3}{4}$ in., C. R. ....	15.00

Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{3}{8}$ in. x 1 ft. $1\frac{1}{2}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 7 in., 16 inch Tire, C. R.	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 11 in., C. R.....	6.50
Main Counter Shaft, 16 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $\frac{1}{2}$ in., C. R. ....	7.00
Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., C. R. ....	7.00
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Picker Shaft, $\frac{1}{2}$ in., C. R.....	6.50
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.75
Sickle Shaft, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft Back, $\frac{1}{2}$ in. x 4 ft. $\frac{7}{8}$ in., C. R....	1.50
Straw Carrier Beater Shaft, $\frac{1}{2}$ in. x 3 ft. $6\frac{7}{8}$ in., C. R...	1.00
Shoe Shaker Shaft, R. I.....	3.50
Top Beater Shaft, $\frac{1}{2}$ in. x 3 ft. 2 in., R. I.....	2.50

### REGULAR SIDE HILL MACHINE, 1903

Agitator Shaft, $\frac{1}{2}$ in. x 3 ft. $10\frac{5}{8}$ in., C. R.....	\$ 1.00
Back Beater Shaft, $1\frac{3}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., C. R.....	4.00
Chaff Carrier Shaft, $\frac{1}{2}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{4}$ in., C. R.....	2.50
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., R. I.....	4.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{2}$ in. x 4 ft. $7\frac{1}{4}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{1}{2}$ in. x 4 ft. $6\frac{5}{8}$ in., C. R.....	6.50
Concave Raising Shaft, R. I.....	3.00
Front Beater Shaft, $1\frac{3}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.50
Front Wheel Shaft, $1\frac{1}{2}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 3 ft. $7\frac{1}{4}$ in., C. R. ....	1.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $\frac{3}{4}$ in., C. R.....	5.00
Grain Elevator Shaft, Top, $1\frac{3}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R. ....	1.75
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 7 in., 16 inch Tire, C. R. ....	6.50
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 11 in., 20 inch Tire, C. R. ....	6.50
Header Drum Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Gear Bracket Shaft, $1\frac{3}{8}$ in. x 1 ft. 7 in., C. R...	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R...	.75



Header Counter Shaft, 16 in. Grain Wheel, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	6.50
Header Counter Shaft, 20 in. Grain Wheel, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R.....	6.50
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $11\frac{3}{4}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{7}{8}$ in., C. R.....	1.00
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 3 in., C. R.....	3.00
Leveling Device, Main Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 10 ft. $5\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Main Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 11 ft. $\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 7 in., 16 inch Tire, C. R.....	6.50
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	6.50
Main Counter Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. $\frac{1}{2}$ in., C. R.....	6.50
Main Counter Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., C. R.....	6.50
Picker Shaft, $\frac{1}{8}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.75
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 4 ft. $\frac{7}{8}$ in., C. R....	1.50
Shoe Shaker Shaft, R. I.....	3.50
Top Beater Shaft, $\frac{1}{8}$ in. x 3 ft. 2 in., C. R.....	2.50

## SENIOR SIDE HILL MACHINE, 1904

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{5}{8}$ in., C. R.....	\$1.00
Beater Shaft, Top, $\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	1.75
Beater Shaft, Back, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., C. R.....	4.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{4}$ in., C. R.....	2.50
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., R. I.....	4.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{7}{8}$ in., R. I.....	4.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $7\frac{1}{4}$ in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75

Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{5}{8}$ in., C. R.....	6.50
Concave Raising Shaft, R. I.....	3.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 3 ft. $7\frac{1}{4}$ in., C. R.....	1.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $\frac{3}{4}$ in., C. R.....	5.00
Grain Elevator Shaft, Top, $1\frac{5}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R.....	1.75
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 7 in., 16 inch Tire, C. R. ....	6.50
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 11 in., 20 inch Tire, C. R. ....	6.50
Header Drum Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Gear Bracket Shaft, $1\frac{3}{8}$ in. x 1 ft. 7 in., C. R...	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R...	.75
Header Counter Shaft, 16 in. Grain Wheel, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	6.50
Header Counter Shaft, 20 in. Grain Wheel, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R.....	6.50
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $11\frac{1}{8}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{2}$ in. x 3 ft. $\frac{7}{8}$ in., C. R. ....	1.00
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 3 in., C. R.....	3.00
Leveling Device, Main Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 10 ft. $5\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Main Shaft, 20 in. Wheel, $1\frac{3}{8}$ in. x 11 ft. $\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $1\frac{7}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 7 in., 16 inch Tire, C. R. ....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 11 in., C. R.....	6.50
Main Counter Shaft, 16 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $\frac{1}{2}$ in., C. R.....	6.50
Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., C. R. ....	6.50
Picker Shaft, $\frac{1}{2}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.75
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Sickle Shaft, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Straw Carrier Shaft, Back, $\frac{1}{2}$ in. x 4 ft. $\frac{7}{8}$ in., C. R...	1.50
Shoe Shake Shaft, R. I.....	3.50



## SENIOR SIDE HILL MACHINE, 1905

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{5}{8}$ in., C. R.....	\$1.00
Beater Shaft, Top, $1\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	1.75
Beater Shaft, Back, $1\frac{3}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., C. R.....	4.00
Beater Shaft, Front, $1\frac{3}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	3.25
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{4}$ in., C. R.....	2.50
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., R. I.....	4.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{4}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 6 in., C. R.....	6.50
Concave Raising Shaft, R. I.....	3.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{4}$ in., C. R.....	1.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $\frac{3}{4}$ in., C. R.....	5.00
Grain Elevator Shaft, Top, $1\frac{1}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R...	1.75
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 8 in., 16 inch Tire, C. R. ....	6.50
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft., 20 inch Tire, C. R...	6.50
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R....	3.25
Header Gear Bracket Shaft, $1\frac{3}{8}$ in. x 1 ft. 7 in., C. R...	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R....	.75
Header Counter Shaft, 16 in. Grain Wheel, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	6.50
Header Counter Shaft, 20 in. Grain Wheel, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R.....	6.50
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{8}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $\frac{7}{8}$ in., C. R.....	1.00
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 3 in., C. R.....	3.00
Leveling Device, Main Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 10 ft. $5\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Main Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 11 ft. $\frac{3}{4}$ in., C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{1}{8}$ in., x 2 ft. 11 in., 16 inch Tire, C. R.....	6.50
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	6.50
Main Counter Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 3 ft. $\frac{1}{2}$ in., C. R.....	6.50

Main Counter Shaft, 20 in. Wheel, $2\frac{3}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., C. R.....	6.50
Picker Shaft, $\frac{1}{8}$ in., C. R. ....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.75
Sickle Counter Shaft, $1\frac{3}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Sickle Shaft, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. $\frac{7}{8}$ in., C. R.....	1.50
Shoe Shake Shaft, R. I.....	3.50

### SENIOR SIDE HILL MACHINE, 1906

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{5}{8}$ in., C. R.....	\$1.00
Beater Shaft, Top, $\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	1.75
Beater Shaft, Back, $1\frac{3}{8}$ in. x 4 ft. $3\frac{1}{4}$ in., C. R.....	4.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	3.25
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	1.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{2}$ in., R. I....	4.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{4}$ in., C. R.....	2.50
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $6\frac{3}{4}$ in., C. R....	6.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{4}$ in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R...	1.75
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 8 in., 16 inch Tire, C. R.....	6.50
Grain Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 3 ft., 20 inch Tire, C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., 20 inch Tire, C. R.....	6.50
Header Draper Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R...	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ x 3 ft. $11\frac{3}{4}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{7}{8}$ in., C. R.....	1.00
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 3 in., C. R.....	3.00
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 10 ft. $5\frac{3}{4}$ in., 16 inch Tire, C. R.....	15.00
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 11 ft. $\frac{3}{4}$ in., 20 inch Tire, C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00



Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 11 in., 16 inch Tire, C. R.....	6.50
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $\frac{1}{2}$ in., 16 inch Tire, C. R.....	6.50
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., 20 inch Tire, C. R.....	6.50
Picker Shaft, $1\frac{1}{8}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	2.75
Sickle Shaft, $1\frac{3}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Shoe Shake Shaft, R. I.....	3.50
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 4 ft. $\frac{7}{8}$ in., C. R.....	1.50

## SENIOR SIDE HILL MACHINE, 1907.

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	\$1.00
Back Beater Shaft, $1\frac{3}{8}$ in. x 5 ft., C. R.....	4.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	3.25
Beater Shaft, Top, $1\frac{1}{8}$ in. x 4 ft., C. R.....	2.00
Cheat Screen Shaker Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	2.50
Cheat Elevator, Bottom Shaft, $1\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R.....	.50
Cheat Elevator, Top Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{2}$ in., C. R.....	2.50
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{3}{4}$ in., C. R.....	6.50
Divided Straw Carrier Back Top Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Divided Straw Carrier Front Top Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{3}{4}$ in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{5}{8}$ in. x 1 ft. 3 in., C. R.....	1.75
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 11 in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	6.50
Header Draper Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 4 ft., C. R.....	2.50
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R.....	3.00

Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	1.00
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 10 ft. $5\frac{3}{4}$ in., 16 inch Tire, C. R.....	15.00
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 11 ft. $\frac{7}{8}$ in., 20 inch Tire, C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft., C. R.....	6.50
Main Counter Shaft, $2\frac{7}{8}$ in. x 3 ft., C. R.....	6.50
Picker Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	2.75
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R....	1.50
Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R..	1.00
Straw Dump Elevator Shaft, or Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00

## SENIOR SIDE HILL MACHINE, 1908

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	\$1.00
Back Beater Shaft, $1\frac{1}{8}$ in. x 5 ft., C. R.....	4.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	3.25
Beater Shaft, Top, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cheat Elevator Shaft, Bottom, $1\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R..	.50
Cheat Elevator Shaft, Top, $1\frac{1}{8}$ in. x 10 in., C. R..	.50
Cheat Screen Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R.....	2.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R..	6.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{3}{4}$ in., C. R.....	1.00
Grain Drag Elevator Shaft, $1\frac{1}{8}$ in. x 11 in., C. R.....	.75
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{3}{4}$ in., C. R....	1.00
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	6.50
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	2.75
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R....	3.50



Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R.....	2.50
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R.....	3.00
Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	1.00
Leveling Device, Bottom Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.50
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 11 ft. $\frac{7}{8}$ in., C. R.....	15.00
Main Counter Shaft, $2\frac{1}{8}$ in. x 3 ft. $1\frac{1}{2}$ in., C. R.....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	2.75
Shoe Shaker Shaft, R. I.....	3.50
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00
Straw Dump Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R....	1.00

## SENIOR SIDE HILL MACHINE, 1909

Back Beater Shaft, $1\frac{3}{8}$ in. x 4 ft. 3 in., C. R.....	\$4.00
Beater Shaft, Front, $1\frac{1}{8}$ in. x 4 ft. 3 in., C. R.....	3.25
Beater Shaft, Top, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Elevator Shaft, Bottom, $1\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R.....	.50
Cheat Elevator Shaft, Top, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.50
Cheat Screen Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R.....	2.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 5 in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R.....	6.50
Divided Straw Carrier Back Top Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Divided Straw Carrier Front Top Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R. ....	1.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $2\frac{1}{2}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{3}{4}$ in., C. R.	1.00
Grain Drag Elevator Shaft, $1\frac{1}{8}$ in. x 1 ft., C. R.....	.75
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R....	1.00
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	6.50
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75

Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R.....	2.50
Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R. ....	3.00
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. 11 in., C. R.	1.00
Leveling Device, Bottom Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R. ....	3.00
Leveling Device, Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R..	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R. ....	2.50
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 11 ft. $\frac{7}{8}$ in., C. R..	15.00
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $5\frac{1}{2}$ in., C. R.....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft., C. R.....	6.50
Picker Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	2.75
Shoe Shaker Shaft, R. I. ....	3.50
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, $\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Straw Dump Elevator Shaft, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R...	1.00

### SENIOR SIDE HILL MACHINE, 1910, 1911, 1912 and 1913

Back Beater Shaft, $1\frac{3}{8}$ in. x 4 ft. 3 in., C. R.....	\$4.00
Beater Shaft, Front, $1\frac{3}{8}$ in. x 4 ft. 3 in., C. R.....	3.25
Beater Shaft, Top, $\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Elevator Shaft, Bottom, $\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R....	.50
Cheat Elevator Shaft, Top, $\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.50
Cheat Screen Shaft, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R.....	2.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{1}{4}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R....	6.50
Divided Straw Carrier, Back, Top Shaft, $\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Divided Straw Carrier, Front, Top Shaft, $\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{3}{8}$ in. x 5 ft. $2\frac{1}{2}$ in., C. R.....	5.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{3}{4}$ in., C. R.	1.00
Grain Drag Elevator Shaft, $1\frac{1}{8}$ in. x 1 ft., C. R.....	.75
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R..	1.00
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R.....	6.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	6.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R.....	2.50



Jackson Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R.....	3.00
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. 11 in., C. R. ....	1.00
Leveling Device, Bottom Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R. ....	3.00
Leveling Device, Top Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.50
Leveling Device, Main Shaft, $1\frac{3}{8}$ in. x 11 ft. $\frac{7}{8}$ in., C. R. ....	15.00
Main Counter Shaft, $2\frac{3}{8}$ in. x 3 ft. $5\frac{1}{2}$ in., C. R.....	6.50
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R., 20 inch Wheel .....	6.50
Picker Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{2}$ in., C. R.....	2.75
Shoe Shaker Shaft, $1\frac{1}{8}$ in. x 5 ft. $3\frac{1}{2}$ in., C. R.....	3.50
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	1.50
Straw Dump Elevator Shaft, Bottom, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00

## JUNIOR SIDE HILL MACHINE, 1901

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{8}$ in., C. R.....	\$ 1.00
Back Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{5}{8}$ in., C. R.....	3.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. 4 in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{5}{8}$ in., C. R.....	2.00
Cylinder Shaft, $1\frac{3}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	6.25
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{3}{8}$ in. x 4 ft. $\frac{1}{8}$ in., C. R.....	6.25
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $6\frac{5}{8}$ in., C. R.....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $8\frac{3}{8}$ in., C. R.....	1.00
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R. ....	2.50
Front Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $\frac{7}{8}$ in., C. R.....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $1\frac{1}{2}$ in., C. R. ....	1.00
Grain Carrier Top Shaft, $1\frac{1}{8}$ in. x 4 ft. 6 in., C. R.....	4.00
Grain Elevator Shaft, Top, 1 in. Gas Pipe x 1 ft. 2 in..	1.00
Grain Hopper Shaft, 1 in. Gas Pipe x $9\frac{1}{8}$ in.....	.75
Grain Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R.....	6.25
Header Drum Shaft, $\frac{7}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R....	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75

Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 9 ft. $7\frac{3}{4}$ in., C. R. ....	15.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Main Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	5.00
Picker Shaft, $\frac{1}{2}$ in., C. R.....	6.50
Return Elevator Top Shaft, 1 in. Gas Pipe x $9\frac{5}{8}$ in.....	.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Separator Fan Shaft, $\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Beater Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{9}{8}$ in., C. R... ..	1.00
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 3 ft. $6\frac{7}{8}$ in., C. R... ..	1.00
Top Feeder Shaft, 1 in. x 2 ft. $10\frac{1}{2}$ in., R. I.....	2.50

## JUNIOR SIDE HILL MACHINE, 1902

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{7}{8}$ in., C. R.....	\$ 1.00
Back Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	3.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{4}$ in., C. R.....	1.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{5}{8}$ in., C. R.....	2.00
Cylinder Shaft, $1\frac{9}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.25
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{9}{8}$ in. x 4 ft. 4 in., C. R.....	6.25
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $8\frac{3}{8}$ in., C. R.....	1.00
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R.....	2.50
Front Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., R. I. ....	1.00
Grain Carrier Top Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{1}{2}$ in., C. R....	4.00
Grain Elevator Shaft, Top, 1 in. Gas Pipe x 1 ft. 2 in....	1.00
Grain Hopper Shaft, 1 in. Gas Pipe x $9\frac{1}{8}$ in.....	.75
Grain Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Header Drum Shaft, $\frac{7}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., R. I.....	3.25
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R....	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R....	.75
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R.....	6.25
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 9 ft. $10\frac{7}{8}$ in., C. R.....	15.00



Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{3}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Main Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	5.00
Picker Shaft, $\frac{1}{8}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Return Elevator Top Shaft, 1 in. Gas Pipe x $9\frac{5}{8}$ in.....	.50
Separator Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Beater Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{7}{8}$ in., C. R....	1.00
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R...	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Top Feeder Shaft, 1 in. x 2 ft. $10\frac{1}{2}$ in., R. I.....	2.50

## JUNIOR SIDE HILL MACHINE, 1903

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{8}$ in., C. R.....	\$1.00
Back Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	3.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{8}$ in., R. I.....	4.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.25
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 4 in., C. R.....	6.25
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $8\frac{3}{8}$ in., C. R....	1.00
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R. ....	2.50
Front Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R.	1.00
Grain Carrier Top Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{1}{2}$ in., C. R....	4.00
Grain Elevator Shaft, Top, 1 in. Gas Pipe x 1 ft. $3\frac{1}{2}$ in..	1.00
Grain Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R....	2.00
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	6.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 9 ft. $10\frac{7}{8}$ in., C. R. ....	15.00
Leveling Device, Top Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.....	1.75

Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Main Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	5.00
Picker Shaft, $\frac{1}{8}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R....	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Top Feeder Shaft, $\frac{1}{8}$ in. x 2 ft. $10\frac{3}{4}$ in., R. I.....	2.50

### JUNIOR SIDE HILL MACHINE, 1904

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $7\frac{1}{8}$ in., C. R.....	\$1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{8}$ in., R. I.....	4.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $11\frac{1}{8}$ in., C. R.....	2.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	6.25
Cylinder Tightener Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 4 in., C. R.....	6.25
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $9\frac{5}{8}$ in., C. R.....	1.00
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R. ....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R. ....	1.00
Grain Carrier Top Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{1}{2}$ in., C. R.....	4.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R....	2.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $5\frac{7}{8}$ in., C. R.....	5.25
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R....	2.00
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R.....	6.25
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 9 ft. $10\frac{7}{8}$ in., C. R. ....	15.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Leveling Device, Bottom Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00



Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R. ....	2.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $5\frac{1}{2}$ in., C. R. ....	6.25
Main Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R. ....	5.00
Picker Shaft, $\frac{1}{2}$ in., C. R. ....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R. ....	1.00
Separator Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R. ....	2.50
Shoe Shaker Shaft, R. I. ....	3.50
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R. ....	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R. ....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R. ....	2.00
Top Feeder Shaft, $\frac{1}{8}$ in. x 2 ft. $10\frac{3}{4}$ in., C. R. ....	1.75

## JUNIOR SIDE HILL MACHINE, 1905

Agitator Shaft, $\frac{1}{2}$ in. x 3 ft. $7\frac{1}{8}$ in., C. R. ....	\$1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R. ....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $8\frac{3}{4}$ in., C. R. ....	3.00
Chaff Carrier Shaft, $\frac{1}{2}$ in. x 3 ft. 11 in., C. R. ....	1.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{8}$ in., R. I. ....	4.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R. ....	1.75
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R. ....	2.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R. ....	6.25
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{4}$ in., C. R. ....	6.25
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R. ....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $9\frac{5}{8}$ in., C. R. ....	1.00
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R. ....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R. ....	3.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R. ....	1.00
Grain Carrier Top Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{1}{2}$ in., C. R. ....	4.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R. ....	2.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $5\frac{7}{8}$ in., C. R. ....	6.25
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R. ....	3.25
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R. ....	2.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R. ....	6.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R. ....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R. ....	3.50
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 10 ft., C. R. ....	15.00
Leveling Device, Top Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Leveling Device, Bottom Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R. ....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R. ....	2.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $7\frac{1}{4}$ in., 16 inch Tire, C. R. ....	6.25
Main Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R. ....	5.00

Picker Shaft, $1\frac{1}{8}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Top Feeder Shaft, $1\frac{1}{8}$ in. x 2 ft. $10\frac{3}{4}$ in., C. R.....	1.75

### JUNIOR SIDE HILL MACHINE, 1906

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{8}$ in., C. R.....	\$1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $11\frac{7}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $8\frac{3}{4}$ in., C. R.....	3.00
Chaff Carrier Shaft, $1\frac{1}{8}$ in. x 3 ft. 11 in., C. R.....	1.00
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $11\frac{1}{8}$ in., R. I.....	4.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Cleaner Shake Shaft, $1\frac{1}{8}$ in. x 2 ft. 3 in., C. R.....	1.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{4}$ in., C. R.....	6.50
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 4 in., C. R.....	6.25
Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{4}$ in., C. R.....	2.50
Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $9\frac{5}{8}$ in., C. R.....	1.00
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{1}{4}$ in., C. R. ....	2.50
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{7}{8}$ in., C. R.....	4.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R.....	2.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $5\frac{7}{8}$ in., C. R.....	6.25
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R.....	6.25
Header Draper Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	3.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 10 ft. $11\frac{1}{8}$ in., C. R. ....	15.00
Leveling Device, Top Screw Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Leveling Device, Bottom Screw Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $7\frac{1}{4}$ in., 16 inch Tire, C. R. ....	6.25
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. 1 in., C. R.....	5.00
Picker Shaft, $1\frac{1}{8}$ in., C. R.....	6.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{3}{8}$ in., C. R.....	2.50
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00



Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Top Feeder Shaft, $\frac{1}{8}$ in. x 2 ft. $10\frac{3}{4}$ in., C. R.....	1.75

## JUNIOR SIDE HILL MACHINE, 1907

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R.....	\$1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 4 ft. 9 in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $9\frac{3}{4}$ in., C. R.....	3.00
Beater Shaft, Straw Carrier, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R....	1.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{2}$ in., C. R.....	2.00
Cheat Elevator Bottom Shaft, $\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R.....	.50
Cheat Elevator Top Shaft, $\frac{1}{8}$ in. x 10 in., C. R.....	.50
Cheat Screen Shaker Shaft, $\frac{1}{8}$ in. x 3 ft. 8 in., C. R.....	2.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 2 in., C. R.....	6.25
Cylinder Counter Shaft, 16 in. Main Wheel, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R.....	6.25
Cylinder Counter Shaft, 20 in. Main Wheel, $1\frac{1}{8}$ in. x 4 ft. $2\frac{3}{4}$ in., C. R.....	6.25
Divided Straw Carrier Back Top Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00
Divided Straw Carrier Front Top Shaft, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{5}{8}$ in., C. R.....	2.50
Feeder, Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $\frac{3}{8}$ in....	2.50
Feeder Tightener, $\frac{1}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R.....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. 9 in., C. R.....	4.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R...	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. 3 in., C. R.....	2.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R.....	6.25
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R....	6.25
Header Draper Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R...	3.25
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R. ....	2.00
Leveling Device, Main Shaft, 16 in. Grain and Main Wheel, $1\frac{1}{8}$ in. x 10 ft. $3\frac{7}{8}$ in., C. R.....	15.00
Leveling Device, Main Shaft, 20 in. Grain and Main Wheel, $1\frac{1}{8}$ in. x 10 ft. 8 in., C. R.....	15.00
Leveling Device, Bottom Screw Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Top Screw Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Main Wheel Shaft, 16 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 7 in., C. R. ....	6.25
Main Wheel Shaft, 20 in. Wheel, $2\frac{1}{8}$ in. x 2 ft. 11 in., C. R. ....	6.50

Main Counter Shaft, 16 in. Main Wheel, $1\frac{1}{8}$ in. x 2 ft. 8 in., C. R. ....	5.00
Main Counter Shaft, 20 in. Main Wheel, $1\frac{1}{8}$ in. x 3 ft., C. R. ....	5.00
Picker Shaft, $\frac{1}{8}$ in. x 3 ft. 8 in., C. R. ....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R. ....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 10 in., C. R. ....	2.75
Shoe Shaker Shaft, R. I. ....	3.50
Straw Carrier Shaft, Back, $\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R. ....	1.00
Straw Dump Elevator Shaft or Chaff Carrier Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R. ....	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R. ....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R. ....	2.00
Top Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R. ....	1.75

### JUNIOR SIDE HILL MACHINE, 1908

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R. ....	\$ 1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 4 ft. 9 in., C. R. ....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $9\frac{3}{4}$ in., C. R. ....	3.00
Chaff Drag Elevator Shaft, $\frac{1}{8}$ in. x $9\frac{1}{8}$ in., C. R. ....	.75
Cheat Elevator Shaft, Bottom, $\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R. ....	.50
Cheat Elevator Shaft, Top, $\frac{1}{8}$ in. x 10 in., C. R. ....	.50
Cheat Screen Shaker Shaft, $\frac{1}{8}$ in. x 3 ft. 8 in., C. R. ....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{4}$ in., C. R. ....	2.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R. ....	6.25
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 2 in., C. R. ....	6.25
Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. 5 in., C. R. ....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{8}$ in., C. R. ....	2.50
Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R. ....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R. ....	3.00
Grain Drag Elevator Shaft, $\frac{1}{8}$ in. x 11 in., C. R. ....	.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. 9 in., C. R. ....	4.00
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R. ....	1.00
Grain Elevator Top Shaft, $\frac{1}{8}$ in. x 1 ft. $1\frac{3}{4}$ in., C. R. ....	1.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 7 in., C. R. ....	6.25
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{4}$ in., C. R. ....	6.25
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R. ....	2.75
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R. ....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R. ....	3.50
Leveling Device, Bottom Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R. ....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R. ....	2.00
Leveling Device, Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R. ....	1.75
Main Leveling Shaft, $1\frac{1}{8}$ in. x 10 ft. 8 in., C. R. ....	15.00
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{1}{4}$ in., C. R. ....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft., C. R. ....	6.50



Picker Shafts (2), $1\frac{1}{8}$ in. x 3 ft. 8 in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 10 in., C. R.....	2.75
Shoe Shaker Shaft, R. I.....	3.50
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R...	1.00
Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R...	1.00
Straw Dump Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R..	1.00
Top Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	1.75

## JUNIOR SIDE HILL MACHINE, 1909

Beater Shaft, Back, $1\frac{1}{8}$ in. x 4 ft., C. R.....	\$ 3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R. ....	3.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Elevator Shaft, Bottom, $1\frac{1}{8}$ in. x $7\frac{1}{2}$ in., C. R...	.50
Cheat Elevator Shaft, Top, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.50
Cheat Screen Shaker Shaft, $1\frac{1}{8}$ in. x 3 ft. 8 in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{4}$ in., C. R.....	2.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{1}{2}$ in., C. R.....	6.25
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 2 in., C. R., 1910.....	6.25
Divided Straw Carrier Back Top Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00
Divided Straw Carrier Front Top Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00
Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. 5 in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{8}$ in., C. R. ....	2.50
Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R.....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Drag Elevator Shaft, $1\frac{1}{8}$ in. x 1 ft., C. R.....	.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft., C. R.....	4.00
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R.	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R..	1.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 7 in., C. R.....	6.25
Header Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R.....	6.25
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	2.75
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Bottom Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Leveling Device, Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{4}$ in., C. R.	1.75
Main Leveling Shaft, $1\frac{1}{8}$ in. x 10 ft. $6\frac{1}{8}$ in., C. R....	15.00
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{1}{8}$ in., C. R.....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft., C. R.....	6.50
Picker Shafts (2), $1\frac{1}{8}$ in. x 3 ft. 8 in., C. R.....	1.50

Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 10 in., C. R.....	2.75
Shoe Shaker Shaft, R. I.....	3.50
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, Back, $\frac{1}{2}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R....	1.00
Straw Dump Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R....	1.00
Top Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	1.75

### JUNIOR SIDE HILL MACHINE, 1910 TO 1913

Beater Shaft, Back, $1\frac{1}{8}$ in. x 4 ft. 9 in., C. R.....	\$ 3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{2}$ in., C. R.....	3.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Elevator Shaft, Bottom, $\frac{1}{2}$ in. x $7\frac{1}{2}$ in., C. R....	.50
Cheat Elevator Shaft, Top, $\frac{1}{2}$ in. x $9\frac{1}{2}$ in., C. R.....	.50
Cheat Screen Shaker Shaft, $\frac{1}{2}$ in. x 3 ft. 8 in., C. R....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{4}$ in., C. R.....	2.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R., 1910	6.25
Cylinder Counter Shaft 1911, $1\frac{1}{8}$ in. x 4 ft. 7 in., C. R.	6.50
Cylinder Shaft, $1\frac{1}{8}$ in. x 4 ft. 2 in., C. R.....	6.25
Cylinder Shaft, $1\frac{1}{2}$ in. x 4 ft. 2 in., C. R.....	6.50
Divided Straw Carrier Back Top Shaft, $\frac{1}{2}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	1.00
Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. 5 in., C. R.....	2.50
Feeder Counter and Jigger Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{3}{8}$ in., C. R.....	2.50
Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Drag Elevator Shaft, $1\frac{1}{8}$ in. x 1 ft., C. R.....	.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 5 ft. $9\frac{1}{2}$ in., C. R.....	4.00
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 3 ft. $4\frac{3}{4}$ in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R..	1.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $7\frac{1}{4}$ in., C. R.....	6.25
Header Counter Shaft, $1\frac{1}{2}$ in. x 3 ft. $8\frac{5}{8}$ in., C. R....	6.25
Header Drum Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Leveling Device, Bottom Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R.....	3.00
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $1\frac{1}{8}$ in., C. R.....	2.00
Leveling Device, Top Shaft, $1\frac{3}{8}$ in. x 1 ft. 3 in., C. R....	1.75
Main Leveling Shaft, $1\frac{1}{8}$ in. x 10 ft. $6\frac{3}{4}$ in., C. R.....	15.00
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{5}{8}$ in., C. R.....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R.....	6.50
Picker Shafts (2), $\frac{1}{2}$ in. x 3 ft. 8 in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00



Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 10 in., C. R.....	2.75
Shoe Shaker Shaft, $1\frac{3}{8}$ in. x 4 ft. 7 in., C. R.....	3.50
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $10\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00
Straw Carrier Shaft, Back, $\frac{1}{2}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R...	1.00
Straw Dump Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $8\frac{1}{8}$ in., C. R.	1.00
Top Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	1.75

## HOLT HOLLEY SIDE HILL MACHINE, 1905

Agitator Shaft, $\frac{1}{2}$ in. x 3 ft. $2\frac{1}{2}$ in., C. R.....	\$ 1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $1\frac{1}{8}$ in., C. R.....	2.50
Beater Shaft, Top, $\frac{1}{2}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	1.75
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{1}{8}$ in., R. I.....	4.00
Cleaner Fan Shaft, $\frac{1}{2}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	2.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. $7\frac{1}{8}$ in., C. R.....	6.00
Cylinder Counter Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 2 ft. $9\frac{1}{4}$ in., C. R.....	6.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{2}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. 11 in., C. R.	1.00
Grain Elevator Top Shaft, $1\frac{5}{8}$ in. x 1 ft. $7\frac{1}{4}$ in., C. R.	2.00
Grain Wheel Shaft, 14 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $5\frac{5}{8}$ in., C. R.....	6.25
Header Draper Drum Shaft, $\frac{1}{2}$ in. x 4 ft. 1 in., C. R...	3.25
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R...	2.00
Header Counter Shaft, 14 in. Wheel, $1\frac{7}{8}$ in. x 1 ft. $7\frac{5}{8}$ in., C. R.....	3.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R...	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $6\frac{1}{8}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $5\frac{5}{8}$ in., C. R.....	1.50
Jigger Board Shaft, $1\frac{1}{8}$ in. x $6\frac{1}{2}$ in., C. R.....	.75
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 6 ft. $10\frac{1}{8}$ in., C. R.	12.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $10\frac{1}{4}$ in., C. R.....	6.50
Main Counter Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 2 ft. $10\frac{1}{8}$ in., C. R.....	5.00
Picker Shaft, $\frac{1}{2}$ in. x 3 ft. $2\frac{3}{4}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $3\frac{3}{4}$ in., C. R.....	1.00
Separator Fan Shaft, $\frac{1}{2}$ in. x 3 ft. $2\frac{5}{8}$ in., C. R.....	2.00
Separator Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R.....	1.50
Separator Bracket, Upright Shaft, $1\frac{3}{8}$ in. x 1 ft. $\frac{7}{8}$ in., C. R.....	1.50
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Shaft, $\frac{1}{2}$ in. x 3 ft. $4\frac{1}{8}$ in., C. R.....	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $9\frac{3}{4}$ in., C. R.....	4.00
Sickle Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. 7 in., C. R.....	2.00

## HOLT HOLLEY SIDE HILL MACHINE, 1906

Agitator Shaft, $\frac{1}{8}$ in. x 3 ft. $2\frac{1}{2}$ in., C. R.....	\$ 1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $9\frac{1}{4}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $1\frac{5}{8}$ in., C. R.....	2.50
Beater Shaft, Top, $\frac{1}{8}$ in. x 3 ft. $1\frac{3}{4}$ in., C. R.....	1.75
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{1}{2}$ in., R. I.....	4.00
Cleaner Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	2.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{1}{8}$ in., C. R.....	6.00
Cylinder Counter Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. $1\frac{1}{4}$ in., C. R.....	6.00
Cylinder Counter Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. $5\frac{1}{4}$ in., C. R.....	6.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 3 ft. $10\frac{1}{8}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{3}{8}$ in., C. R....	2.00
Grain Wheel Shaft, 14 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $5\frac{5}{8}$ in., C. R.....	6.25
Grain Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $7\frac{5}{8}$ in., C. R.....	6.25
Header Draper Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{5}{8}$ in., C. R....	3.25
Header Counter Shaft, 14 in. or 16 in. Wheel, $1\frac{1}{8}$ in. x 1 ft. $9\frac{3}{8}$ in., C. R.....	3.00
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R....	1.50
Header Gear Bracket Shaft, Long, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Jigger Board Shaft, $1\frac{1}{8}$ in. x $6\frac{1}{2}$ in., C. R.....	.75
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 6 ft. $9\frac{1}{8}$ in., C. R. 12.00	
Leveling Device, Upright Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{7}{8}$ in., C. R.....	1.50
Leveling Device Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R.....	1.50
Main Wheel Shaft, 16 in. Wheel, $2\frac{7}{8}$ in. x 2 ft. $9\frac{1}{4}$ in., C. R.....	6.50
Main Wheel Shaft, 20 in. Wheel, $2\frac{7}{8}$ in. x 3 ft. $1\frac{3}{8}$ in., C. R.....	6.50
Main Counter Shaft, 16 in. Wheel, $1\frac{1}{8}$ in. x 2 ft. $10\frac{1}{8}$ in., C. R.....	5.00
Main Counter Shaft, 20 in. Wheel, $1\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	5.00
Picker Shaft, $\frac{1}{8}$ in. x 3 ft. $2\frac{3}{4}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $\frac{1}{8}$ in. x 3 ft. $2\frac{5}{8}$ in., C. R.....	2.00



Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $2\frac{3}{8}$ in., C. R...	1.00
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $4\frac{1}{8}$ in., C. R...	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	4.00
Straw Dump Elevator Shaft, Bottom, $1\frac{1}{8}$ in. x 3 ft. $4\frac{1}{4}$ in., C. R.....	1.00

**HOLT HOLLEY SIDE HILL MACHINE, 1907**

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	\$ 1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{8}$ in., C. R.....	2.50
Beater Shaft, Top, $1\frac{1}{8}$ in. x 3 ft. $1\frac{7}{8}$ in., C. R.....	1.75
Cleaner Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{5}{8}$ in., R. I.....	4.00
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{5}{8}$ in., C. R.....	2.00
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{1}{4}$ in., C. R....	6.00
Cleaner Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{3}{8}$ in., C. R.....	1.75
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. 1 in., C. R.....	3.50
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R...	2.00
Grain Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $6\frac{1}{8}$ in., C. R.....	5.50
Header Draper Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in.....	3.25
Header Counter Shaft, $1\frac{1}{8}$ in. x 1 ft. $10\frac{1}{2}$ in., C. R....	3.00
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R...	1.50
Header Gear Bracket Shaft, Long, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00
Header Raising Wheel Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $2\frac{7}{8}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R.....	2.00
Leveling Device, Gear Bracket, Upright Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.....	1.50
Jigger Board Shaft, $1\frac{1}{8}$ in. x $6\frac{1}{2}$ in., C. R.....	.75
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 6 ft. $9\frac{5}{8}$ in., C. R.	12.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	6.50
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.....	5.00
Picker Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	2.00
Shoe Shaker Shaft, R. I.....	3.50
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{8}$ in., C. R...	1.00
Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{4}$ in., C. R...	1.00
Straw Dump Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{8}$ in., C. R.	1.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	4.00

## HOLT HOLLEY SIDE HILL MACHINE, 1908

Agitator Shaft, $1\frac{1}{8}$ in. x 3 ft. 3 in., C. R.....	\$1.00
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $10\frac{3}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $4\frac{7}{8}$ in., C. R.....	2.50
Beater Shaft, Top, $1\frac{1}{8}$ in. x 3 ft. $1\frac{1}{4}$ in., C. R.....	1.75
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{9}{8}$ in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 9 in., C. R.....	.75
Cheat Screen Shaker Shaft, $1\frac{1}{8}$ in. x 3 ft. 3 in., C. R....	2.50
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 11 in., C. R.....	.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{1}{2}$ in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $6\frac{1}{4}$ in., C. R....	6.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{7}{8}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C.R.	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $4\frac{1}{2}$ in., C. R..	1.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $6\frac{1}{8}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{7}{8}$ in. x 2 ft., C. R.....	3.00
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{1}{4}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R..	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R. ....	2.00
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. 4 in.....	2.50
Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Jigger Board Shaft, $1\frac{1}{8}$ in. x $6\frac{1}{2}$ in.....	.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R.....	2.00
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 6 ft. $9\frac{5}{8}$ in., C. R.	12.00
Leveling Device, Upright Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.....	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.....	5.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	6.50
Picker Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $3\frac{7}{8}$ in., C. R.....	4.00
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{8}$ in., C. R..	1.00
Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{4}$ in., C. R..	1.00
Straw Dump Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{8}$ in., C. R.	1.00
Shoe Shaker Shaft, R. I.....	3.50

## HOLT HOLLEY SIDE HILL MACHINE, 1909

Auger Stubs, $1\frac{1}{8}$ in. x 10 in., C. R.....	\$0.75
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $8\frac{7}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{4}$ in., C. R.....	2.50



Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Screen Shaker Shaft, $\frac{1}{2}$ in. x 3 ft. 3 in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{3}{8}$ in., C. R.....	2.00
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., C. R.....	6.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{3}{4}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. 11 in., C. R.	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R...	1.00
Grain Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{7}{8}$ in. x 2 ft., C. R.....	2.50
Header Drum Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{1}{8}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R...	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $3\frac{1}{2}$ in.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Jigger Board Shaft, $\frac{1}{2}$ in. x 11 in.....	.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{2}$ in., C. R.....	2.00
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 6 ft. $10\frac{1}{2}$ in., C. R.....	12.00
Leveling Device, Upright Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.....	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $\frac{1}{8}$ in., C. R.....	6.50
Picker Shaft, $\frac{1}{2}$ in. x 3 ft. $\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	4.00
Straw Carrier Shaft, Back, $\frac{1}{2}$ in. x 3 ft. 5 in., C. R.....	1.00
Straw Dump Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $3\frac{1}{8}$ in., C. R.	1.00
Shoe Shaker Shaft, R. L.....	3.50
Side Feeder Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{7}{8}$ in., C. R.....	.75

## HOLT HOLLEY SIDE HILL MACHINE, 1910

Auger Stubs, $1\frac{1}{8}$ in. x 10 in., C. R.....	\$0.75
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $8\frac{7}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{4}$ in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $4\frac{3}{8}$ in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Screen Shaker Shaft, $\frac{1}{2}$ in. x 3 ft. 3 in., C. R.....	2.50
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R.....	6.00

Cylinder Counter Shaft, $1\frac{3}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., C. R.....	6.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{3}{4}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. 11 in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R...	1.00
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{7}{8}$ in. x 2 ft., C. R.....	2.50
Header Drum Shaft, $\frac{1}{2}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R...	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $3\frac{1}{2}$ in.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Jigger Board Shaft, $\frac{1}{2}$ in. x 11 in.....	.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{2}$ in., C. R.....	2.00
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 6 ft. $10\frac{1}{2}$ in., C. R.	12.00
Leveling Device, Upright Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.....	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $2\frac{1}{2}$ in., C. R.....	6.50
Picker Shaft, $\frac{1}{2}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	4.00
Straw Carrier Shaft, Back, $\frac{1}{2}$ in. x 3 ft. 5 in., C. R....	1.00
Straw Dump Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.	1.00
Shoe Shaker Shaft, $1\frac{1}{8}$ in. x 4 ft., C. R.....	3.50
Side Feeder Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{7}{8}$ in., C. R.....	.75

### HOLT HOLLEY SIDE HILL MACHINE, 1911, 1912, 1913

Auger Stubs, $1\frac{1}{8}$ in. x 10 in., C. R.....	\$0.75
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $8\frac{7}{8}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{4}$ in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{4}$ in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Screen Shaker Shaft, $\frac{1}{2}$ in. x 3 ft. $3\frac{1}{4}$ in., C. R...	2.50
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{1}{2}$ in., C. R....	.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. 9 in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., C. R....	6.00
Divided Straw Carrier Front Top Shaft, $\frac{1}{2}$ in. x 3 ft. 5 in., C. R.....	1.00
Divided Straw Carrier Back Top Shaft, $\frac{1}{2}$ in. x 3 ft. 5 in., C. R.....	1.00



Divided Straw Carrier Beater Shaft, $1\frac{1}{8}$ in. x 3 ft. $2\frac{3}{4}$ in., C. R.....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $5\frac{3}{4}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. 11 in., C. R.....	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R....	1.00
Grain Wheel Shaft, $2\frac{3}{8}$ in. x 2 ft. $6\frac{1}{2}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 2 ft., C. R.....	2.50
Header Drum Shaft, $1\frac{1}{8}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R....	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{2}$ in., C. R.....	2.50
Jackson Feeder Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Jigger Board Shaft, $1\frac{1}{8}$ in. x 11 in., C. R.....	.75
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R.....	2.00
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 6 ft. $10\frac{1}{2}$ in., C. R.....	12.00
Leveling Device, Upright Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.....	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{8}$ in., C. R.....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	6.50
Picker Shaft, $1\frac{1}{8}$ in. x 3 ft. $3\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{4}$ in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{8}$ in., C. R.....	4.00
Straw Carrier Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{8}$ in., C. R....	1.00
Straw Dump Elevator Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{3}{8}$ in., C. R.....	1.00
Shoe Shaker Shaft, $1\frac{3}{8}$ in. x 4 ft., C. R.....	3.50
Top Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. 4 in., C. R.....	3.50

## HOLT BABY SPECIAL SIDE HILL MACHINE, 1909

Auger Stubs, $1\frac{1}{8}$ in. x 10 in., C. R.....	\$0.75
Beater Shaft Back, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{4}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $\frac{3}{4}$ in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{5}{8}$ in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Screen Shaker Shaft, $1\frac{1}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R....	2.50
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cylinder Shaft, $1\frac{3}{8}$ in. x 3 ft. 6 in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{3}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R....	5.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{5}{8}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $1\frac{1}{8}$ in. x 2 ft. $8\frac{5}{8}$ in., C. R.....	1.00

Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R...	1.00
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{7}{8}$ in. x 2 ft., C. R.....	2.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R...	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00
Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{1}{2}$ in.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	1.00
Jigger Board Shaft, $\frac{1}{8}$ in. x 11 in., C. R.....	.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R. ....	2.00
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 5 ft. 6 in., C. R...	8.00
Leveling Device, Upright Shaft, $1\frac{1}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R. ....	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft., C. R.....	5.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 10 in., C. R.....	6.50
Picker Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 2 in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{7}{8}$ in., C. R. ....	4.00
Side Feeder Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{1}{8}$ in., C. R.....	1.00
Straw Dump Elevator Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{1}{8}$ in., C. R.....	1.00
Shoe Shaker Shaft, R. I.....	3.50

### HOLT BABY SPECIAL SIDE HILL MACHINE, 1910

Auger Stubs, $1\frac{1}{8}$ in. x 10 in., C. R.....	\$0.75
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{4}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{5}{8}$ in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Screen Shaker Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R...	2.50
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. 6 in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{3}{8}$ in., C. R...	5.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{5}{8}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $8\frac{5}{8}$ in., C. R.	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R...	1.00
Grain Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{7}{8}$ in. x 2 ft., C. R.....	2.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R...	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R.....	2.00



Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	.75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{8}$ in. x 3 ft. $4\frac{1}{2}$ in.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	1.00
Jigger Board Shaft, $\frac{1}{8}$ in. x 11 in., C. R.....	.75
Leveling Device, Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R. ....	2.00
Leveling Device, Main Shaft, $1\frac{1}{8}$ in. x 5 ft. 6 in., C. R...	8.00
Leveling Device, Upright Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft., C. R.....	5.00
Main Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. 10 in., C. R.....	6.50
Picker Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 2 in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	4.00
Side Feeder Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{7}{8}$ in., C. R.....	1.00
Straw Dump Elevator Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{1}{8}$ in., C. R....	1.00
Shoe Shaker Shaft, $1\frac{3}{8}$ in. x 3 ft. 9 in., C. R.....	3.50

### HOLT BABY SPECIAL SIDE HILL MACHINE, 1911, 1912, 1913

Auger Stubs, $1\frac{1}{8}$ in. x 10 in., C. R.....	\$0.75
Beater Shaft, Back, $1\frac{1}{8}$ in. x 3 ft. $3\frac{3}{4}$ in., C. R.....	3.50
Beater Shaft, Front, $1\frac{1}{8}$ in. x 3 ft. $\frac{3}{4}$ in., C. R.....	2.50
Cleaner Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. $1\frac{5}{8}$ in., C. R.....	2.00
Chaff Drag Elevator Shaft, $1\frac{1}{8}$ in. x 10 in., C. R.....	.75
Cheat Screen Shake Shaft, $\frac{1}{8}$ in. x 3 ft. $\frac{1}{4}$ in., C. R.....	2.50
Cleaner Grain Drag Shaft, $1\frac{1}{8}$ in. x 1 ft. $\frac{1}{2}$ in., C. R.....	.75
Cylinder Shaft, $1\frac{1}{8}$ in. x 3 ft. $5\frac{1}{2}$ in., C. R.....	6.00
Cylinder Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $11\frac{1}{2}$ in., C. R.....	5.00
Divided Straw Carrier Beater Shaft, $\frac{1}{8}$ in. x 3 ft. $2\frac{1}{8}$ in., C. R.....	1.00
Divided Straw Carrier Back Top Shaft, $\frac{1}{8}$ in. x 3 ft. 2 in., C. R. ....	1.00
Divided Straw Carrier Front Top Shaft, $\frac{1}{8}$ in. x 3 ft. 2 in., C. R. ....	1.00
Front Wheel Shaft, $1\frac{1}{8}$ in. x 1 ft. 10 in., C. R.....	3.00
Grain Carrier Shaft, $1\frac{1}{8}$ in. x 4 ft. $2\frac{1}{8}$ in., C. R.....	3.50
Grain Carrier Tightener Shaft, $\frac{1}{8}$ in. x 2 ft. $8\frac{3}{8}$ in., C. R...	1.00
Grain Elevator Top Shaft, $1\frac{1}{8}$ in. x 1 ft. $3\frac{1}{2}$ in., C. R....	1.00
Grain Hopper Elevator Top Shaft, $1\frac{1}{8}$ in. x 10 in., C. R....	.75
Grain Wheel Shaft, $2\frac{1}{8}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	5.50
Header Counter Shaft, $1\frac{1}{8}$ in. x 2 ft., C. R.....	2.50
Header Drum Shaft, $\frac{1}{8}$ in. x 4 ft. $1\frac{3}{8}$ in., C. R.....	2.75
Header Gear Bracket Shaft, $1\frac{1}{8}$ in. x 1 ft. 4 in., C. R....	1.50
Header Gear Bracket, Long Shaft, $1\frac{1}{8}$ in. x 2 ft. $\frac{1}{2}$ in., C. R. ....	2.00

Header Raising Shaft, $1\frac{1}{8}$ in. x $9\frac{1}{2}$ in., C. R.....	75
Header Wheel Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{1}{2}$ in., C. R.....	3.50
Jackson Feeder Shaft, $\frac{1}{2}$ in. x 3 ft. $4\frac{1}{2}$ in.....	2.50
Jackson Feeder Tightener Shaft, $\frac{1}{2}$ in. x 2 ft. $2\frac{1}{2}$ in., C. R.....	1.00
Jigger Board Shaft, $\frac{1}{2}$ in. x 11 in., C. R.....	75
Leveling Device, Gear Bracket Shaft, $1\frac{5}{8}$ in. x 1 ft. $5\frac{1}{8}$ in., C. R.....	2.00
Leveling Device, Main Shaft, $1\frac{7}{8}$ in. x 5 ft. 6 in., C. R...	8.00
Leveling Device, Upright Shaft, $1\frac{3}{8}$ in. x 1 ft. $2\frac{1}{2}$ in., C. R.....	1.75
Main Counter Shaft, $1\frac{1}{8}$ in. x 3 ft., C. R.....	5.00
Main Wheel Shaft, $2\frac{7}{8}$ in. x 2 ft. 10 in., C. R.....	6.50
Picker Shaft, $\frac{1}{2}$ in. x 3 ft. $\frac{1}{8}$ in., C. R.....	1.50
Reel Counter Shaft, $1\frac{1}{8}$ in. x 2 ft. $1\frac{5}{8}$ in., C. R.....	1.00
Separator Fan Shaft, $1\frac{1}{8}$ in. x 3 ft. 2 in., C. R.....	2.00
Sickle Shaft, $1\frac{1}{8}$ in. x 4 ft. $4\frac{1}{2}$ in., C. R.....	4.00
Straw Dump Elevator Shaft, $\frac{1}{2}$ in. x 3 ft. $\frac{1}{8}$ in., C. R....	1.00
Shoe Shaker Shaft, $1\frac{3}{8}$ in. x 3 ft. 9 in., C. R.....	3.50
Top Feeder Shaft, $1\frac{1}{8}$ in. x 3 ft. 2 in., C. R.....	3.50

## MISCELLANEOUS

Attachments, Bulk Grain.....	\$ 65.00
Attachments, Cleaner Auger Reversing.....	Each 2.00
Attachments, Header Drive.....	Each 70.00
Attachments, Stationary Std., 1897.....	34.50
Attachments, Stationary, Complete.....	Each 25.00
Attachments No. A3, for 32 Link Belting, R. & L.....	Each .04
Attachments No. A1, for 33 Link Belting, R. & L.....	Each .04
Attachments No. A3, for 44 Link Belting, R. & L.....	Each .05
Attachments No. A3, for 45 Link Belting, R. & L.....	Each .05
Attachments No. A3, for 42 Link Belting, R. & L.....	Each .05
Attachments No. K1, for 44 Link Belting.....	Each .05
Attachments No. K1, for 45 Link Belting.....	Each .05
Attachments No. K1, for 52 Link Belting.....	Each .05
Augers, 4-inch, per foot.....	.75
Augers, 5-inch, per foot.....	1.15
Augers, 6-inch, per foot.....	1.35
Augers, 7-inch, per foot.....	1.55
Auger Flights, 4-inch.....	Each .25
Auger Flights, 5-inch.....	Each .25
Auger Flights, 6-inch.....	Each .25
Auger Flights, 7-inch.....	Each .30
Axles, Header Truck.....	1.50
Axles, Canvas Dump Bottom.....	.75
Babbitt, Holt Anti-Friction.....	} Write for Prices
Babbitt, Genuine .....	
Babbitt, Special Armature.....	
Babbitt, Holt Special.....	
Babbitt, No. 1.....	



Babbitt, No. 2.....	} Write for Prices	
Babbitt, No. 3.....		
Babbitt, No. 4.....		
Bails, Harvester Front Wheel.....		2.50
Bands, Brake (see Brake Bands).....		
Bar, Harvester Draw Bar for Caterpillar.....		9.00
Bars, Sickle (see Sickle Bars).....		
Bars, Sickle, 10 Ft. Wood Only.....	Each	6.00
Bars, Sickle, 12 Ft. Wood Only.....	Each	6.00
Bars, Sickle, 14 Ft. Wood Only.....	Each	6.00
Bars, Sickle, 16 Ft. Wood Only.....	Each	6.50
Bars, Sickle, 18 Ft. Wood Only.....	Each	7.00
Bars, Sickle, 20 Ft. Wood Only.....	Each	8.00
Bars, Sickle, 12 Ft., Finished Complete, 1892 Style, Each		18.00
Bars, Sickle, 14 Ft., Finished Complete, 1892 Style, Each		21.00
Bars, Sickle, 16 Ft., Finished Complete, 1892 Style, Each		24.00
Bars, Sickle, 18 Ft., Finished Complete, 1892 Style, Each		27.00
Bars, Sickle, 20 Ft., Finished Complete, 1892 Style, Each		30.00
Bars, Sickle, 10 Ft., Finished Complete, 1893 Style, Each		18.00
Bars, Sickle, 12 Ft., Finished Complete, 1893 Style, Each		21.00
Bars, Sickle, 14 Ft., Finished Complete, 1893 Style, Each		24.50
Bars, Sickle, 16 Ft., Finished Complete, 1893 Style, Each		28.00
Bars, Sickle, 18 Ft., Finished Complete, 1893 Style, Each		31.50
Bars, Sickle, 20 Ft., Finished Complete, 1893 Style, Each		35.00
Bars, Steel Sickle, 12 Ft. Header.....	Each	27.00
Bars, Steel Sickle, 14 Ft. Header.....	Each	31.50
Bars, Steel Sickle, 16 Ft. Header.....	Each	36.00
Bars, Steel Sickle, 18 Ft. Header.....	Each	40.50
Bars, Steel Sickle, 20 Ft. Header.....	Each	45.00
Bars, Steel Sickle, 22 Ft. Header.....	Each	49.50
Bars, Steel Sickle, 24 Ft. Header.....	Each	54.00
Bars, Sickle, 2 Ft. Extension, 1893 Style.....	Each	6.50
Bars, Sickle, 4 Ft. Extension, 1893 Style.....	Each	7.00
Bars, Sickle, 5 Ft. Extension, 1893 Style.....	Each	8.75
Bars, Sickle, 6 Ft. Extension, 1893 Style.....	Each	10.50
Bars, Extension Sickle, 2 Ft., Steel.....	Each	7.50
Bars, Extension Sickle, 4 Ft., Steel.....	Each	12.50
Bars, Extension Sickle, 6 Ft., Steel.....	Each	17.50
Bars, Extension Sickle, 4 Ft. 1892 Style.....	Each	6.00
Bars, Extension Sickle, 5 Ft. 1892 Style.....	Each	7.50
Bearings, Ball, for Draper Roller.....		.75
Bearings, Ball, for Joint Rod Spools.....		.75
Bearings, Roller, with Case, 1 $\frac{1}{8}$ .....		6.00
Bearings, Roller, with Steel Case, 1 $\frac{1}{8}$ x6.....		6.00
Bearings, Roller, with Case, 1 $\frac{1}{4}$ .....		7.00
Bearings, Roller, with Case, 1 $\frac{1}{4}$ x7.....		8.00
Bearings, Roller, with Case, 1 $\frac{1}{8}$ x6.....		10.00
Bearings, Roller, One Piece, Box 2 $\frac{7}{8}$ in. x 7 $\frac{1}{8}$ in.		
Spirals, fits T1761.....		15.00

Bearings, Roller, Steel Case only, $1\frac{9}{16}$ .....	1.25
Bearings, Roller, Steel Case only, $1\frac{11}{16}$ .....	1.40
Bearings, Roller, Steel Case only, $1\frac{13}{16}$ .....	1.40
Bearings, Roller, Steel Case only, $1\frac{15}{16}$ .....	1.40
Bearings, Roller, Spirals, $\frac{3}{8} \times 6\frac{3}{8}$ .....	.30
Bearings, Roller, Spirals, $\frac{3}{8} \times 6\frac{7}{8}$ .....	.30
Bearings, Roller, Spirals, $\frac{7}{8} \times 5\frac{3}{8}$ .....	.40
Bearings, Roller, Spirals, $\frac{7}{8} \times 5\frac{7}{8}$ .....	.40
Bearings, Roller, Spirals, $\frac{9}{8} \times 6\frac{3}{8}$ .....	.50
Bearings, Roller, Spirals, $\frac{9}{8} \times 6\frac{7}{8}$ .....	.50
Bearings, Roller, Brass Yokes, $1\frac{9}{16}$ .....	1.00
Bearings, Roller, Brass Yokes, $1\frac{11}{16}$ .....	1.25
Bearings, Roller, Brass Yokes, $1\frac{13}{16}$ .....	1.25
Bearings, Roller, Brass Yokes, $1\frac{15}{16}$ .....	1.25
Beaters, Back, Heads and Flights, only.....	7.50
Beaters, Front, Heads and Flights, only.....	8.00
Beaters, Front, Complete without Shaft, N. S., Large and Small Gear Standard.....	4.25
Beaters, Back, Complete without Shaft, N. S., Large and Small Gear Standard.....	3.75
Beaters, Round, Back Spiked, no Shaft.....	5.00
Beaters, Round, Front Spiked, no Shaft.....	5.00
Beaters, Round, 1908-1910.....	6.00
Beaters, Back, Outfit, Side Hill, Complete, per set....	35.00
Beaters, Straw Carrier, Complete.....	7.50
Beater Blades, Top, Plain.....	.50
Beater Blades, Top, Spiked.....	.75
Beater Blades, Plain, Spiked.....	.60
Beater Blades, Iron and Spiked.....	1.25
Beaters, Top, Outfit, Complete.....Each	15.00
Beaters, Top, Shaft and Blades.....Each	4.00
Beaters, Wheel Style, Holt-Holley, Feeder House....	6.00
Belt, Link .....	

## LINK BELT

No.	Price per foot	Links per foot	Working strain
25 .....	.15	13.30 .....	75 lbs.
32 .....	.15	10.40 .....	150 lbs.
33 .....	.15	8.60 .....	200 lbs.
34 .....	.15	8.60 .....	225 lbs.
35 .....	.15	7.40 .....	250 lbs.
$36\frac{1}{2}$ Hvy.....	.21	8.00 .....	250 lbs.
42 .....	.17	8.75 .....	300 lbs.
44 .....	.16	8.10 .....	325 lbs.
45 .....	.15	7.40 .....	350 lbs.
48 .....	.17	6.00 .....	375 lbs.
50 .....	.20	8.80 .....	350 lbs.
52 .....	.20	8.00 .....	500 lbs.



No.	Price per foot	Links per foot	Working strain
55	.18	7.40	450 lbs.
62	.25	7.25	650 lbs.
66	.26	6.00	700 lbs.
67	.26	5.20	700 lbs.
072	.41	7.25	900 lbs.
72	.33	5.90	850 lbs.
72½	.43	7.25	1100 lbs.
075	.37	5.80	850 lbs.
76	.39	5.20	625 lbs.
76½	.30	5.80	700 lbs.
77	.28	5.20	800 lbs.
78	.38	4.60	1000 lbs.
88	.48	4.60	1200 lbs.
89	.64	4.60	1300 lbs.
101	.66	4.50	1600 lbs.
103	.74	4.00	1800 lbs.
114	.94	3.66	2000 lbs.
115	1.15	3.70	2050 lbs.
116½	1.28	3.70	2100 lbs.
116¾	1.60	3.70	2200 lbs.
117	1.24	3.70	2150 lbs.
118	1.32	3.70	2200 lbs.
130	1.90	3.00	2300 lbs.
HHK 2	2.25	3.30	2300 lbs.
SS 485	1.25	7.30	

Belting, Leather, Double Dynamo.....	} Write for peices
Grand Imperial, 6 inch	
Grand Imperial, 7 inch	
Grand Imperial, 8 inch	
Grand Imperial, 10 inch	
Superior Short Lap...	
Standard . . . . .	
Endless Double Pegged	}
Cylinder . . . . .	

Blades, Cleaner Fan, Side Hill & Standards....	Each	.20
Blades, Cleaner Fan, Steam Harvester.....	Each	.25
Blades, Cleaner Fan, Giant Harvester.....	Each	.25
Blades, Separator Fan, Side Hill & Standards...	Each	.20
Blades, Separator Fan, Steam Harvester.....	Each	.25
Blades, Separator Fan, Giant Harvester.....	Each	.25
Blocks, Agitator, Wood.....	Each	.25
Blocks, Front Wheel Brake.....	Each	.50
Blocks, Front Wheel Ladder Rest.....	Each	1.50
Blocks, Wood Drag, Sheet Return Elevator, Three		
Links, 44 Chain, Riveted.....		.20

Blocks, Drag, Angle-Iron, Sheet Steel, Grain Elevator, 1909, Holley, Junior and Senior.....	.35
Blocks, Malleable, Drag, for Return Elevator, Scraper Nos. 34-44, 1910, Harvester.....	.35
Blocks, Malleable, Drag, for Grain and Sack Elevator, Scraper Nos. 34-52, 1910 Harvester.....	.35
Blocks, Malleable, Drag, for Grain and Sack Elevator, Scraper Nos. 34-62.....	.40
Blocks, Drag, Cheat Elevator, Senior and Junior, 1907 to 1909, inclusive, with Three Links, Riveted. Each	.15
Blocks, Drag, Chain Hopper, with Three Links, 52 Ch., Riveted, Senior and Junior, 1907 and 1908, Holt-Holley, 1908 .....	.20
Blocks, Drag, Return Elevator, Side Hill and Standard, with Attachment only .....	.10
Blocks, Drag, Return Elevator, Side Hill and Standard, no Attachments.....	.05
Blocks, Drag, Return Elevator, Steam Harvester, Three Links, 53 Chain, Riveted.....	.20
Blocks, Swing Frame End Cross.....	1.00
Blocks, Return Elevator, with Attachments Attached . . . . . Each	.10
Blocks, Return Elevator, without Attachments.. Each	.05
Blocks, Return Elevator, Riveted Attachments, 52 Chain Steam Harvester.....	.20
Blocks, Return Elevator, with Attachments, 1901 Sheet Iron Spout.....	.20
Blocks, Sack Dumps..... Each	.20
Blocks, Turntable Head.....	1.80
Boards, Divide Wood Only..... Each	.25
Boards, Divide, Ironed .....	.50
Board, Grain Under Shoe, Large and Small Gear Standard . . . . . Each	2.75
Boards, Grain Elevator Bottom, Pine..... Each	.50
Boards, Grain Elevator Bottom, Maple..... Each	1.75
Boards, Grain Elevator Center, Short, Large and Small Gear Standard..... Each	.65
Boards, Grain Elevator Center, Long, Large and Small Gear Standard..... Each	1.75
Boards, Grain Elevator Center..... Each	.45
Boards, Jigger .....	2.50
Boards, Saddle .....	2.50
Boards, Sickle Divide, Wood only.....	.25
Boards, Sickle Divide, Ironed.....	.50
Boards, Return Elevator Bottom, Pine..... Each	1.00
Boards, Return Elevator Bottom, Hardwood.... Each	2.25
Boards, Return Elevator Bottom, Pine..... Each	.75
Boards, Return Elevator Bottom, Hardwood.... Each	1.75



Boards, Saddle, for Shoe, Large and Small Gear, Standard . . . . .	Each	2.25
Boards, Wind, Separator . . . . .	Each	.50
Boards, Bluff, Sheet Iron, Large and Small Gear, Standard . . . . .	Each	.60
Boards, Riffle Tail, Complete, Large and Small, Standard . . . . .	Each	8.00
Bolts, Tightener, Grain Carrier, Jackson Feeder, Draper, Straw Carrier . . . . .	Each	.15
Bolts, Draper Tightener and Jackson Feeder, Thumb, Large and Small Gear, Standard . . . . .	Each	.40
Bolts, Elevator Tightener Crank, Large and Small Gear, Standard . . . . .	Each	.25
Bolts, Knuckle, Large and Small, Standard . . . . .	Each	.20
Bolts, Main Wheel Box . . . . .	Each	.20
Bolts, Jacob Staff Eye, Old Style . . . . .	Each	.40
Bolts, Hook Bolts for No. 1003 . . . . .	Each	.25
Bolts, Strap Pitman . . . . .	Each	.15
Bolts, Auger Stud . . . . .	Each	.25
Bolts, Mixed, Second Hand, per pound . . . . .		.04
Bolts, Guard Round Head . . . . .	Each	.01
Bolts, Guard Double Nut—Special . . . . .	Each	.03

### MAPLE BOXES

Boxes, Cheat Elevator Top, all Machines . . . . .		.75
Box, Cleaner Pitman, all Machines . . . . .		.35
Box, Draper Stop, or 384 Bracket Box or Q Bracket . . . . .		.25
Box, Draper Tightener, all Machines . . . . .		.25
Box, Front Wheel, Maple, all Machines . . . . .		1.00
Box, Grain Carrier Tightener, Main and Grain Side, all Machines . . . . .		.25
Box, Grain Elevator, Right or Left Hand, all Machines . . . . .		.75
Boxes, Grain Carrier Shaft, Upper, all Machines . . . . .		.40
Box, Header Spout, all Machines . . . . .		.40
Box, Jackson Feeder Counter Shaft, Right or Left Hand, all Machines . . . . .		.25
Box, Jackson Feeder Tightener, all Machines . . . . .		.25
Box, Jackson Feeder, Right or Left Hand, all Ma- chines . . . . .		.50
Box, Leveling Device, Cross Shaft, all Machines . . . . .		.75
Boxes, Leveling Device Lever, Large and Small Gear, Standard . . . . .		.25
Boxes, Leveling Shaft, Large and Small Gear, Stand- ard . . . . .	Each	1.25
Box, Return Elevator, Right or Left Hand . . . . .		.75
Box, Reel Shaft . . . . .		.35
Boxes, Reel Shaft, Large and Small Gear, Stand- ard . . . . .	Each	1.00

Box, Reel Counter Shaft, Right or Left Hand.....	.25
Box, Straw Elevator, Top or Bottom, all Machines..	.25
Box, Shoe, Right or Left Hand, Inside or Outside....	.25
Box, Top Beater, Right or Left Hand, all Machines..	.25
Braces, Cleaner Shoe.....	Each .25
Braces, for Grain Carrier Shaft.....	Each .75
Bracket, for T776.....	1.50
Brackets, Chain Tighteners, Iron, Small, Large and Small Gear, Standard.....	Each .70
Brackets, Chain Tightener, Iron, Large and Small Gear, Standard .....	Each .90
Brackets, Chain Tighteners, Wood, Large or Small, Large and Small Gear, Standard.....	Each .50
Brackets, Jacob Staff.....	.75
Brackets, Leveling Device, Large and Small Gear, Standard .....	Each 1.00
Brake Bands, Front Wheel.....	Each 1.50
Brake Bands, Grain Wheel, 6 inch.....	Each 8.50
Brake Bands, Grain Wheel, 2¼ inch.....	Each 6.50
Brakes, Front Wheel, Complete.....	Each 6.00
Brake Bands, Grain Wheel, 3 inch.....	Each 7.25
Brake Bands, Grain Wheel, 3½ inch.....	Each 8.00
Brake Bands, Grain Wheel, 4 inch.....	Each 8.50
Brake Bands, Main Wheel, 3 inch.....	Each 7.25
Brake Bands, Main Wheel, 8 inch.....	Each 10.00
Brake Bands, Main Wheel, 4 inch.....	Each 8.50
Brake Bands, Main Wheel, 3½ inch.....	Each 8.00
Brake Bands, Main Wheel, 6 inch.....	Each 8.50
Brake Bands, Main Wheel, 8 inch.....	Each 10.00
Brake Bands, Main Wheel, 10 inch.....	Each 11.50
Brake Bands, Main Wheel, 12 inch.....	Each 13.00
Brake Bands, Main Wheel, 14 inch.....	Each 14.50
Buckets, Elevator, 3½x5, Plain.....	Each .20
Buckets, Elevator, 4x6, Plain.....	Each .25
Buckets, Elevator, 4x7, Plain.....	Each .30
Buckets, Elevator, 3½x5, with Attachment and Two Links .....	.30
Buckets, Elevator, 4x6, with Attachment and Two Links .....	.35
Buckets, Elevator, 4x7, with Attachment and Two Links .....	.40
Buckles, Draper, 1½ inch.....	.05
Buckles, Draper, 2 inch.....	.06
Buckles, Draper, 2½ inch.....	.07
Buckles, Draper, 3 inch.....	.08
Buttons, Draper .....	Each .01
Canvas (see Duck).....	
Carriers, Chain Chaff, per foot.....	1.25
Carriers, Chain Chaff, Short, Complete with Spout Shafts and Castings.....	16.00



## GRAIN CARRIER PRICE LIST

Length	25-30"	31-35"	36-38"	39-42"	43-46"	47-49"
10 ft.....	22.00	22.50	23.00	24.00	25.00	26.00
11 ft.....	24.20	24.75	25.30	26.40	27.50	28.60
12 ft.....	26.40	27.00	27.60	28.80	30.00	31.20
13 ft.....	28.60	29.25	29.90	31.20	32.50	33.80
14 ft.....	30.80	31.50	32.20	33.60	35.00	36.40
15 ft.....	33.00	33.75	34.50	36.00	37.50	39.00
16 ft.....	35.20	36.00	36.80	38.40	40.00	41.60
17 ft.....	37.40	38.25	39.10	40.80	42.50	44.20
18 ft.....	39.60	40.50	41.40	43.20	45.00	46.80
19 ft.....	41.80	42.75	43.70	45.60	47.50	49.40
20 ft.....	44.00	45.00	46.00	48.00	50.00	52.00
21 ft.....	46.20	47.25	48.30	50.40	52.50	54.60
22 ft.....	48.40	49.50	50.60	52.80	55.00	57.20
23 ft.....	50.60	51.75	52.90	55.20	57.50	59.80

## STRAW CARRIER PRICE LIST

Length	25-27"	28-30"	31-35"	36-38"	39-41"	42-45"	46-49"
5 ft.	5.25	5.35	5.50	5.60	5.75	5.90	6.00
6 ft.	6.30	6.40	6.60	6.70	6.90	7.10	7.20
7 ft.	7.35	7.50	7.70	7.85	8.05	8.25	8.40
8 ft.	8.40	8.55	8.80	8.95	9.20	9.45	9.60
9 ft.	9.45	9.65	9.90	10.10	10.35	10.60	10.80
10 ft.	10.50	10.70	11.00	11.20	11.50	11.80	12.00
11 ft.	11.55	11.75	12.10	12.30	12.65	13.00	13.20
12 ft.	12.60	12.85	13.20	13.45	13.80	14.15	14.40
13 ft.	13.65	13.90	14.30	14.55	14.95	15.35	15.60
14 ft.	14.70	15.00	15.40	15.70	16.10	16.50	16.80
15 ft.	15.75	16.05	16.50	16.80	17.25	17.70	18.00

Carriers, Jackson Chain, up to 40 in. in width, per ft.	1.25
Carriers, Jackson Chain, over 40 in. in width, per ft.	1.50
Cells, Grain Carrier, Single.....	Each .25
Cells, Grain Carrier, Double.....	Each .40
Chains, A Frame, Plain.....	Each 1.25
Chains, A Frame, with E83.....	Each 2.50
Chain, Jackson Feeder, per foot.....	.30
Chains, Sack Dumps.....	Each .50
Chain Straw Carriers (see Carriers).....	
Chains, Tipping, ½ inch.....	Each 2.25
Circles, Front Wheel Brake.....	Each .50
Circles, Reel each (one piece ring).....	.50
Circles, Reel in Sections.....	Each .10
Cleaners, Junior Side Hill, Complete.....	Each 110.00

Cleaners, Regular Side Hill, Tipping, Complete.....	110.00	
Cleaners, Regular Side Hill, Complete.....Each	110.00	
Cleaners, Standard, Complete.....Each	110.00	
Cleaners, Steam Harvester.....	125.00	
Clevises, Double Tree Chain.....Each	.25	
Clips, Protection .....	Each	.02½
Clocks, Side Leveling Device.....	40.00	
Combs, Shoe .....	Each	1.25
Cotters, Assorted, per 100.....	.30	
Cotters, Assorted, No. 1, 100 $\frac{3}{8}$ to $\frac{1}{2}$ .....	.25	
Cotters, Assorted, No. 2, 50 $\frac{3}{8}$ to $\frac{1}{2}$ .....	.30	
Cotters, Assorted, No. 3, 25 $\frac{3}{8}$ to $\frac{1}{2}$ .....	.25	
Cotters, Assorted, No. 4, 100 $\frac{1}{8}$ to $\frac{3}{8}$ .....	.30	
Couplings, Steel, for Sickle.....Each	.50	
Cover, Header Bracket Gear.....Each	1.00	
Cover, Internal Gear and Pinion.....	3.00	
Cups, Elevator, Plain (see Buckets).....		
Cups, Pressed, Steel Grease, No. 1.....	.25	
Cups, Pressed, Steel Grease, No. 2.....	.30	
Cups, Pressed, Steel Grease, No. 3.....	.40	
Cups, Pressed, Steel Grease, No. 4.....	.50	
Cup Grease, Caterpillar, 1-lb. Can.....	} Write for Prices	
Cup Grease, Caterpillar, 3-lb. Can.....		
Cup Grease, Caterpillar, 5-lb. Can.....		
Cup Grease, Caterpillar, 10-lb. Can.....		
Cup Grease, Caterpillar, 25-lb. Can.....		
Cup Grease, Caterpillar, 50-lb. Can.....		
Cutter, Bundle, Complete.....	50.00	
Cylinders, with Shaft, Complete, 8 Bar, 24 in.....	65.00	
Cylinders, with Shaft, Complete, 8 Bar, 28 in.....	70.00	
Cylinders, with Shaft, Complete, 8 Bar, 30 in.....	75.00	
Cylinders, with Shaft, Complete, 10 Bar, 24 in.....	70.00	
Cylinders, with Shaft, Complete, 10 Bar, 28 in.....	75.00	
Cylinders, with Shaft, Complete, 10 Bar, 28 in., Small, Standard .....	Each	80.00
Cylinders, with Shaft, Complete, 10 Bar, 30 in.....	85.00	
Cylinders, with Shaft, Complete, 10 Bar, 30 in., Large Gear, Standard.....	Each	85.00
Cylinders, with Shaft, Complete, 10 Bar, 34 in.....	90.00	
Cylinders, with Shaft, Complete, 10 Bar, 40 in.....	100.00	
Cylinders, with Shaft, Complete, 12 Bar, 30 in.....	90.00	
Device, Screw Header Raising.....	25.00	
Device, Leveling Cleaner Screen, Automatic.....	12.00	
Device, Leveling, Automatic, Cleaner Screens, Large and Small Gear, Standard.....	Each	10.00
Doubletrees, Ironed .....	Each	10.00
Doubletrees, Wood only.....	Each	5.00

874.0  
34.90  
✓ 220.20



## DRAPER PRICES

## 36-inch Drapers

—Two-Belt Drapers— 2-2" Belts				—Three-Belt Drapers— 2-2" Belts, 1-1½" Belt			
	Stand.	S. Lap	G. Imp.		Stand.	S. Lap	G. Imp.
38 ft.....	34.95	43.30	48.65	42.55	53.95	62.30	
40 ft.....	36.80	45.60	51.20	44.80	56.80	65.60	
42 ft.....	38.65	47.90	53.75	47.05	59.65	68.85	
44 ft.....	40.50	50.15	56.30	49.25	62.45	72.15	
46 ft.....	42.30	52.45	58.90	51.50	65.30	75.40	
48 ft.....	44.15	54.70	61.45	53.75	68.15	78.70	
50 ft.....	46.00	57.00	64.00	56.00	71.00	82.00	
52 ft.....	47.85	59.30	66.55	58.25	73.85	85.25	
54 ft.....	49.70	61.55	69.10	60.45	76.65	88.55	
56 ft.....	51.50	63.85	71.70	62.70	79.50	91.80	
58 ft.....	53.35	66.10	74.25	64.95	82.35	95.10	
60 ft.....	55.20	68.40	76.80	67.20	85.20	98.40	
62 ft.....	57.05	70.70	79.35	69.45	88.05	101.65	
64 ft.....	58.90	72.95	81.90	71.65	90.85	104.95	
66 ft.....	60.70	75.25	84.50	73.90	93.70	108.20	
68 ft.....	62.55	77.50	87.05	76.15	96.55	111.50	
70 ft.....	64.40	79.80	89.60	78.40	99.40	114.80	
72 ft.....	66.25	82.10	92.15	80.65	102.25	118.05	
74 ft.....	68.10	84.35	94.70	82.85	105.05	121.35	
76 ft.....	69.90	86.65	97.30	85.10	107.90	124.60	
78 ft.....	71.75	88.90	99.85	87.35	110.75	127.90	
80 ft.....	73.60	91.20	102.40	89.60	113.60	131.20	

## 40-inch Drapers

—Two-Belt Drapers— 2-2" Belts				—Three-Belt Drapers— 2-2" Belts, 1-1½" Belt			
	Stand.	S. Lap	G. Imp.		Stand.	S. Lap	G. Imp.
38 ft.....	37.25	45.60	52.45	44.85	56.25	66.10	
40 ft.....	39.20	48.00	55.20	47.20	59.20	69.60	
42 ft.....	41.15	50.40	57.95	49.55	62.15	73.05	
44 ft.....	43.10	52.80	60.70	51.95	65.15	76.55	
46 ft.....	45.10	55.20	63.50	54.30	68.10	80.00	
48 ft.....	47.05	57.60	66.25	56.65	71.05	83.50	
50 ft.....	49.00	60.00	69.00	59.00	74.00	87.00	
52 ft.....	50.95	62.40	71.75	61.35	76.95	90.45	
54 ft.....	52.90	64.80	74.50	63.75	79.95	93.95	
56 ft.....	54.90	67.20	77.30	66.10	82.90	97.40	
58 ft.....	56.85	69.60	80.05	68.45	85.85	100.90	
60 ft.....	58.80	72.00	82.80	70.80	88.80	104.40	
62 ft.....	60.75	74.40	85.55	73.15	91.75	107.85	

87 40  
3480

	—Two-Belt Drapers— 2-2" Belts			—Three-Belt Drapers— 2-2" Belts, 1-1½" Belt		
	Stand.	S. Lap	G. Imp.	Stand.	S. Lap	G. Imp.
64 ft.....	62.70	76.80	88.30	75.55	94.75	111.35
66 ft.....	64.70	79.20	91.10	77.90	97.70	114.80
68 ft.....	66.65	81.60	93.85	80.25	100.65	118.30
70 ft.....	68.60	84.00	96.60	82.60	103.60	121.80
72 ft.....	70.55	86.40	99.35	84.95	106.55	125.25
74 ft.....	72.50	88.80	102.10	87.35	109.55	128.75
76 ft.....	74.50	91.20	104.90	89.70	112.50	132.20
78 ft.....	76.45	93.60	107.65	92.05	115.45	135.70
80 ft.....	78.40	96.00	110.40	94.45	118.40	139.20

## 40-inch Drapers—Two 2½-inch Belts

Length	Stand. Belts	S. Lap Belts	G. Imp. Belts
38 ft.....	41.80	51.30	61.75
40 ft.....	44.00	54.00	65.00
42 ft.....	46.20	56.70	68.25
44 ft.....	48.40	59.40	71.50
46 ft.....	50.60	62.10	74.75
48 ft.....	52.80	64.80	78.00
50 ft.....	55.00	67.50	81.25
52 ft.....	57.20	70.20	84.50
54 ft.....	59.40	72.90	87.75
56 ft.....	61.60	75.60	91.00
58 ft.....	63.80	78.30	94.25
60 ft.....	66.00	81.00	97.50
62 ft.....	68.20	83.70	100.75
64 ft.....	70.40	86.40	104.00
66 ft.....	72.60	89.10	107.25
68 ft.....	74.80	91.80	110.50
70 ft.....	77.00	94.50	113.75
72 ft.....	79.20	97.20	117.00
74 ft.....	81.40	99.90	120.25
76 ft.....	83.60	102.60	123.50
78 ft.....	85.80	105.30	126.75
80 ft.....	88.00	108.00	130.00

## 44-inch Draper—Two 2-inch Belts

Length	Stand. Belts	S. Lap Belts	G. Imp. Belts
38 ft.....	38.00	46.00	53.20
40 ft.....	40.00	48.40	56.00
42 ft.....	42.00	50.80	58.80
44 ft.....	44.00	53.25	61.60
46 ft.....	46.00	55.65	64.40



Length	Stand. Belts	S. Lap Belts	G. Imp. Belts
48 ft.....	48.00	58.10	67.20
50 ft.....	50.00	60.50	70.00
52 ft.....	52.00	62.90	72.80
54 ft.....	54.00	65.35	75.60
56 ft.....	56.00	67.75	78.40
58 ft.....	58.00	70.20	81.20
60 ft.....	60.00	72.60	84.00
62 ft.....	62.00	75.00	86.80
64 ft.....	64.00	77.45	89.60
66 ft.....	66.00	79.85	92.40
68 ft.....	68.00	82.30	95.20
70 ft.....	70.00	84.70	98.00
72 ft.....	72.00	87.10	100.80
74 ft.....	74.00	89.55	103.60
76 ft.....	76.00	91.95	106.40
78 ft.....	78.00	94.40	109.20
80 ft.....	80.00	96.80	112.00

## 44-inch Drapers

—Two-Belt Drapers—  
2-2½" Belts

	Stand.	S. Lap	G. Imp.
38 ft.....	42.55	53.20	62.30
40 ft.....	44.80	56.00	65.60
42 ft.....	47.05	58.80	68.90
44 ft.....	49.30	61.60	72.15
46 ft.....	51.50	64.40	75.45
48 ft.....	53.75	67.20	78.70
50 ft.....	56.00	70.00	82.00
52 ft.....	58.25	72.80	85.28
54 ft.....	60.50	75.60	88.56
56 ft.....	62.70	78.40	91.84
58 ft.....	64.95	81.20	95.10
60 ft.....	67.20	84.00	98.40
62 ft.....	69.45	86.80	101.70
64 ft.....	71.70	89.60	104.95
66 ft.....	73.90	92.40	108.25
68 ft.....	76.15	95.20	111.50
70 ft.....	78.40	98.00	114.80
72 ft.....	80.65	100.80	118.10
74 ft.....	82.90	103.60	121.35
76 ft.....	85.10	106.40	124.65
78 ft.....	87.35	109.20	127.90
80 ft.....	89.60	112.00	131.20

—Three-Belt Drapers—  
2-2½" Belts, 1-2" Belt

	Stand.	S. Lap	G. Imp.
52.45	66.90	79.05	
55.20	70.40	83.20	
57.95	73.95	87.36	
60.70	77.45	91.55	
63.50	81.00	95.70	
66.25	84.50	99.85	
69.00	88.00	104.00	
71.75	91.55	108.15	
74.55	95.05	112.35	
77.30	98.60	116.50	
80.05	102.10	120.65	
82.80	105.60	124.80	
85.55	109.15	128.95	
88.35	112.65	133.15	
91.10	116.20	137.30	
93.85	119.70	141.45	
96.60	123.20	145.60	
99.35	126.75	149.75	
102.15	130.25	153.95	
104.90	133.80	158.10	
107.65	137.30	162.25	
110.40	140.80	166.40	

## 48-inch Drapers

—Two-Belt Drapers— 2-3" Belts				—Three-Belt Drapers— 2-3" Belts, 1-2½" Belt			
	Stand.	S. Lap	G. Imp.		Stand.	S. Lap	G. Imp.
38 ft.....	47.90	60.80	72.20	60.80	79.80	95.00	
40 ft.....	50.40	64.00	76.00	64.00	84.00	100.00	
42 ft.....	52.90	67.20	79.80	67.20	88.20	105.00	
44 ft.....	55.45	70.40	83.60	70.40	92.40	110.00	
46 ft.....	57.95	73.60	87.40	73.60	96.60	115.00	
48 ft.....	60.50	76.80	91.20	76.80	100.80	120.00	
50 ft.....	63.00	80.00	95.00	80.00	105.00	125.00	
52 ft.....	65.50	83.20	98.80	83.20	109.20	130.00	
54 ft.....	68.05	86.40	102.60	86.40	113.40	135.00	
56 ft.....	70.55	89.60	106.40	89.60	117.60	140.00	
58 ft.....	73.10	92.80	110.20	92.80	121.80	145.00	
60 ft.....	75.60	96.00	114.00	96.00	126.00	150.00	
62 ft.....	78.10	99.20	117.80	99.20	130.20	155.00	
64 ft.....	80.65	102.40	121.60	102.40	134.40	160.00	
66 ft.....	83.15	105.60	125.40	105.60	138.60	165.00	
68 ft.....	85.70	108.80	129.20	108.80	142.80	170.00	
70 ft.....	88.20	112.00	133.00	112.00	147.00	175.00	
72 ft.....	90.70	115.20	136.80	115.20	151.20	180.00	
74 ft.....	93.25	118.40	140.60	118.40	155.40	185.00	
76 ft.....	95.75	121.60	144.40	121.60	159.60	190.00	
78 ft.....	98.30	124.80	148.20	124.80	163.80	195.00	
80 ft.....	100.80	128.00	152.00	128.00	168.00	200.00	

## 52-inch Drapers

—Two-Belt Drapers— 2-3" Belts				—Three-Belt Drapers— 2-3" Belts, 1-2½" Belt			
	Stand.	S. Lap	G. Imp.		Stand.	S. Lap	G. Imp.
38 ft.....	50.15	63.10	73.70	63.10	82.10	96.52	
40 ft.....	52.80	66.40	77.60	66.40	86.40	101.60	
42 ft.....	55.45	69.70	81.50	69.75	90.75	106.70	
44 ft.....	58.10	73.05	85.35	73.05	95.05	111.75	
46 ft.....	60.70	76.35	89.25	76.40	99.40	116.85	
48 ft.....	63.35	79.70	93.10	79.70	103.70	121.90	
50 ft.....	66.00	83.00	97.00	83.00	108.00	127.00	
52 ft.....	68.65	86.30	100.90	86.35	112.35	132.10	
54 ft.....	71.30	89.65	104.75	89.65	116.65	137.15	
56 ft.....	73.90	92.95	108.65	93.00	121.00	142.25	
58 ft.....	76.55	96.30	112.50	96.30	125.30	147.30	
60 ft.....	79.20	99.60	116.40	99.60	129.60	152.40	
62 ft.....	81.85	102.90	120.30	102.95	133.95	157.50	
64 ft.....	84.50	106.25	124.15	106.25	138.25	162.55	
66 ft.....	87.10	109.55	128.05	109.60	142.60	167.65	
68 ft.....	89.75	112.90	131.90	112.90	146.90	172.70	





Frames, Cleaner Screen, Double, Large and Small Gear, Standard .....	Each	2.20
Frames, Cleaner Cheat Screen, Large and Small Gear, Standard .....	Each	3.00
Frames, Double Shoe.....	Each	15.00
Frames, Shoe, Double, with Screens, Holt Machines .....	Each	22.50
Frames, Shoe only, Double, Other Machines....	Each	17.50
Frames, Header Bevel Gear, Large and Small Gear, Standard .....	Each	3.00
Frames, Shoe, Double, with Screens, Other Machines .....	Each	25.00
Frames, Cleaner Screen, Single, Large and Small Gear, Standard .....	Each	.85
Frames, Cleaner Screen, Double, Large and Small Gear, Standard .....	Each	2.25
Frames, Cleaner Cheat Screen, Large and Small Gear, Standard .....	Each	3.00
Frames, Separator Shoe Screen, Large and Small Gear, Standard .....	Each	1.50
Frames, Separator Screen, Standard Machines.....		1.75
Frames, Separator Screen, Steam Machines.....		2.00
Frames, Separator Screen, all S. H. Machines.....		1.50
Frames, Separator Screen, Steam, 1 Piece.....		2.50
Frames only, Double Shoe, Holt Machines.....	Each	15.00
Frames, Swing I Beam, Complete, 1909 to 1916, Inclusive, Complete .....		40.00
Frames, Swing, Grain and Main, Wood only, Complete Grain Carriers (see Carriers).....		10.00
Grease, Cup (see Cup Grease).....		
Guards, Chaff Carrier.....	Each	.30
Guards, Grain Carrier.....	Each	1.25
Guards, Extension Header.....	Each	.20
Guards, Header, No. 5.....		.25
Guards, Header, V.....		.10
Guards, Header, N. S., Long.....	Each	.15
Guards, Header, O. S., Long.....	Each	.15
Guards, Header, O. S., Short.....	Each	.10
Guards, Lifter .....	Each	1.00
Guards, Sickle, with Iron.....	Each	.25
Guards, Circular, for Straw Carrier.....	Each	.50
Guards, Header, N. S., Short.....	Each	.10
Guides, for Swing Frame, Angle Iron, Large and Small Gear, Standard, each.....	Write for	Prices
Grousters, Bent, $\frac{3}{8}$ x2, for 14 in. Wheels.....	Each	1.00
Grousters, Bent, $\frac{3}{8}$ x2, for 15 in. Wheels.....	Each	1.05
Grousters, Bent, $\frac{3}{8}$ x2, for 20 in. Wheels.....	Each	1.20
Grousters, Bent, $\frac{3}{8}$ x2, for 24 in. Wheels.....	Each	1.35
Grousters, Bent, $\frac{1}{2}$ x1 $\frac{1}{2}$ , for 12 in. Wheels.....	Each	.70



Grousers, Bent, $\frac{5}{16} \times 1\frac{1}{2}$ , for 14 in. Wheels.....	Each	.75
Grousers, Bent, $\frac{5}{16} \times 1\frac{1}{2}$ , for 16 in. Wheels.....	Each	.80
Grousers, Bent, $\frac{3}{8} \times 2\frac{1}{2}$ , for 14 in. Wheels.....	Each	1.55
Grousers, Bent, $\frac{3}{8} \times 2\frac{1}{2}$ , for 16 in. Wheels.....	Each	1.65
Grousers, Bent, $\frac{3}{8} \times 2\frac{1}{2}$ , for 20 in. Wheels.....	Each	1.80
Grousers, Bent, $\frac{3}{8} \times 2\frac{1}{2}$ , for 24 in. Wheels.....	Each	2.10
Grousers, Bent, $\frac{3}{8} \times 2\frac{3}{4}$ , for 14 in. Wheels.....	Each	1.90
Grousers, Bent, $\frac{3}{8} \times 2\frac{3}{4}$ , for 16 in. Wheels.....	Each	1.95
Grousers, Bent, $\frac{3}{8} \times 2\frac{3}{4}$ , for 20 in. Wheels.....	Each	2.20
Grousers, Bent, $\frac{3}{8} \times 2\frac{3}{4}$ , for 24 in. Wheels.....	Each	2.50
Grousers, Bent, $\frac{3}{8} \times 3$ , for 14 in. Wheels.....	Each	2.20
Grousers, Bent, $\frac{3}{8} \times 3$ , for 16 in. Wheels.....	Each	2.25
Grousers, Bent, $\frac{3}{8} \times 3$ , for 20 in. Wheels.....	Each	2.40
Grousers, Bent, $\frac{3}{8} \times 3$ , for 24 in. Wheels.....	Each	2.70
Grousers, Extension, Bent, $\frac{3}{8} \times 3 \times 14$ .....	Each	.55
Grousers, Extension, Bent, $\frac{3}{8} \times 3 \times 16$ .....	Each	.60
Grousers, Extension, Bent, $\frac{3}{8} \times 3 \times 20$ .....	Each	.80
Grousers, Extension, Bent, $\frac{3}{8} \times 3 \times 24$ .....	Each	1.05
Grousers, Extension, Bent, $\frac{3}{8} \times 3\frac{1}{2} \times 14$ .....	Each	.60
Grousers, Extension, Bent, $\frac{3}{8} \times 3\frac{1}{2} \times 16$ .....	Each	.75
Grousers, Extension, Bent, $\frac{3}{8} \times 3\frac{1}{2} \times 20$ .....	Each	1.00
Grousers, Extension, Bent, $\frac{3}{8} \times 3\frac{1}{2} \times 24$ .....	Each	1.20
Grousers, Extension, Bent, $\frac{3}{8} \times 4 \times 14$ .....	Each	.75
Grousers, Extension, Bent, $\frac{3}{8} \times 4 \times 16$ .....	Each	.90
Grousers, Extension, Bent, $\frac{3}{8} \times 4 \times 20$ .....	Each	1.55
Grousers, Extension, Bent, $\frac{3}{8} \times 4 \times 24$ .....	Each	1.35
Grousers, Straight, $\frac{5}{16} \times 1\frac{1}{2}$ , for 14 in. Wheels....	Each	.55
Grousers, Straight, $\frac{5}{16} \times 1\frac{1}{2}$ , for 16 in. Wheels....	Each	.60
Grousers, Straight, $\frac{5}{16} \times 1\frac{1}{2}$ , for 20 in. Wheels....	Each	.75
Grousers, Straight, $\frac{3}{8} \times 2$ , for 14 in. Wheels.....	Each	.60
Grousers, Straight, $\frac{3}{8} \times 2$ , for 16 in. Wheels.....	Each	.70
Grousers, Straight, $\frac{3}{8} \times 2$ , for 20 in. Wheels.....	Each	.85
Grousers, Straight, $\frac{3}{8} \times 2\frac{1}{2}$ , for 14 in. Wheels....	Each	1.05
Grousers, Straight, $\frac{3}{8} \times 2\frac{1}{2}$ , for 16 in. Wheels....	Each	1.55
Grousers, Straight, $\frac{3}{8} \times 2\frac{1}{2}$ , for 20 in. Wheels....	Each	1.30
Grousers, Straight, $\frac{3}{8} \times 3$ , for 20 in. Wheels.....	Each	1.50
Grousers, Extension, Straight, $\frac{3}{8} \times 3 \times 14$ .....	Each	.40
Grousers, Extension, Straight, $\frac{3}{8} \times 3 \times 16$ .....	Each	.45
Grousers, Extension, Straight, $\frac{3}{8} \times 3 \times 20$ .....	Each	.70
Grousers, Extension, Straight, $\frac{3}{8} \times 3 \times 24$ .....	Each	.90
Grousers, Extension, Straight, $\frac{3}{8} \times 3\frac{1}{2} \times 14$ .....	Each	.45
Grousers, Extension, Straight, $\frac{3}{8} \times 3\frac{1}{2} \times 16$ .....	Each	.60
Grousers, Extension, Straight, $\frac{3}{8} \times 3\frac{1}{2} \times 20$ .....	Each	.85
Grousers, Extension, Straight, $\frac{3}{8} \times 3\frac{1}{2} \times 24$ .....	Each	1.05
Grousers, Extension, Straight, $\frac{3}{8} \times 4 \times 14$ .....	Each	.60
Grousers, Extension, Straight, $\frac{3}{8} \times 4 \times 16$ .....	Each	.75
Grousers, Extension, Straight, $\frac{3}{8} \times 4 \times 20$ .....	Each	1.00
Grousers, Extension, Straight, $\frac{3}{8} \times 4 \times 24$ .....	Each	1.20
Grousers, Flat Diagonal, $\frac{1}{2} \times 1\frac{1}{4}$ , for 12 in. Wheels.	Each	.40

Grousers, Flat Diagonal, $\frac{1}{2} \times 1\frac{1}{4}$ , for 14 in. Wheels.	Each	.45
Grousers, Flat, Diagonal, $\frac{1}{2} \times 1\frac{1}{4}$ , for 16 in. Wheels.	Each	.55
Grousers, $\frac{5}{8} \times 1\frac{1}{2}$ , Flat, Bent, for 16 in. Wheels...	Each	.70
Grousers, $\frac{1}{2} \times 1\frac{1}{2}$ , Flat, Bent, for 16 in. Wheels...	Each	.60
Grousers, $\frac{1}{2} \times 1\frac{1}{2}$ , Flat, Bent, for 20 in. Wheels...	Each	.75
Guides, Header Chain, Complete.....	Each	1.50
Guide, Leveling Device, Roller and Pinion.....	Each	.50
Hangers, Shoe, Iron, Wrought.....	Each	.50
Hangers, Shoe Screen.....	Each	.25
Heads, Pitman, Large and Small Gear, Standard.	Each	.25
Heads, Reel, Complete.....		3.00
Heads, Sickle .....	Each	1.00
Headers, Complete, 10 foot.....	Each	165.00
Headers, Complete, 12 foot.....	Each	175.00
Headers, Complete, 14 foot.....	Each	185.00
Headers, Complete, 16 foot.....	Each	205.00
Headers, Complete, 18 foot.....	Each	225.00
Headers, Complete, 22 foot.....	Each	265.00
Headers, Complete, 22 foot, Steam Harvester...	Each	350.00
Headers, Complete, 24 foot.....	Each	285.00
Header, Extension, 2 foot.....	Each	50.00
Header, Extension, 4 foot.....	Each	65.00
Header, Extension, 5 foot.....	Each	75.00
Header, Extension, 8 foot.....	Each	100.00
Header, Extension, 12 foot, Steam Harvester...	Each	150.00
Hinge, Angle Iron Header.....		3.80
Hinges, Adjustable, Pole.....	Each	1.25
Hinges, Sack Dump.....	Each	1.50
Hinges, Spout .....	Each	.60
Hinges, Swing Frame, Large and Small Gear, Standard .....	Each	1.75
Hooks, Balance Lever, Large and Small Gear, Standard .....	Each	.50
Hook, Frame End, for E83.....		.60
Hook, Header Back Piece.....		.50
Hooks, Header Back Piece, Large and Small Gear, Standard .....	Each	.50
Hooks, Potter Belt, No. 1, for 1 in. Belt, per dozen...		.20
Hooks, Potter Belt, No. 2, for $1\frac{1}{2}$ in. Belt, per dozen.		.20
Hooks, Potter Belt, No. 3, for 2 in. Belt, per dozen...		.25
Hooks, Potter Belt, No. 4, for $2\frac{1}{2}$ in. Belt, per dozen..		.30
Hooks, Potter Belt, No. 5, for 3 in. Belt, per dozen..		.35
Hooks, Potter Belt, No. 6, for $3\frac{1}{2}$ in. Belt, per dozen.		.40
Hooks, Potter Belt, No. 7, for 4 in. Belt, per dozen...		.50
Hooks, Sack Chains.....	Each	.15
Hooks, Sack, Complete.....	Each	5.00
Iron, Black Sheet, per pound.....	Write for	Prices
Iron, Galvanized, Sheet, per pound.....	Write for	Prices
Irons, Header Angle.....	Each	2.25



Irons, Jacob Staff Connecting, N S.....	.75
Irons, Jacob Staff Connecting, O. S.....	.50
Irons, Nose .....	.75
Jackson Feeders (see Feeders).....	
Ladders, Seat, Finished, Complete.....	Each 10.00
Lagging, Leather, per pound.....	1.25
Lagging, Jack Pulley, 7 in. x 24 ft., Canvas.....	Each 1.25
Leather Belt (see Belting) .....	
Leather, Lace .....	Write for Prices
Levers, Front, Main or Grain Wheel Brake, Large and Small Gear, Standard.....	Each 2.50
Lever, for T2214.....	4.00
Nails, Wire, $\frac{5}{8}$ , $\frac{3}{4}$ , $\frac{7}{8}$ , 1 and $1\frac{1}{4}$ in. Long, per pound.	.15
Oil, Caterpillar Transmission.....	Write for Prices
Oil, Caterpillar Gas Engine Cylinder.....	Write for Prices
Oil, W. Virginia Black.....	Write for Prices
Oil, Castor Machine .....	Write for Prices
Outfits, Header Raising, Complete.....	Each 17.50
Outfits, Top Drapers, Complete, with Shafts, Boxes, Bolts and Sprockets .....	20.00
Pickers, Complete, Without Shaft, Large and Small Gear, Standard .....	Each 4.00
Pickers, Straggling .....	Each 6.00
Pieces, Back, 2 ft. Extension Headers.....	Each .30
Pieces, Back, 4 ft. Extension Headers.....	Each .60
Pieces, Back, 6 ft. Extension.....	Each .90
Pieces, Back, 12 ft. Header.....	Each 1.75
Pieces, Back, 14 ft. Header.....	Each 2.00
Pieces, Back, 16 ft. Header.....	Each 2.25
Pieces, Back, 18 ft. Header.....	Each 2.50
Pieces, Back, 20 ft. Header.....	Each 2.75
Pieces, Back, 22 ft. Header.....	Each 3.00
Pieces, Back, 24 ft. Header.....	Each 3.25
Pieces, Nose, Wood only.....	Each .75
Pieces, Nose, Iron only.....	Each .50
Pieces, Nose, Complete.....	Each 1.50
Pins, Doubletree .....	.50
Pins, Crank Disc.....	Each .75
Pins, for Leveling Rack, Large and Small, Stand- ard .....	Each .15
Pins for Header Lever and Couplings, Large and Small Gear, Standard.....	Each .25
Pins, Pole, 1%.....	2.00
Pins, for Pulley, No. 023.....	.50
Pins, for Sickle Disc 907 O. S., Large and Small Gear, Standard .....	Each 1.25
Pins, for Sickle Disc 907 N. S., Large and Small Gear, Standard .....	Each .75
Pitmans, Cheat Screen, Old Style, each to 1903.....	.75

Pitmans, Cheat Screen, Old Style, 1903 to 1907, Side Hill .....	.75
Pitmans, Cheat Screen, Holley, 1908 only .....	.75
Pitmans, Cheat Screen, New Style .....	1.00
Pitmans, Cleaner Shake .....	Each 2.00
Pitmans, Cleaner Shoe .....	Each .50
Pitmans, Jigger Board .....	Each .50
Pitmans, Separator, all Machines .....	1.50
Pitmans, Sickle, Side Hill .....	1.50
Pitmans, Sickle, Wood only .....	1.25
Pitmans, Reverse, Shifter .....	Each .50
Platforms, Chaff Carrier .....	Each 1.00
Platforms, Draper, 12 ft. x 52 in. ....	Each 6.00
Platforms, Draper, 24 ft. x 52 in. ....	Each 10.00
Platforms, Draper, 12 ft. x 44 in. ....	Each 5.50
Platforms, Draper, 14 ft. x 44 in. ....	Each 5.75
Platforms, Draper, 16 ft. x 44 in. ....	Each 6.00
Platforms, Draper, 18 ft. x 44 in. ....	Each 6.25
Platforms, Draper, 20 ft. x 44 in. ....	Each 6.50
Platforms, Draper, 22 ft. x 44 in. ....	Each 7.75
Platforms, Draper, 24 ft. x 44 in. ....	Each 8.50
Platforms, Draper, Extension, 2 ft. x 44 in. ....	1.50
Platforms, Draper, Extension, 4 ft. x 44 in. ....	Each 2.50
Platforms, Draper, Extension, 5 ft. x 44 in. ....	3.00
Platforms, Draper, 14 ft. x 40 in. ....	Each 5.50
Platforms, Draper, 16 ft. x 40 in. ....	Each 5.75
Platforms, Draper, 18 ft. x 40 in. ....	Each 6.00
Platforms, Draper, 20 ft. x 40 in. ....	Each 6.75
Platforms, Draper, 22 ft. x 40 in. ....	Each 7.50
Platforms, Draper, 24 ft. x 40 in. ....	Each 8.25
Platforms, Draper, 10 ft. x 40 in. ....	Each 5.00
Platforms, Draper, 12 ft. x 40 in. ....	Each 5.25
Platforms, Drapers, Extension, 2 ft. x 40 in. ....	Each 1.25
Platforms, Drapers, Extension, 4 ft. x 40 in. ....	Each 2.25
Platforms, Drapers, Extension, 5 ft. x 40 in. ....	Each 2.75
Platforms, Jackson Feeder, Side Hill .....	Each 5.00
Platforms, Jackson Feeder, Standard .....	Each 6.00
Platforms, Jackson Feeder, Steam .....	Each 7.00
Platforms, Payne Drag .....	Each 5.00
Platforms, Straw Carrier .....	Each 1.50
Platforms, Straw Dump .....	7.50
Poles, Harvester, Wood only .....	Each 2.50
Poles, Harvester, Ironed .....	Each 9.00
Post, Balance Lever .....	3.00
Pulleys, Cleaner Shake, Leathered .....	Each 2.00
Racks, Leveling Device, N. S. Side Hill and Plates ....	9.00
Racks, Leveling Device, Ironed, Large and Small Gear, Standard .....	Each 9.00



Racks and Plates, for N. S. Side Hill Leveling Device . . . . .	Each	9.00
Racks, Leveling Device, Wood only, Large and Small Gear, Standard . . . . .	Each	2.50
Radiator, Complete, with Eight Ten Tube Sections..		96.00
Radiator, Complete, with Twelve Ten Tube Sections.		145.00
Radiator Section with ten tubes. . . . .		14.90
Radiator Bottom Rods, $\frac{1}{8}$ in. x 2 ft. 6 $\frac{1}{4}$ in. . . . .		.25
Radiator Top Rods, $\frac{1}{8}$ in. x 2 ft. 7 in. . . . .		.25
Radiator Knee Angle, $\frac{1}{8}$ in. x 1 $\frac{1}{4}$ in. x 1 $\frac{1}{4}$ in. x 1 $\frac{1}{4}$ in. . . . .		.05
Radiator Rubber Gasket for Rods, 1 $\frac{1}{4}$ in. O. D. x $\frac{1}{8}$ in. I. D. . . . .		.05
Radiator Lead Gaskets, 1 $\frac{1}{4}$ in. O. D. Price per dozen..		.25
Radiator Brass Header Tube Washers, 1 $\frac{3}{8}$ in. O. D. . . . .		.15
Radiator Rubber Gaskets for above, 1 $\frac{3}{8}$ in. O. D., 1 $\frac{1}{8}$ in. I. D. (Doz.) . . . . .		.25
Radiator Hood complete for eight section Radiator..		6.75
Radiator Hood complete for twelve section Radiator..		8.00
Radiator Screen, 2 ft. 2 in. I. D., 4 ft. 0 in. deep, $\frac{1}{4}$ in. mesh . . . . .		2.00
Rails, Guard, Complete. . . . .		4.00
Risers, Seat . . . . .	Each	.50
Rivets, Coppered Iron, Per Pound. . . . .		.25
Rivets, Elevator Cup and Burrs, Per Pound. . . . .		.20
Rivets, Guard, Per Pound. . . . .		.20
Rivets, Jackson Feeder and Burrs, Per Pound. . . . .		.20
Rivets, Section, Per Pound. . . . .		.20
Rivets, Boiler . . . . .	Write for	Prices
Rivets, Round Head. . . . .	Write for	Prices
Rods, Cleaner Screen, Large and Small Gear Standard . . . . .	Each	.50
Rod, Draper Roller Middle Joint Only. . . . .	Each	.75
Rods, Draper Roller, Middle Joint, complete with Ball Bearing Spools, 42 and 44 in. . . . .	Each	4.75
46 and 48 in. . . . .	Each	5.00
50 and 52 in. . . . .	Each	5.25
Rods, Ball Bearing Draper Roller Joint, 40 in., complete with Spools . . . . .	Each	4.50
Rods, Ball Bearing, Draper Roller, Joint, 44 in., complete with Spools. . . . .	Each	4.75
Rods, Ball Bearing, Draper Roller, Joint, 48 in., complete with Spools . . . . .	Each	5.00
Rods, Ball Bearing, Draper Roller, Joint, 52 in., complete with Spools. . . . .	Each	5.25
Rods, Reel, 2 Foot. . . . .	Each	.65
Rods, Reel, 4 Foot. . . . .	Each	.75
Rods, Reel, 5 Foot. . . . .	Each	.80
Rods, Reel, 6 Foot. . . . .	Each	.80
Rods, Reel, 10 Foot. . . . .	Each	.75

Rods, Reel, 12 Foot.....	Each	.80
Rods, Reel, 14 Foot.....	Each	.85
Rods, Reel, 16 Foot.....	Each	.85
Rods, Reel, 18 Foot.....	Each	.80
Rods, Reel, 20 Foot.....	Each	.85
Rods, Reel, 22 Foot.....	Each	.85
Rods, Reel, 24 Foot.....	Each	1.10
Rollers, Ball Bearing Feeder, with Shaft Less		
Boxes .....	Each	5.50
Rollers, Ball Bearing Feeder, with Shaft and Boxes.	Each	6.00
Roller Bearings (See Bearings) .....		
Rollers, Chain Tightener, Nos. 44 to 52 Chain.....	Each	.25
Rollers, Chain Tightener, No. 62 Chain.....	Each	.25
Rollers, Chain Tighteners, Nos. 075 to 101.....	Each	.40
Rollers, Chain Tighteners, Nos. 103 to 115.....	Each	.45
Rollers, Chain Tighteners, No. 130.....	Each	.50
Rollers, 40 in., Draper 2 $\frac{5}{8}$ in. Wood x $\frac{11}{16}$ Shaft.....		2.50
Rollers, 44 in., Draper 2 $\frac{5}{8}$ in. Wood x $\frac{11}{16}$ Shaft.....		2.50
Rollers, 46 in., Draper 2 $\frac{5}{8}$ in. Wood x $\frac{11}{16}$ Shaft.....		2.50
Rollers, 52 in., Draper 2 $\frac{5}{8}$ in. Wood x $\frac{11}{16}$ Shaft.....		3.00
Rollers, Draper Iron, Old Style, 40 in. and 44 in. long,		
Large and Small Gear Standard.....		4.00
Rollers, Draper, Old Jack, Self-Oiling, 52 in. Long.....		8.00
Rollers, Draper, Old Jack, Self-Oiling, 40 in. and 44		
in. long .....		7.50
Rollers, Draper, Pierson.....		7.50
Rollers, Draper, Middle Rod Only.....		.75
Rollers, Draper, Middle Rod, Complete with Spools.....		1.50
Rollers, Grain Carrier, Wood.....	Each	.25
Rollers, Picker, 2 $\frac{5}{8}$ x $\frac{11}{16}$ , Shaft.....	Each	6.00
Rollers, Picker, 3x $\frac{11}{16}$ , Shaft.....	Each	6.00
Runs, Angle Iron (Header Spout) .....		1.25
Runs, Draper, Maple, 14 Foot.....	Each	.80
Runs, Draper, Maple, 16 Foot.....	Each	.85
Runs, Draper, Maple, 18 Foot.....	Each	.90
Runs, Draper, Maple, 20 Foot.....	Each	.95
Runs, Draper, Maple, 22 Foot.....	Each	1.00
Runs, Draper, Maple, 24 Foot.....	Each	1.05
Runs, Draper, Angle Iron, 10 Foot.....	Each	2.40
Runs, Draper, Angle Iron, 12 Foot.....	Each	2.60
Runs, Draper, Angle Iron, 14 Foot.....	Each	2.90
Runs, Draper, Angle Iron, 16 Foot.....	Each	3.05
Runs, Draper, Angle Iron, 18 Foot.....	Each	3.30
Runs, Draper, Angle Iron, 20 Foot.....	Each	4.00
Runs, Draper, Angle Iron, 22 Foot.....	Each	4.15
Runs, Draper, Angle Iron, 24 Foot.....	Each	4.45
Runs, Grain Elevator, Center Board.....	Each	.50
Runs, Header Spout, Bottom.....	Each	.50
Runs, Header Spout, Side.....	Each	.50



Runs, Jackson Feeder, O. S.....	Each	.75
Runs, Jackson Feeder, N. S.....	Each	.50
Runs, Jackson Feeder, Large and Small Case Standard .....	Each	.75
Runs, Sickle Bar (see Draper Runs).....		
Screen, Chain Cleaner, Per Yard.....		.30
Screens, Cleaner, Zinc or Zinc and Wire.....	Write for Prices	
Screens, Cleaner Cheat, Old Style.....		3.00
Screens, Cleaner Cheat, New Style.....		3.00
Screens, Cleaner Cheat, Large and Small Gear Standard, Complete .....	Each	6.00
Screens, Cleaner Cheat, Steam Harvester.....		4.00
Screens, Extension Header, 28 in. x 2 ft.....	Each	1.00
Screens, Extension Header, 28 in. x 4 ft.....	Each	1.75
Screens, Extension Header, 28 in. x 5 ft.....	Each	2.00
Screens, Extension Header, 28 in. x 6 ft.....	Each	2.25
Screens, Header, 28 in. x 10 ft.....	Each	4.00
Screens, Header, 28 in. x 12 ft.....	Each	4.00
Screens, Header, 28 in. x 14 ft.....	Each	4.50
Screens, Header, 28 in. x 16 ft.....	Each	5.00
Screens, Header, 28 in. x 18 ft.....	Each	6.00
Screens, Header, 28 in. x 20 ft.....	Each	6.25
Screens, Header, 28 in. x 22 ft.....	Each	6.50
Screens, Header, 28 in. x 24 ft.....	Each	7.00
Screens, Separator, Back for Double Shoes, Steam Harvester .....		3.00
Screens, Separator Back, 1903 and after, without Comb. Side Hill Only.....		3.00
Screens, Separator, Back for Double Shoes, Standard and Side Hill, up to 1902.....		2.50
Screens, Separator Barley, Holt Holley and Baby Holt Special, One Piece.....		4.50
Screens, Separator, Barley, Standard and Side Hill.....		3.00
Screens, Separator Barley, Steam Harvester.....		5.00
Screens, Separator Wheat, Holt Holley and Baby Holt Special, One Piece.....		4.50
Screens, Separator Wheat, Standard and Side Hill.....		3.00
Screens, Separator Wheat, Steam Harvester.....		5.00
Screens, Throat .....	Each	2.50
Screen Wire only, Barley, Per Square Foot.....		.12½
Screen Wire only, Cheat, Per Square Foot.....		.15
Screen, Wire only, Header, Per Square Foot..	Write for Prices	
Screen, Wire only, Wheat, Per Square Foot..	Write for Prices	
Screens, Wooden or Grates for Chaff Carrier.....		4.00
Screen, Perforated Zinc or Steel, Made to Order, Per Square Foot.....	Write for Prices	
Screws, Cylinder Set.....		.25
Screws, Jack .....	Write for Prices	
Sections, Sickle .....	Each	.06¼

Segments, Front Wheel, Brake Block Circle.....	Each	1.20
Shafts, Reel, 2 Foot.....	Each	1.95
Shafts, Reel, 4 Foot.....	Each	2.35
Shafts, Reel, 5 Foot.....	Each	2.50
Shafts, Reel, 6 Foot.....	Each	2.70
Shafts, Reel, 10 Foot.....	Each	3.75
Shafts, Reel, 12 Foot.....	Each	4.10
Shafts, Reel, 14 Foot.....	Each	4.50
Shafts, Reel, 16 Foot.....	Each	4.85
Shafts, Reel, 18 Foot.....	Each	5.25
Shafts, Reel, 20 Foot.....	Each	5.50
Shafts, Reel, 22 Foot.....	Each	6.00
Shafts, Reel, 24 Foot.....	Each	6.25
Shafts, Sack Dumps.....	Each	1.85
Shake, Cleaners, Adjustable, 1896 Style.....	Each	17.00
Shake, Cleaners, 1907 Style.....		20.00
Shake, Cleaners, Without Screens and Shaft, Large and Small Gear Standard.....	Each	25.00
Shake, Cleaner, Complete, Large and Small Gear Standard .....	Each	45.00
Shoes, Single, Complete, 1894 Style.....	Each	15.00
Shoes, Single, Complete, 1890 Style.....	Each	15.00
Shoes, Without Screens and Shaft, 1890 Style.....	Each	8.00
Shoes, Double, Holt Machine, Complete.....	Each	35.00
Shoes, Double, Other Machines, Complete.....	Each	40.00
Shoe, Separator, Complete with Shaft, Castings and Screens, Large and Small Gear Standard..	Each	30.00
Sickles, Per Foot .....		.75
Sickles, Extension, 2 ft., Old or New Style.....	Each	1.50
Sickles, Extension, 4 ft., Old or New Style.....	Each	3.00
Sickles, Extension, 5 ft., Old or New Style.....	Each	3.75
Sickles, Extension, 6 ft., Old or New Style.....	Each	4.50
Sides, Cleaner Shoe, Lower.....	Each	1.00
Sides, Cleaner Shoe, Upper.....	Each	1.00
Sides, Shoe, 1890 Style .....	Each	1.50
Sides, Straw Dump Spout.....	Each	5.00
Sills, Frames, Main and Grain Wheel Swing Frame (Wood) .....		3.00
Sill, Frame Swing, I Beam, Only 1909 to 1916, Inclusive		15.00
Slats, Reel, 2 Foot.....	Each	.15
Slats, Reel, 4 Foot.....	Each	.20
Slats, Reel, 5 Foot.....	Each	.20
Slats, Reel, 6 Foot.....	Each	.25
Slats, Reel, 10 Foot.....	Each	.30
Slats, Reel, 12 Foot.....	Each	.25
Slats, Reel, 14 Foot.....	Each	.25
Slats, Reel, 16 Foot.....	Each	.30
Slats, Reel, 18 Foot.....	Each	.35
Slats, Reel, 20 Foot.....	Each	.40



Slats, Reel, 22 Foot.....	Each	.45
Slats, Reel, 22 Foot, Steam Harvester.....	Each	.50
Slats, Reel, 24 Foot, Steam Harvester.....	Each	.55
Slides, Jacob Staffs.....	Each	1.25
Spokes, Cleaner Fan.....	Each	.25
Spokes, Front Wheel.....	Each	.35
Spokes, Header Raising .....	Each	.25
Spokes, Header, Wheel.....	Each	.40
Spokes, Reel, Pine .....	Each	.10
Spokes, Reel, Hardwood.....	Each	.15
Spokes, Separator or Cleaner Fan.....	Each	.10
Spools, Draper, Iron.....	Each	.50
Spools, Draper, Wood.....	Each	.20
Spools, Ball Bearing Joint Rod.....	Each	1.75
Spouts, Cleaner Cheat Auger.....		6.00
Spouts, Cleaner Cheat Auger, Complete, Drags, Chain Sprockets, Shafts and Boxes.....		12.00
Spouts, Extension, Straw Carrier.....		7.50
Spouts, Extension, Straw Carrier for Canvas Dump .....		7.50
Spouts, Grain Elevator, Complete with Cups, Sprockets, Boxes and Top Shafts.....	Each	35.00
Spouts, Grain Elevator .....	Each	15.00
Spouts, Grain Hopper Elevator .....		15.00
Spouts, Grain Hopper Elevator, Chain, Drag, Sprock- ets and Shafts .....		30.00
Spouts, Grain Hopper, Round Sheet Steel, Complete with Sprockets, Chain, Drags, Shafts, Spouts, Etc.		40.00
Spouts, Grain Hopper, Round Sheet Steel, with Tight- ener Boxes only .....		30.00
Spouts, Header .....	Each	10.00
Spouts, Header, Large & Small Gear Standard...	Each	12.50
Spouts, Header, Steam .....	Each	15.00
Spout Sides, Straw Dump .....		5.00
Spouts, Return Elevator .....	Each	15.00
Spouts, Return Elevator, Complete with Boxes, Top Shaft, Sprockets, Chain and Blocks.....		30.00
Spouts, Round Sheet Steel, Grain Elevator with Boxes and Top Shaft .....		35.00
Spouts, Round Sheet Steel, Grain Elevator, Complete with Drags, Sprockets, Tightener Boxes and Chain .....		50.00
Spouts, Round, Sheet Steel, Return Elevator, with Tightener Boxes .....		35.00
Spouts, Round, Sheet Steel Return Elevator, Complete with Tightener Boxes, Sprockets, Shafts, Drag and Chain .....		50.00
Spouts, Straw Dump Chain or Leather Belt.....		10.00
Springs, Cleaner Coil .....	Each	.50
Springs, Cleaner Wood, Cross .....	Each	.10
Springs, Cleaner Wood, Short .....	Each	.12½

Springs, Cleaner Wood, Long .....	Each	.12½
Springs, Clutch .....		.35
Springs, Draper, Inside, Narrow .....	Each	.50
Springs, Draper, Outside, Wide .....	Each	.60
Springs, Draper, Stop .....	Each	.35
Springs, Draper, Stop, Large and Small Gear Standard .....	Each	.75
Springs, Grain Carrier Shaft .....	Each	.35
Springs, Header Counter .....	Each	.75
Springs, Main Clutch .....	Each	.75
Springs, Nose, Piece .....	Each	.50
Springs, Sack Dump .....	Each	.60
Springs, Reel Balance Coil .....	Each	2.50
Springs, Reverse Shifter .....	Each	.50
Springs, Shoe .....	Each	.10
Springs, 384 Bracket .....	Each	.35
Springs, Safety Latch for Leveling Device, Large and Small Gear Standard .....	Each	1.25
Staffs, Jacob, Wood Only .....	Each	1.00
Staff, Leveling Device, Rack, Hardwood Only .....		2.50
Sticks, Chaff Carrier .....	Each	.05
Stays, Cleaner Shoe .....	Each	.50
Sticks, Draper, 40 in. ....	Each	.06
Sticks, Draper, 44 in. ....	Each	.07
Sticks, Draper, 46 in. ....	Each	.08
Sticks, Draper, 48 in. ....	Each	.09
Sticks, Draper, 50 to 52 in. ....		.09
Sticks, Jackson Feeder, 24 to 30 in. ....	Each	.10
Sticks, Jackson Feeder, over 30 in. ....	Each	.12½
Sticks, Riffles .....	Each	.20
Sticks, Square, Straw Carrier, Steam Harvester ..	Each	.10
Sticks, Square, Straw Carrier .....	Each	.05
Sticks, Round, Straw Carrier .....	Each	.08
Sticks, Straw Dump .....	Each	.05
Straighteners, Cylinder Tooth .....	Each	1.50
Strainer on Water Tank .....		.50
Strainer on Distillate Tank .....		.30
Strainer, Air Strainer for Carbureter, 2½ in. I. D. at Lower End .....		2.75
Straps, Front Wheel Brake Block, Large and Small Gear Standard .....	Each	.75
Straps, Sack Dumps .....	Each	.25
Straw Carriers (See Carriers) .....		
Tacks, Double Pointed, No. 9, per pound .....		.25
Tacks, Double Pointed, No. 10, per pound .....		.25
Tacks, Double Pointed, No. 11, per pound .....		.25
Tank, Water. (Write for prices, giving full descrip- tion of kind and size wanted.)		



Tank, Distillate. (Write for prices, giving full description of kind and size wanted.)		
Teeth, Concave Band .....	Each	.15
Teeth, Concave Bar .....	Each	.15
Teeth, Cylinder Bar, O. S. or N. S. ....	Each	.15
Teeth, Cylinder Ear, O. S. or N. S. ....	Each	.15
Teeth, Cylinder Head, O. S. or N. S. ....	Each	.15
Thimbles, Grain Carrier Rollers .....	Each	.05
Thimbles, Tightener Pulleys for No. 78 Chain and Larger .....	Each	.10
Thimbles, Tightener Pulleys for No. 44 to No. 62 Chain .....	Each	.05
Tightener Draper Chain (For Weight No. 989) 44 Chain .....		1.50
Tightener, Draper, Complete, Large and Small Gear Standard .....	Each	1.00
Tightener, Chaff Carrier for 44 Chain .....		.75
Tighteners, Chain Complete, Nos. 44 and 52 Chain Large and Small Gear Standard .....	Each	.90
Tighteners, Chain Complete, Nos. 075 to 101 Chain, Large and Small Gear Standard .....	Each	1.10
Tighteners, Chain Complete, Nos. 103 to 115 Chain, Large and Small Gear Standard .....	Each	1.25
Tighteners, Chain, Complete, No. 130 Chain Large and Small Gear Standard .....	Each	1.50
Tightener 075 Chain, Complete .....		3.00
Tightener 76½ Chain, Complete .....		3.00
Tightener, 583 Side Hill Header, Complete .....		3.00
Tightener, Header for 62 Chain, Standard .....		.75
Tightener Cleaner for 52 Chain, O. S. ....		.75
Tightener Cleaner Fan for 44 Chain .....		.75
Tightener Cleaner and Cheat Auger for 44 Chain, End. ....		.75
Tightener Cleaner and Cheat Auger for 44 Chain, top. ....		.75
Tightener Cleaner Spring for 44 Chain, Side Hill, Divided Cleaner .....		1.50
Tighteners, Cylinder Belt, Horse Harvester, Complete .....	Each	10.00
Tighteners, Cylinder Belt, Gas Harvester, Complete .....	Each	25.00
Tighteners, Cylinder Belt, Steam Harvester, Complete .....	Each	25.00
Tightener Cylinder Counter for 78 Chain .....		1.50
Tightener Double Bracket Header for 62 Chain Standard .....		1.00
Tightener, Grain Elevator for 44 Chain .....		.75
Tightener, Grain Wheel Chain 1907 and 1908 Side Hill. ....		4.00
Tightener Header spout for 44 Chain .....		.75
Tightener Header Spring for 62 Chain, Side Hill .....		1.50
Tightener Jackson Feeder Shaft for 44 Chain .....		.75

Tightener Jigger Board for 44 Chain.....	.75
Tightener Main Chain for 44 Chain.....	.75
Tightener Main Chain for 117 and 118 Chain.....	5.00
Tightener Top Feeder for 44 Chain.....	1.00
Tightener Picker for 44 Chain.....	.75
Tightener Separator Fan for 44 Chain.....	.75
Tightener, 563 Side Hill Main Chain Complete.....	4.00
Tiller Wheels for Raising Header.....	Each 5.00
Timbers, Ladders.....	Each 1.50
Truck, Header, Giant.....	50.00
Trucks, Header, Complete.....	Each 30.00
Washers, for Roller Bearing Draper Spools.....	Each .02
Washers, Malleable.....	Each .25
Wheels, Front O. S.....	27.50
Wheels, Front N. S.....	47.50
Wheels, Header 8 in.....	30.00
Wheels, Header 10 in.....	32.50
Wheels, Header 12 in.....	35.00
Wheels, Header Raising.....	5.00
Wheels, Header Truck (Ironed).....	8.50
Wheels, Grain, 16 in. x 5 ft. 4 in.....	105.00
Wheels, Grain, 18 in. x 5 ft. 4 in.....	110.00
Wheels, Grain, 20 in. x 5 ft. 4 in.....	115.00
Wheels, Grain, 22 in. x 5 ft. 4 in.....	120.00
Wheels, Grain, 24 in. x 5 ft. 4 in.....	125.00
Wheels, Grain, 14 in. x 6 ft. 0 in.....	105.00
Wheels, Grain, 16 in. x 6 ft. 0 in.....	110.00
Wheels, Grain, 18 in. x 6 ft. 0 in.....	115.00
Wheels, Grain, 20 in. x 6 ft. 0 in.....	120.00
Wheels, Grain, 22 in. x 6 ft. 0 in.....	125.00
Wheels, Grain, 24 in. x 6 ft. 0 in.....	130.00
Wheels, Main, 16 in. x 5 ft. 4 in.....	110.00
Wheels, Main, 18 in. x 5 ft. 4 in.....	115.00
Wheels, Main, 20 in. x 5 ft. 4 in.....	120.00
Wheels, Main, 22 in. x 5 ft. 4 in.....	125.00
Wheels, Main, 24 in. x 5 ft. 4 in.....	130.00
Wheels, Main, 16 in. x 6 ft. 0 in.....	115.00
Wheels, Main, 18 in. x 6 ft. 0 in.....	120.00
Wheels, Main, 20 in. x 6 ft. 0 in.....	125.00
Wheels, Main, 22 in. x 6 ft. 0 in.....	130.00
Wheels, Main, 24 in. x 6 ft. 0 in.....	135.00
Wires, Shoe.....	Each .05
Wrenches, Large, Malleable.....	Each .25
Wrenches, Medium, Malleable.....	Each .20
Wrenches, Small, Malleable.....	Each .15
Wrenches, Cylinder.....	Each 2.50